



Car price list 2017

Prices valid from 11/15/2016

REMUS tip design



#70CS



#70CSS



#98CB



#83CTS



#83CB



#70QBSS



#83CS



#98C



#70



#55S



#05



#14SS



#04G



#84CS



#98C

Part no.	Description	€ excl. VAT
ABARTH		
500 Abarth, type 312, 2007=>		
1.4i 99 kW		
500 Abarth Esseesse, type 312, 2007=>		
1.4i 118 kW (312A1000)		
500 Abarth, type 312, 2013=>		
1.4i 132 kW (312A3000) (without homologation)		
	Axle-back-system L/R: 182510 0500 + tail pipe set! Not homologated for 1.4i 132 kW!	
182510 0500	Sport exhaust centered for L/R system (without tail pipes) REMUS tube Ø 60 mm	347,00
	Choose from following tail pipe package:	
0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
Punto Evo Abarth, type 199, 2011=>		
1.4i 120 kW		
	Axle-back-system: 184011 0500 + tail pipe set!	
	Cat-back-system: 184011 0000 + 184011 0500 + tail pipe set!	
184011 0000	RACING tube without homologation, instead of front silencer	165,00
	Sport exhaust system consisting of:	
184011 0500	Sport exhaust for left-system (without tail pipes)	368,00
	Choose from following tail pipe package:	
0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	160,00
ALFA ROMEO		
Giulietta, type 940, 2010=>2015 (not Facelift)		
1.4i TB 88 kW (198A4000); 1.4i TB Multiair 125 kW (940A2000)		
	Axle-back-system L/R: 025110 0000 + 025110 1598C!	
	For mounting the L/R sport exhaust, the original rear skirt (part no. 156090485) & original bracket (part no. 51820445) must be used!	
025110 0000	Connection tube for mounting on 1.4i model	143,00
025110 1598C	Sport exhaust centered L/R, with 2 tail pipes Ø 98 mm Street Race	570,00
Giulietta, type 940, 2010=>2015 (not Facelift)		
1.8i TBi 173 kW (940A1000)		
	Cat-back-system L/R: 025110 0000 (Racing) resp. 025010 0300 + 025110 1598C! Only fits as a complete system!	
025110 0000	RACING tube without homologation, instead of front silencer	143,00
025010 0300	Resonated front section	235,00
025110 1598C	Sport exhaust centered L/R, with 2 tail pipes Ø 98 mm Street Race	570,00
145, Type 930, 1995=>		
1.9i TD 66 kW (AR33601), 1995=>; 2.0i TD 66 kW (AR33601), 1998=>		
2)	025096 0501 Sport exhaust with 1 tail pipe 92x78 mm	312,00
147, Type 937, 2001=>		
1.6i 77 kW (AR37203); 1.6i 88 kW (AR32104); 2.0i 110 kW (AR31310); 1.9i JTD 85 kW (937A200); 1.9i JTD 103 kW (192A500)		
147 Facelift, Type 937, 2005=>		
1.6i 77 kW (AR37203); 1.6i 88 kW (AR32104); 1.9i JTD 74 kW (182B9000); 1.9i JTD 85 kW (937A200); 1.9i JTD 110 kW (937A500)		
	Axle-back-system: 025105 0500 + tail pipe set!	
	Sport exhaust for left-system (without tail pipes)	
025105 0500	REMUS tube Ø 54 mm	318,00
	Choose from following tail pipe package:	
0006 70SG	1 tail pipe Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	74,00
0006 70S	1 tail pipe Ø 102 mm angled, chromed, with adjustable spherical clamp connection	85,00
0006 70CS	1 Carbon tail pipe Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	210,00
0006 98C	1 tail pipe Ø 98 mm Street Race, with adjustable spherical clamp connection	111,00
0006 98CB	1 tail pipe Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	123,00
155, Type 167, 1995=>		
1.9i TD 66 kW (67501)		
2)	026096 0509 Sport exhaust with 1 tail pipe 135x75 mm	382,00
155, Typ 167, 1995=>		
2.5i TD 92 kW (VM07B/VM318)		
2)	027095 0562 Sport exhaust with 2 tail pipes Ø 70 mm Racing Look	430,00
156 Sedan / Sportwagon, Type 932, 1997=>		
1.9i JTD 77 kW (AR32302), 1998=>; 1.9i JTD 85 kW (937A2000), 2004=>; 2.4i JTD 100 kW (AR32501), 1998=>; 2.0i JTS 122 kW (937A1000), 2002=>; 2.5i V6 24V 140 kW (AR32401), OCT1997=>		
°	027098 0509 Sport exhaust with 1 tail pipe 135x75 mm	417,00
AUDI		
A1, type 8X, 2010=>		
1.2i TFSI 63 kW (CBZA); 1.2i TFSI 77 kW (CBZB); 1.4i TFSI 90 kW (CAX); 1.6i TDI 55 kW (CAYA); 1.6i TDI 66 kW (CAYBB); 1.6i TDI 77 kW (CAYC)		
	Axle-back-system: 044108 0584C. When mounting on Diesel models the original hanger (part no 6Q0 253 144F) & the 2 original bolts (part no N0195269) must be used! When mounting on 1.2i TFSI & Diesel models, the rear skirt must be trimmed as per the supplied template!	
044108 0584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race	454,00

Part no.	Description	€ excl. VAT
S1 Quattro, type 8X, 2015=>		
S1 Sportback Quattro, type 8X, 2015=>		
2.0l TFSI 170 kW (CXZA)		
	Axle-back-system L/R: 045015 1500 + tail pipe set! The original exhaust will need to be cut! No rear skirt modifications required!	
	Cat-back-system L/R: 045015 0300 + 045015 1500 + tail pipe set! No vehicle modifications required!	
045015 0300	front resonated section Original tube Ø 65 mm, REMUS tube Ø 70 mm	255,00
" 045015 1500	Sport exhaust centered for L/R system (without tail pipes) with 2 integrated valves, incl. EC homologation Original tube Ø 65 mm, REMUS tube Ø 70 mm The supplied actuator activates the valve to factory preset positions via the vehicle onboard electronics.	975,00
	Choose from following tail pipe package:	
0046 70SG	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	296,00
0046 70S	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	340,00
0046 70CS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	840,00
A3, type 8L, SEP1996=>		
1.6l 74/75 kW; 1.6l 81 kW; 1.8l 92 kW; 1.8l Turbo 110/132 kW; 1.9l TDI 66 kW; 1.9l TDI 74/81/96 kW		
	Axle-back-system: (AD0016) + 046397 099 + tail pipe set! When mounting on 1.6l models, the VW bracket (part no 1J0253144) must be used!	
	Cat-back-system: (AD0016) + 045096 0000 (Racing) resp. 046097 0000 (Racing) + 046397 099 + tail pipe set! When mounting on 1.6l models, the VW bracket (part no 1J0253144) must be used!	
AD0016	Distance tube H for mounting on 1.6l model	23,00
045096 0000	RACING tube without homologation, instead of front silencer, only for 1.6l 74/75 kW and 1.8l 92 kW	96,00
046097 0000	RACING tube without homologation, instead of front silencer, only for 1.6l 81 kW and 1.8l Turbo 110/132 kW	96,00
	PowerSound Sport exhaust system consisting of:	
1) 046397 099	PowerSound sport exhaust with manual valve control system (without tail pipes)	359,00
	Choose from following tail pipe package:	
2) 0000 02	2 tail pipes 92x78 mm	160,00
0007 04G	2 tail pipes Ø 76 mm straight	147,00
0007 05G	1 tail pipe Ø 90 mm straight	77,00
0007 14M	1 tail pipe 142x72 mm	92,00
0007 78	2 tail pipes Ø 84 mm	147,00
0007 83C	1 tail pipe Ø 84 mm Street Race	95,00
0007 83CS	1 tail pipe Ø 84 mm Carbon Race	99,00
0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome	107,00
0007 84C	2 tail pipes Ø 84 mm Street Race	190,00
0007 84CS	2 tail pipes Ø 84 mm Carbon Race	198,00
0007 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
A3, type 8P, 2003=>		
2.0l FSI 110 kW; 2.0l TFSI 147 kW; 1.9l TDI 77 kW; 2.0l TDI 100 / 103 / 125 kW		
	Axle-back-system: AD0032 resp. AD0079 resp. AD0090 + 796105 098 + tail pipe set!	
AD0032	Distance tube C1 for mounting on 2.0l TDI 125 kW with connection Ø 60 mm	27,00
AD0079	Distance tube T5 for mounting on 1.9l TDI 77 kW model	23,00
AD0080	Distance tube U5 for mounting on 2.0l FSI 110 kW and 2.0l TDI 100/103/125 kW models	23,00
	Sport exhaust system consisting of:	
796105 098	Sport exhaust left (without tail pipes)	357,00
	Choose from following tail pipe package:	
0007 04G	2 tail pipes Ø 76 mm straight	147,00
0007 05G	1 tail pipe Ø 90 mm straight	77,00
0007 14M	1 tail pipe 142x72 mm	92,00
0007 70	1 tail pipe Ø 102 mm	82,00
0007 78	2 tail pipes Ø 84 mm	147,00
0007 83C	1 tail pipe Ø 84 mm Street Race	95,00
0007 83CS	1 tail pipe Ø 84 mm Carbon Race	99,00
0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome	107,00
0007 84C	2 tail pipes Ø 84 mm Street Race	190,00
0007 84CS	2 tail pipes Ø 84 mm Carbon Race	198,00
0007 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
0007 98C	1 tail pipe Ø 98 mm Street Race	108,00
0007 98CB	1 tail pipe Ø 98 mm Street Race Black Chrome	120,00
A3, type 8V, 2012=>		
A3 Sportback, type 8V, 2013=>		
1.4l TFSI 90/92 kW (CMBA/CPVA); 1.4l TFSI 92 kW (CXSB/CZCA); 1.4l TFSI 103 kW (CHPA/CPTA); 1.4l TFSI 110 kW (CZEA); 1.8l TFSI 125 kW (CNSB); 1.8l TFSI 132 kW (CJSA)		
	Axle-back-system left: 954112 0000 resp. 955112 0000 + 044112 0500 + tail pipe set!	
	Cat-back-system left (only for 1.4l TFSI): 954112 0000 resp. 955112 0000 + 954312 0000 (Racing) + 044112 0500 + tail pipe set! Only for 1.4l TFSI!!	
	Axle-back-system L/R: 954112 0000 resp. 955112 0000 + 045112 1500 + tail pipe set + optional 041401 HES! The rear diffusors are only mountable together with the L/R systems. Alternatively also the original rear diffusor can be used but it has to be trimmed according to enclosed instructions!	
	Cat-back-system L/R (only for 1.4l TFSI): 954112 0000 resp. 955112 0000 + 954312 0000 (Racing) + 045112 1500 + tail pipe set + optional 041401 HES! The rear diffusors are only mountable together with the L/R systems. Alternatively also the original rear diffusor can be used but it has to be trimmed according to enclosed instructions! Only for 1.4l TFSI!!	
954312 0000	RACING tube without homologation, instead of front silencer, only for 1.4l TFSI, only fits as a complete system with the REMUS sport exhaust	167,00
954112 0000	Connection tube (multi-link axle) for mounting on 1.4l TFSI	59,00
955112 0000	Connection tube (multi-link axle) for mounting on 1.8l TFSI	59,00
	Sport exhaust system consisting of:	
044112 0500	Sport exhaust for left-system (without tail pipes)	260,00
	Choose from following tail pipe package:	
0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
	Alternative: Sport exhaust system L/R consisting of:	
045112 1500	Sport exhaust centered for L/R system (without tail pipes)	303,00
" 041401 HES	ABS rear diffusor left/right, carbon optic (not for S-Line)	199,00
	Choose from following tail pipe package:	
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00

Part no.	Description	€ excl. VAT
A3 Sportback, type 8V, 2013=>		
1.4l TFSI 90/92 kW (CMB/CPVA); 1.4l TFSI 92 kW (CXSB/CZCA); 1.4l TFSI 103 kW (CHPA/CPTA); 1.4l TFSI 110 kW (CZEA); 1.8l TFSI 125 kW (CNSB); 1.8l TFSI 132 kW (CJSA)		
	Axle-back-system L/R: 954112 0000 resp. 955112 0000 + 045212 1584C + optional 041401 HES! The rear diffusers are only mountable together with the L/R systems. Alternatively also the original rear diffuser can be used but it has to be trimmed according to enclosed instructions!	
	Cat-back-system L/R (only for 1.4l TFSI): 954112 0000 resp. 955112 0000 + 954312 0000 (Racing) + 045212 1584C + optional 041401 HES! The rear diffusers are only mountable together with the L/R systems. Alternatively also the original rear diffuser can be used but it has to be trimmed according to enclosed instructions! Only for 1.4l TFSI!	
954312 0000	RACING tube without homologation, instead of front silencer, only for 1.4l TFSI, only fits as a complete system with the REMUS sport exhaust	167,00
954112 0000	Connection tube (multi-link axle) for mounting on 1.4l TFSI	59,00
955112 0000	Connection tube (multi-link axle) for mounting on 1.8l TFSI	59,00
045212 1584C	Sport exhaust with L/R each 2 tail pipes Ø 84 mm Street Race, only for Audi A3 8V Sportback	625,00
" 041401 HES	ABS rear diffuser left/right, carbon optic (not for S-Line)	199,00

A3 Quattro, type 8V, 2014=>

A3 Sportback Quattro, type 8V, 2014=>

1.8l TFSI 132 kW (CJS)

	Axle-back-system L/R: 045214 0000 + 044112 0500 + tail pipe set! Also for S-Line models!	
	Cat-back-system L/R: AD0187 + 046513 0300 (Racing) resp. 046513 0000 (Racing) + 045214 0000 + 044112 0500 + tail pipe set! Also for S-Line models!	
	Turbo-back-system: 956014 1100 + 046513 0300 (Racing) resp. 046513 0000 (Racing) + 045214 0000 + 044112 0500 + tail pipe set! Also for S-Line models!	
	Axle-back-system L/R: 045214 0000 + 045112 1500 + tail pipe set + optional 041401 HES! The rear diffusers are only mountable together with the L/R systems. Alternatively also the original rear diffuser can be used but it has to be trimmed according to enclosed instructions! Not for S-Line models!	
	Cat-back-system L/R: AD0187 + 046513 0300 (Racing) resp. 046513 0000 (Racing) + 045214 0000 + 045112 1500 + tail pipe set + optional 041401 HES! The rear diffusers are only mountable together with the L/R systems. Alternatively also the original rear diffuser can be used but it has to be trimmed according to enclosed instructions! Not for S-Line models!	
	Turbo-back-system L/R: 956014 1100 (Racing) + 046513 0300 (Racing) resp. 046513 0000 (Racing) + 045214 0000 + 045112 1500 + tail pipe set + optional 041401 HES! The rear diffusers are only mountable together with the L/R systems. Alternatively also the original rear diffuser can be used but it has to be trimmed according to enclosed instructions! Not for S-Line models!	
4) 956014 1100	RACING downpipe with sport catalytic convertor (200 CPSI), pipe Ø 76 mm, without homologation (only mountable together with REMUS front silencer respectively RACING tube)	993,00
AD0187	Distance tube X7 for mounting of 046513 0300 / 046513 0000 onto original downpipe of 1.8l TFSI 132 kW Quattro	18,00
046513 0300	RACING front silencer, without homologation	255,00
046513 0000	RACING tube without homologation, instead of front silencer (Original tube Ø 70 mm, REMUS tube Ø 76 mm)	92,00
045214 0000	Connection tube for mounting on 1.8l TFSI 132 kW	78,00
	Sport exhaust system consisting of:	
044112 0500	Sport exhaust for left-system (without tail pipes)	260,00
	Choose from following tail pipe package:	
0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
	Alternative: Sport exhaust system L/R consisting of:	
045112 1500	Sport exhaust centered for L/R system (without tail pipes) (not for S-Line)	303,00
" 041401 HES	ABS rear diffuser left/right, carbon optic (not for S-Line)	199,00
	Choose from following tail pipe package:	
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00

A3, type 8V, 2012=>

A3 Sportback, type 8V, 2013=>

1.6l TDI 77 kW (CLHA); 1.6l TDI 81KW (CRRB); 2.0l TDI 105 kW (CRFC); 2.0l TDI 110 kW (CRBC); 2.0l TDI 110KW (CRUA)

	Axle-back-system L: 954112 0000 resp. 953612 0000 + 045212 0584CS resp. 045012 0584CS!	
	Axle-back-system L/R: 954112 0000 resp. 953612 0000 + 045112 1500 + tail pipe set + optional 041401 HES! Not for S-Line models! The rear diffusers are only mountable together with the L/R systems. Alternatively also the original rear diffuser can be used but it has to be trimmed according to enclosed instructions!	
954112 0000	Connection tube (multi-link axle) for mounting on 2.0l TDI 105/110 kW	59,00
953612 0000	Connection tube (twist beam axle) for mounting on 1.6l TDI 77/81 kW	59,00
045212 0584CS	Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race, only for Audi A3 8V Sportback	432,00
045012 0584CS	Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race, only for Audi A3 8V	432,00
	Alternative: Sport exhaust system L/R consisting of:	
045112 1500	Sport exhaust centered for L/R system (without tail pipes)	303,00
" 041401 HES	ABS rear diffuser left/right, carbon optic (not for S-Line)	199,00
	Choose from following tail pipe package:	
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00

A3 Sportback, type 8V, 2013=>

1.6l TDI 77 kW (CLHA); 1.6l TDI 81KW (CRRB); 2.0l TDI 105 kW (CRFC); 2.0l TDI 110 kW (CRBC); 2.0l TDI 110KW (CRUA)

	Axle-back-system L/R: 954112 0000 resp. 953612 0000 + 045212 1584C + optional 041401 HES! Not for S-Line models! The rear diffusers are only mountable together with the L/R systems. Alternatively also the original rear diffuser can be used but it has to be trimmed according to enclosed instructions!	
954112 0000	Connection tube (multi-link axle) for mounting on 2.0l TDI 105/110 kW	59,00
953612 0000	Connection tube (twist beam axle) for mounting on 1.6l TDI 77/81 kW	59,00
045212 1584C	Sport exhaust with L/R each 2 tail pipes Ø 84 mm Street Race, only for Audi A3 8V Sportback	625,00
" 041401 HES	ABS rear diffuser left/right, carbon optic (not for S-Line)	199,00

Part no.	Description	€ excl. VAT
A3 Sedan, type 8V, 2012=>		
1.4l TFSI, 1.4l TFSI 90 (CMPA/CPVA/CXSA); 1.4l TFSI 92 kW (CXSB/CZCA); 1.4l TFSI 103 kW (CHPA/CPTA); 1.4l TFSI 110 kW (CZFA/CUKB); 1.8l TFSI 125 kW (CSNB); 1.8l TFSI 132 kW (CJSA); 2.0l TFSI 162 kW (ohne Genehmigung); 1.6l TDI 77 kW (CLHA/CRKB); 2.0l TDI 81kW (CRFA); 2.0l TDI 105 kW (CRFC); 2.0l TDI 110 kW (CRBC/CRUA)		
	Axle-back-system L/R: connection tube + 045013 1500 + tail pipe set! Not for S-Line models! The skirt outlet must be trimmed as per the enclosed template!	
	Cat-back-system L/R (only for 1.4l TFSI): 954312 0000 (Racing) + 954112 0000 + 045013 1500 + tail pipe set! Not for S-Line models! The skirt outlet must be trimmed as per the enclosed template!	
954312 0000	RACING tube without homologation, instead of front silencer, only for 1.4l TFSI, only fits as a complete system with the REMUS sport exhaust	167,00
954112 0000	Connection tube (multi-link axle) for mounting on 1.4l TFSI 90/92/103/110 kW, 2.0l TDI 81/105/110 kW	59,00
955112 0000	Connection tube (multi-link axle) for mounting on 1.8l TFSI 125/132 kW	59,00
953612 0000	Connection tube (twist beam axle) for mounting on 1.6l TDI 77 kW	59,00
955213 0000	Connection tube for mounting on 2.0l TFSI 162 kW	59,00
	Sport exhaust system L/R consisting of:	
045013 1500	Sport exhaust centered for L/R system (without tail pipes) (no homologation for 2.0l TFSI 162 kW)	303,00
	Choose from following tail pipe package:	
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
A3 Sedan Quattro, type 8V, 2014=>		
1.8l TFSI 132 kW (CJS); 2.0l TFSI 162 kW (without homologation)		
	Axle-back-system L/R: 045214 0000 + 045013 1500 + tail pipe set! Not for S-Line models! The skirt outlet must be trimmed as per the enclosed template!	
	Cat-back-system L/R: AD0187 (for 1.8l TFSI) + 046513 0300 (Racing) resp. 046513 0000 (Racing) + 045214 0000 + 045013 1500 + tail pipe set! Not for S-Line models! The skirt outlet must be trimmed as per the enclosed template!	
	Turbo-back-system L/R: 956014 1100 (Racing) + 046513 0300 (Racing) resp. 046513 0000 (Racing) + 045214 0000 + 045013 1500 + tail pipe set! Not for S-Line models! The skirt outlet must be trimmed as per the enclosed template!	
4) 956014 1100	RACING downpipe with sport catalytic converter (200 CPSI), pipe Ø 76 mm, without homologation (only mountable together with REMUS front silencer respectively RACING tube)	993,00
AD0187	Distance tube X7 for mounting of 046513 0300 / 046513 0000 onto original downpipe of 1.8l TFSI 132 kW Quattro	18,00
046513 0300	RACING front silencer, without homologation	255,00
046513 0000	RACING tube without homologation, instead of front silencer (Original tube Ø 70 mm, REMUS tube Ø 76 mm)	92,00
045214 0000	Connection tube for mounting on 1.8l TFSI 132 kW and 2.0l TFSI 162 kW	78,00
	Sport exhaust system L/R consisting of:	
045013 1500	Sport exhaust centered for L/R system (without tail pipes) (no homologation for 2.0l TFSI 162 kW)	303,00
	Choose from following tail pipe package:	
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
A3 Cabrio, type 8V, 2012=>		
1.4l TFSI 92 kW; 1.4l TFSI 110 kW; 1.8l TFSI 132 kW		
	Axle-back-system L/R: 954112 0000 resp. 955112 0000 + 045013 1500 + tail pipe set! Not for S-Line models! The skirt outlet must be trimmed as per the enclosed template!	
	Cat-back-system L/R (only for 1.4l TFSI): 954312 0000 (Racing) + 954112 0000 + 045013 1500 + tail pipe set! Not for S-Line models! The skirt outlet must be trimmed as per the enclosed template!	
954312 0000	RACING tube without homologation, instead of front silencer, only for 1.4l TFSI, only fits as a complete system with the REMUS sport exhaust	167,00
954112 0000	Connection tube (multi-link axle) for mounting on 1.4l TFSI 92/110 kW	59,00
955112 0000	Connection tube (multi-link axle) for mounting on 1.8l TFSI 132 kW	59,00
	Sport exhaust system L/R consisting of:	
045013 1500	Sport exhaust centered for L/R system (without tail pipes)	303,00
	Choose from following tail pipe package:	
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
S3 Quattro, type 8V, 2013=>		
S3 Sportback Quattro, type 8V, 2013=>		
2.0l TFSI 221 kW (CJXC)		
	Axle-back-system L/R: 046813 1500 + tail pipe set!	
	Cat-back-system L/R: 046513 0000 (Racing) resp. 046513 0300 + 046813 1500 + tail pipe set!	
	Turbo-back-system L/R: 956014 1100 (Racing) + 046513 0000 (Racing) resp. 046513 0300 + 046813 1500 + tail pipe set!	
4) 956014 1100	RACING downpipe with sport catalytic converter (200 CPSI), pipe Ø 76 mm, without homologation only mountable together with REMUS front silencer respectively RACING tube	993,00
046513 0300	Front silencer	255,00
046513 0000	RACING tube without homologation, instead of front silencer Original tube Ø 70 mm, REMUS tube Ø 76 mm	92,00
	Sport exhaust system L/R consisting of:	
046813 1500	Sport exhaust centered for L/R system (without tail pipes) with 2 integrated valves, incl. EC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	834,00
	Choose from following tail pipe package:	
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	780,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
0046 05	Tail pipe set L/R consisting of 4 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	320,00

Part no.	Description	€ excl. VAT
S3 Sedan Quattro, type 8V, 2013=>		
2.0l TFSI 221 kW (CJXC)		
	Axle-back-system: 047014 1500 + tail pipe set! Cat-back-system: 046513 0000 (Racing) resp. 046513 0300 + 047014 1500 + tail pipe set! Turbo-back-system L/R: 956014 1100 (Racing) + 046513 0000 (Racing) resp. 046513 0300 + 047014 1500 + tail pipe set!	
4) 956014 1100	RACING downpipe with sport catalytic converter (200 CPSI), pipe Ø 76 mm, without homologation only mountable together with REMUS front silencer respectively RACING tube	993,00
046513 0300	Front silencer	255,00
046513 0000	RACING tube without homologation, instead of front silencer Original tube Ø 70 mm, REMUS tube Ø 76 mm	92,00
	Sport exhaust system L/R consisting of: Sport exhaust centered for L/R system (without tail pipes) with 2 integrated valves, incl. EC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	
047014 1500	Choose from following tail pipe package: Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	834,00
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	440,00
0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	780,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
0046 05	Tail pipe set L/R consisting of 4 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	320,00
RS3 Sportback, type 8V, 4/2015=>		
2.5l Turbo 270 kW		
	Cat-back-system (from secondary, underbody catalytic converter): 047015 0300 resp. 047015 0000 (Racing) + 047015 1500 + tail pipe set! No vehicle modifications required! Resonated front section resp. non resonated front section and sport exhaust L/R with tail pipe set only fits as a complete system! Cat-back-system (from main catalytic converter): 047015 1200 (Racing) + 047015 0300 resp. 047015 0000 (Racing) + 047015 1500 + tail pipe set! No vehicle modifications required! Resonated front section resp. non resonated front section and sport exhaust L/R with tail pipe set only fits as a complete system!	
3) 047015 1200	RACING cat replacement pipe instead of secondary (underbody) catalytic converter, without homologation REMUS tube Ø 76 mm	280,00
047015 0000	Non resonated RACING cat-back-section, instead of front silencer REMUS tube Ø 76 mm	260,00
047015 0300	Resonated front section, incl. EC homologation REMUS tube Ø 76 mm	360,00
	Sport exhaust centered for L/R system (without tail pipes) with 2 integrated valves, incl. EC homologation REMUS tube Ø 76 mm The supplied actuators activate the valves to factory preset positions via the vehicle onboard electronics.	
047015 1500	Choose from following tail pipe package: Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	1.180,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	320,00
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	440,00
0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	780,00
80 B3 Sedan / Avant, / Coupé / Cabrio type 89		
1.4l 48 kW, JUL1986=>; 1.6l 55 kW, JUL1986=>; 1.6l 51 kW, JUN1987=>; 1.8l 55 kW with & without cat., JUL1986=>; 1.8l 65 kW with & without cat., JUL1986=>; 1.8l 66 kW, JUL1986=>; 1.8l 66 kW with & without cat., JUN1989=>; 1.8l 82 kW, JUL1986=>; 1.9l 83 kW with & without cat., JUL1986=>; 2.0l 85 kW, FEB1987=>; 2.0l 83 kW, JUN1988		
80 B3 Coupé / Cabrio type 89 & 90 Coupé / Cabrio type 89		
2.0l 85 kW; 2.2l 100 kW; 2.3l 98 / 100 kW		
	Axle-back-system: 045187 0504! Sport exhaust with 2 tail pipes Ø 76 mm	
045187 0504		359,00
RS4 B5 Avant Quattro, type 8D, 2001=>		
2.7l 280 kW		
	Axle-back-system: 047501 0576R! Sport exhaust electro-polished with 2 tail pipes 102x65 mm	
047501 0576R		501,00
A4 B6 Sedan & Avant, type 8E, 2005=>		
1.6l FSI 75 kW		
	Axle-back-system: 044004 0570F! Sport exhaust with 1 tail pipe Ø 102 mm Future Design	
044004 0570F		371,00
A4 B8 Sedan & Avant, type 8K, 2008=>		
1.8l TFSI 88 kW; 1.8l TFSI 118 kW; 2.0l TDI 105 kW		
A4 B8 Quattro Sedan & Avant, type 8K, 2010=>		
2.0l TFSI 155 kW (CDNC)		
A5 Coupé, type 8T, 2007=> JUL2011		
1.8l TFSI 118 kW (CAB); 1.8l TFSI 125 kW (CAB) <=JUL2011, Audi A5 1.8l TFSI 125 kW (CAB) only from 2007 until July 2011 (after that changing of the connection!)		
	Axle-back-system: 046108 0500 + tail pipe set! Not for Audi A4 Quattro 2.0l TFSI 155 kW Axle-back-system L/R: (048308 0000) + 048208 0500LR + tail pipe set! When mounting the L/R-system on models with only a single sided system, the rear skirt of the Audi A4 6 Cylinder respectively Audi A5 6 Cylinder model & the additional exhaust hanger must be purchased separately! Sport exhaust system consisting of: Sport exhaust for left-system (without tail pipes)	
046108 0500	Choose from following tail pipe package: Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	353,00
0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	196,00
0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	204,00
0026 83CB	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	220,00
0026 83CTS	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	390,00
0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	160,00
	Alternative: Sport exhaust system L/R consisting of: Y-tube for mounting of the sport exhaust L/R system on Audi A4 4 cyl. Models, Audi A4 Quattro 2.0l TFSI 155 kW, Audi A5 1.8l TFSI	
048308 0000	Sport exhaust left and sport exhaust right (without tail pipes)	145,00
048208 0500LR	Choose from following tail pipe package: Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	591,00
0026 70SS	Tail pipe set L/R consisting of 2 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	170,00
0026 70CSS	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00

Part no.	Description	€ excl. VAT
A4 B8 Quattro Sedan & Avant, type 8K, 2008=>		
A5 Quattro Coupé, type 8T, 2007=>		
3.2l V6 FSI 195 kW (CAL)		
A5 Coupé, type 8T, 2011=>		
2.0l TFSI 132 kW (CDNB); 2.0l TFSI 155 kW (CDNC)		
A5 Cabrio, type 8T, 2011		
2.0l TFSI 132 kW		
	Axle-back-system: 048208 0500LR + tail pipe set!	
048208 0500LR	Sport exhaust left and sport exhaust right (without tail pipes)	591,00
	Choose from following tail pipe package:	
0026 70SS	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CSS	Tail pipe set L/R consisting of 2 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
S5 Quattro Coupé, type 8T, 2007=>		
4.2l FSI V8 260 kW (CAU)		
S5 Quattro Coupé, type 8T, 2011=>		
S5 Quattro Sportback & Cabrio, type 8T, 2009=>		
3.0l TFSI 245 kW		
S4 B8 Quattro Avant, type 8K, 2010=>		
3.0l TFSI 245 kW (CAKA)		
	Axle-back-system L/R: 049208 0556L + 049208 0556R	
	REMUS Titanium2 axle-back-system L/R: 049108 0584LRT!	
	Cat-back-system L/R: 049314 0300 (Racing) resp. 049114 0000 (Racing) + 049208 0556 + 049208 0556R!	
	Turbo-back-system L/R: 049114 1200 (Racing) + 049314 0300 (Racing) resp. 049114 0000 (Racing) + 049208 0556 + 049208 0556R!	
4)	049114 1200 RACING cat replacement tube left/right, without homologation	257,00
	049314 0300 RACING front silencer, without homologation	385,00
	049114 0000 RACING tube without homologation, instead of front silencer	235,00
	049208 0556L Sport exhaust left with 2 tail pipes Ø 84 mm angled	509,00
	049208 0556R Sport exhaust right with 2 tail pipes Ø 84 mm angled	509,00
	REMUS Titanium2 axle-back-system L/R: 049108 0584LRT!	
	049108 0584LR Titanium2 sport exhaust L/R with 4 tail pipes Ø 84 mm	2.618,00
RS5 Quattro Coupé & Cabrio, type 8T, 2010=>		
4.2l 331 kW (CFS)		
	Axle-back-system L/R: 049010 0500LR!	
	Cat-back-system L/R: 049010 0100 (Racing) + 049010 0000 (Racing) resp. 049010 0400 (Racing) + 049010 0500LR!	
	049010 0100 RACING tube without homologation, instead of front silencer	249,00
	049010 0400 RACING secondary silencer, without homologation	417,00
	049010 0000 RACING tube without homologation, instead of secondary silencer	282,00
	RACING sport exhaust left and RACING sport exhaust right (without tail pipes)	
	with vacuum operated valves, without homologation	
	fits into the original skirt using integrated tail pipes	
	The valve position is vacuum controlled via the onboard electronics.	
	049010 0500LR	1.355,00
A6 C5 Quattro Sedan & Avant, type 4B, 2001=>		
2.5l TDI V6 132 kW		
	Axle-back-system L/R: 047101 0505L + 047101 0505R!	
o	047101 0505L Sport exhaust left with 1 tail pipe Ø 90 mm	310,00
o	047101 0505R Sport exhaust right with 1 tail pipe Ø 90 mm	310,00
A6 C7 Sedan & Avant Quattro, type 4G, 2011=>		
3.0l TDI 150 kW (CLAA/CLAB), 3.0l TDI 180 kW (CDUC), 3.0l TFSI 220/228 kW (not homologated for 3.0l TFSI)		
A7 Sportback Quattro, type 4G, 2011=>		
3.0l TDI 180 kW (CDUC), 3.0l TFSI 228 kW (not homologated for 3.0l TFSI)		
	Axle-back-system L/R: 048011 0500LR + tail pipe set!	
048011 0500LR	Sport exhaust left and sport exhaust right (without tail pipes)	614,00
	Choose from following tail pipe package:	
0026 70SS	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CSS	Tail pipe set L/R consisting of 2 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
TT, type 8N, NOV. 1998=>		
1.8l Turbo 110 kW; 1.8l Turbo 5V 132 kW		
	Axle-back-system L/R: 045199 1570S! When mounting the L/R-system, the rear skirt of the Audi TT Quattro (part no 8NO 807 421A GRU unpainted) must be used.	
	045199 1570S Sport exhaust L/R, with 2 tail pipes Ø 102 mm angled	807,00
TT Quattro, type 8N, 1999=>		
1.8l Turbo 165 kW; 1.8l Turbo 132 kW		
	045399 0000 RACING tube without homologation, instead of front silencer	119,00
TT, type 8J, 2007=>		
1.8l TFSI 118 kW (CDA); 2.0l TFSI 147 kW (BWA)		
	Axle-back-system L/R: 046106 1584C! When mounting the L/R-system, the rear skirt must be trimmed as per the supplied template!	
2) 4)	046006 1100 Downpipe with RACING cat to original front silencer, without homologation, (catpipe with RACING cat, up from header, front silencer applied)	1.279,00
	046106 1584C Sport exhaust centered L/R, with 4 tail pipes Ø 84 mm Street Race	831,00

Part no.	Description	€ excl. VAT
TT, Coupe & Cabrio, Typ 8S, FWD & Quattro, type 8S, 2014=>		
2.0l TFSI 169 kW		
	Axle-back-system L/R: 045014 0000 resp. 045114 0000 + 045014 1500 + tail pipe set! Also for S-Line models!	
	Cat-back-system L/R: 045014 1300 (Racing) + 045014 0000 resp. 045114 0000 + 045014 1500 + tail pipe set! Also for S-Line models!	
045014 1300	RACING tube without homologation, instead of front silencer, only for 2.0l TFSI 169 kW Quattro Original tube Ø 65 mm, REMUS tube Ø 70 mm	90,00
045014 0000	Connection tube for mounting on 2.0l TFSI 169 kW FWD	67,00
045114 0000	Connection tube for mounting on 2.0l TFSI 169 kW Quattro	89,00
	Sport exhaust system L/R consisting of:	
	Sport exhaust centered for L/R system (without tail pipes) with 1 integrated valve, incl. EC homologation	
045014 1500	Original tube Ø 65 mm, REMUS tube Ø 70 mm The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	475,00
	Choose from following tail pipe package:	
0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
TTS Quattro, Coupe & Cabrio, type 8S, 2014=>		
2.0l TFSI 228 kW (CJX)		
	Axle-back-system L/R: 045114 0000 + 046014 1500 + tail pipe set! The original exhaust will need to be cut at the manufacturer marked cutting point! No rear skirt modifications required!	
	Cat-back-system L/R: 046014 0400 resp. 046014 0000 (Racing) + 045114 0000 + 046014 1500 + tail pipe set! No vehicle modifications required!	
046014 0000	non-resonated RACING middle section, without homologation, only fits as a complete system with the REMUS sport exhaust Original tube Ø 70 mm, REMUS tube Ø 70 mm	90,00
046014 0400	resonated middle section, only fits as a complete system with the REMUS sport exhaust Original tube Ø 70 mm, REMUS tube Ø 70 mm	254,00
045114 0000	Connection tube for mounting on of the sport exhaust	89,00
	Sport exhaust system L/R consisting of:	
	Sport exhaust centered for L/R system (without tail pipes) with 2 integrated valves, incl. EC homologation	
046014 1500	Original tube Ø 70 mm, REMUS tube Ø 70 mm The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	753,00
	Choose from following tail pipe package:	
0046 70SS	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	340,00
0046 70CSS	Tail pipe set L/R consisting of 4 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	840,00
Q3, type U8, 2011=>		
2.0l TFSI 125 kW (CCZC), 2.0l TFSI 155 kW (CPSA); 2.0l TDI 103 kW (CFFB); 2.0l TDI 130 kW		
	Axle-back-system: (955007 0000) + 045011 0500 + tail pipe set!	
955007 0000	Connection tube for mounting on 2.0l TFSI 125/155 kW, 2.0l TDI 130 kW	64,00
	Sport exhaust system consisting of:	
	Sport exhaust for left-system (without tail pipes)	
	Choose from following tail pipe package:	
0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
0026 83CTS	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	390,00
0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	160,00
Q5, type 8R, 2008=>		
2.0l TFSI 155 kW (CDN)		
	Axle-back-system L/R: 046009 0500LR + tail pipe set!	
046009 0500LR	Sport exhaust left and sport exhaust right (without tail pipes)	558,00
	Choose from following tail pipe package:	
0026 70SS	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CSS	Tail pipe set L/R consisting of 2 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
Q7, type 4L, 2006=>		
4.2l 257 kW; 3.0l TDI 171 kW		
	Axle-back-system L/R: (049207 0000) + 049207 1598C!	
° 049207 0000	Y-tube for mounting on 3.0l TDI models	159,00
° 049207 1598C	Sport exhaust centered L/R, with 2 tail pipes Ø 98 mm Street Race	765,00
R8, type 4S, 2015=>		
V10 plus 5.2l FSI 449 kW		
	Axle-back-system: 049315 1500! Suitable for the original exhaust outlets! No cutting of the original exhaust system required!	
" 049315 1500	RACING sport exhaust centered (without tail pipes) suitable for the original exhaust outlets with 2 vacuum operated valves, without homologation Original tube Ø 76 mm, REMUS tube Ø 76 mm The valves are vacuum controlled via the onboard electronics.	2.050,00

Part no.	Description	€ excl. VAT
BMW		
1 Series E87, (without aerodynamic package)		
116i 1.6l 85 kW (N45B), 2004=> <=FEB2007; 120i 2.0l 110 kW (N46B), 2004=> <=FEB2007		
	Axle-back-system: 086304 099 + tail pipe set! Also for For M sport option! Fits only on models with N45B/N46B engine <=FEB2007! The rear skirt must be trimmed acc. to the enclosed template when fitting tail pipes 0407 70 and 0407 98C!	
	PowerSound sport exhaust system consisting of:	
086304 099	PowerSound sport exhaust with manual valve control system (without tail pipes)	367,00
	Choose from following tail pipe package:	
0407 05G	1 tail pipe Ø 90 mm straight	77,00
0407 70	1 tail pipe Ø 102 mm	82,00
0407 98C	1 tail pipe Ø 98 mm Street Race	108,00
1 Series E82 Coupé / E88 Cabrio		
135i 3.0l 225 kW (N54B30A), 2008=>		
	Axle-back-system: 088108 0504G! Nicht für M-Sportpaket!	
	RACING-axle-back-system L/R: 088908 1584C! Not for M sport option! When mounting the L/R-system, the rear skirt must be trimmed as per the supplied template!	
2)	088108 0504G Sport exhaust with 2 tail pipes Ø 76 mm straight cut	502,00
	088908 1584C RACING sport exhaust system L/R with 4 tail pipes Ø 84 mm Street Race, without homologation	792,00
1 Series F20 5 door / F21 3 door, 2011=>		
114i 1.6l 75 kW; 116i 1.6l 100 kW (N13B16); 118i 1.6l 125 kW (N13B16)		
1 Series F20 5 door / F21 3 door, type 1K4, 2015=>		
118i LCI 1.6l 100 kW (N13B16) – only for 4 cylinder engines!		
	Axle-back-system L/R: 084111 1583C resp. 084111 1583CS! The original exhaust will need to be cut at the manufacturer marked cutting point! Suitable for standard bumper and M sport option! The right side skirt outlet must be trimmed as per the enclosed template!	
	Cat-back-system L/R: 084111 0300 + 084111 1583C resp. 084111 1583CS! No cutting of the original exhaust system required! Suitable for standard bumper and M sport option! The right side skirt outlet must be trimmed as per the enclosed template!	
084111 0300	Resonated cat-back front section Original tube Ø 60 mm, REMUS tube Ø 65 mm	279,00
084111 1583C	Sport exhaust centered L/R, with 2 tail pipes Ø 84 mm Street Race Original tube Ø 52 mm, REMUS tube Ø 65 mm	596,00
084111 1583CS	Sport exhaust centered L/R, with 2 tail pipes Ø 84 mm Carbon Race Original tube Ø 52 mm, REMUS tube Ø 65 mm	606,00
1 Series F20 5 door / F21 3 door, 2011=>		
116d(x) 2.0l 85 kW (N47D20C); 118d(x) 2.0l 100 kW (N47D20C); 118d(x) 2.0l 105 kW (N47D20C); 120d(x) 2.0l 120 kW (N47D20C); 120d(x) 2.0l 130 kW (N47D20C); 120d(x) 2.0l 135 kW (N47D20C)		
	Axle-back-system L/R: 085111 1583CS! Suitable for standard bumper and M sport option! When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template!	
085111 1583CS	Sport exhaust centered L/R, with 2 tail pipes Ø 84 mm Carbon Race	561,00
1 Series F20 5 door / F21 3 door, 2011=>		
M135i(x) 3.0l 235 kW (N55B30)		
	Axle-back-system L/R: 088014 0500 resp. 088914 0500 (Racing) + tail pipe set!	
	Cat-back-system L/R: 088014 0300 + 088014 0500 resp. 088914 0500 (Racing) + tail pipe set!	
	Turbo-back-system L/R: 088014 1100 (Racing) + 088014 0300 + 088014 0500 (Racing) + tail pipe set!	
4)	088014 1100 RACING downpipe with sport catalytic converter (200 CPSI), without homologation, fits only on models up from 7/2013	1.019,00
	088014 0300 Catback front section two-part (Original tube Ø 80 mm, REMUS tube Ø 84 mm)	540,00
	Sport exhaust system L/R consisting of:	
	088014 0500 Sport exhaust centered for L/R system (without tail pipes) (Original tube Ø 80 mm, REMUS tube Ø 84 mm)	382,00
	088914 0500 RACING sport exhaust centered for L/R system (without tail pipes), without homologation (Original tube Ø 80 mm, REMUS tube Ø 84 mm)	382,00
	Choose from following tail pipe package:	
	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	
087011 1683C	with integrated valve, incl. EC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	408,00
	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome,	
087011 1683CB	with integrated valve, incl. EC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	435,00
1 Series F20 5 door / F21 3 door, type 1K4, 2015=>		
118i LCI 1.6l 100 kW (N13B16) – only for 4 cylinder engines!		
	Axle-back-system L/R: 084111 1583C resp. 084111 1583CS! The original exhaust will need to be cut at the manufacturer marked cutting point! Suitable for standard bumper and M sport option! The right side skirt outlet must be trimmed as per the enclosed template!	
	Cat-back-system L/R: 084111 0300 + 084111 1583C resp. 084111 1583CS! No cutting of the original exhaust system required! Suitable for standard bumper and M sport option! The right side skirt outlet must be trimmed as per the enclosed template!	
084111 0300	Resonated cat-back front section Original tube Ø 60 mm, REMUS tube Ø 65 mm	279,00
084111 1583C	Sport exhaust centered L/R, with 2 tail pipes Ø 84 mm Street Race Original tube Ø 52 mm, REMUS tube Ø 65 mm	596,00
084111 1583CS	Sport exhaust centered L/R, with 2 tail pipes Ø 84 mm Carbon Race Original tube Ø 52 mm, REMUS tube Ø 65 mm	606,00
1 Series F20 LCI 5 door / F21 LCI 3 door, 2015=>		
M135i(x) LCI 3.0l 240 kW (N55B20)		
	RACING axle-back-system L/R: 088914 0500 (Racing) + tail pipe set! The original exhaust will need to be cut at the manufacturer marked cutting point! No rear skirt modifications required!	
	Sport exhaust system L/R consisting of:	
	088914 0500 RACING sport exhaust centered for L/R system (without tail pipes), without homologation Original tube Ø 80 mm, REMUS tube Ø 84 mm	382,00
	Choose from following tail pipe package:	
	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	
087011 1683C	with integrated valve, incl. EC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	408,00
	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome,	
087011 1683CB	with integrated valve, incl. EC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	435,00
2 Series F22 Coupe / F23 Cabrio, 2015=>		
220i 2.0l 135 kW		
	Axle-back-system L/R: 085015 1500 + tail pipe set! When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template! Not for M sport option!	
	Cat-back-system L/R: 085015 1300 (Racing) + 085015 1500 + tail pipe set! When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template! Not for M sport option!	
085015 1300	RACING cat-back section, replaces front silencer, without homologation	201,00
085015 1500	Sport exhaust centered for L/R system (without tail pipes)	297,00
	Choose from following tail pipe package:	
	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm, chromed, with slip connection	212,00
0025 05	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race, with slip connection	248,00
0025 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome, with slip connection	272,00
0025 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome, with slip connection	272,00

Part no.	Description	€ excl. VAT
2 Series F22 Coupe, 2014=>		
M235i 3.0l 240 kW		
	Axle-back-system L/R: 088014 0500 resp. 088914 0500 (Racing) + tail pipe set! Cat-back-system L/R: 088014 0300 + 088014 0500 resp. 088914 0500 (Racing) + tail pipe set! Turbo-back-system L/R: 088014 1100 (Racing) + 088014 0300 + 088014 0500 resp. 088914 0500 (Racing) + tail pipe set!	
4)	088014 1100 RACING downpipe with sport catalytic convertor (200 CPSI), without homologation	1.019,00
	088014 0300 Catback front section two-part (Original tube Ø 80 mm, REMUS tube Ø 84 mm)	540,00
	Sport exhaust system L/R consisting of: Sport exhaust centered for L/R system (without tail pipes) (Original tube Ø 80 mm, REMUS tube Ø 84 mm)	382,00
	088914 0500 RACING sport exhaust centered for L/R system (without tail pipes), without homologation (Original tube Ø 80 mm, REMUS tube Ø 84 mm)	382,00
	Choose from following tail pipe package: Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race,	
	088014 1683C with integrated valve, incl. EC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	408,00
	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome,	
	088014 1683CB with integrated valve, incl. EC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	435,00
3 Series E30 Sedan / Touring / Coupe		
316i E30 73 kW with & without cat, JUL1988=>; 318i E30 75 kW with & without cat, MAR1985=>; 318i E30 83 kW, SEP1987=>; 318i E30 85 kW with & without cat, SEP1988=>		
	Axle-back-system: (084188 0000) + 084188 0500 + tail pipe set! Not for M sport option! Connection tube for mounting on models until 9/88	49,00
	084188 0000	
	Sport exhaust system consisting of: Sport exhaust for left-system (without tail pipes)	323,00
	084188 0500	
	Choose from following tail pipe package:	
	0006 05 1 tail pipe Ø 90 mm, chromed, with adjustable spherical clamp connection	80,00
	0006 55S 1 tail pipe Ø 84 mm angled, chromed, with adjustable spherical clamp connection	80,00
	0006 83C 1 tail pipe Ø 84 mm Street Race, with adjustable spherical clamp connection	98,00
	0006 83CS 1 tail pipe Ø 84 mm Carbon Race, with adjustable spherical clamp connection	102,00
	0006 83CB 1 tail pipe Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	110,00
	0006 83CTS 1 Carbon tail pipe Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	195,00
3 Series E30, 3/1, Sedan / Touring / Coupé		
320i E30 2.0l 95 kW with cat (206 KA), JUL1985=>; 325i E30 2.5l 125 kW (256 K1) with cat, FEB1987=>		
3 Series E30, 3/R, Cabrio		
320i 2.0l 95 kW (206 KA) with cat, SEP1990=>; 325i 2.5l 125 kW (256 K1) with cat, MAR1987=>		
3 Series E30, 3/1, Sedan / Touring / Coupé (following engines without homologation!)		
320ix E30 95 kW with cat, JUL1985=>; 320i/320ix E30 95 kW with cat, NOV1988=>; 325i/325ix E30 125 kW with cat, NOV1986=>		
3 Series E30, 3/R, Cabrio (following engines without homologation!)		
320ix 95 kW with cat, DEZ1986=>; 325i/325ix 125 kW with cat, DEZ1988=>		
	Axle-back-system: 087087 0500 + tail pipe set! Not for M sport option! Sport exhaust system consisting of: Sport exhaust for left-system (without tail pipes)	432,00
	087087 0500	
	Choose from following tail pipe package:	
	0026 83C Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
	0026 83CS Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
	0026 83CB Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
	0026 83CTS Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	390,00
	0026 55S Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
	0026 05 Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	160,00
3 Series E30 Sedan / Touring / Coupe / Cabrio		
325i/325ix E30 125 kW with cat, NOV1986=>; 325i/325ix E30 126 kW without cat, NOV1986=>; 325i/325ix E30 125 kW with cat, NOV1988=>; 325i/325ix E30 125 kW with cat, DEZ1986=>; 325i/325ix E30 126 kW without cat, DEZ1986=>		
	High Performance RACING System! Not for M sport option! 089987 9584P- Stainless steel "High Performance" RACING System consisting of: RACING header, X-pipe, RACING exhaust with 2 tail pipes Ø 84 mm angled matt polished	
	089987 9584P+ Stainless steel "High Performance" RACING System consisting of: RACING header, X-pipe, RACING exhaust with 2 tail pipes Ø 84 mm angled matt polished, incl. 2 insertion cats	
3 Series E36 Coupé		
318iS 1.8l 103 kW, SEP1991=>		
	Axle-back-system: 085092 0504! Not for M sport option! Sport exhaust with 2 tail pipes Ø 76 mm	541,00
	085092 0504	
3 Series E46 Compact		
316Ti 1.8l 85 kW, 2001=>		
	Axle-back-system: 085101 0501! Not for M sport option! Sport exhaust with 1 tail pipe 92x78 mm	445,00
	085101 0501	
3 Series E46 Compact		
320td 2.0l td 110 kW, 2002=>		
	Axle-back-system: 086002 0501! Not for M sport option! Sport exhaust with 1 tail pipe 92x78 mm	445,00
	086002 0501	
3 Series E46 Sedan / Touring / Coupé		
316i 1.9l 77 kW (164E3), 1999=>; 316i 1.8l 85 kW (N40B16A), 2001=>; 318i 1.9l 87 kW (194E1), 1998=>; 318i 2.0l 100/105 kW (N42B20A), 2002=>; 318Ci 1.9l 87 kW (194E1), 2000=>		
	Axle-back-system: 086201 0586P. When mounting on models with M sport option, the outlet must be trimmed along the original contour! Axle-back-system L/R: 086101 199 + tail pipe set! When mounting on models with M sport option, the outlet must be trimmed along the original contour!	
	086201 0586P Sport exhaust with 2 tail pipes Ø 84 mm angled matt polished	405,00
1) 2)	086101 199 Alternative: PowerSound Sport exhaust system L/R consisting of: PowerSound sport exhaust with manual valve control system (without tail pipes)	544,00
	Choose from following tail pipe package:	
	0010 02 Tail pipe set L/R consisting of 4 tail pipes 92x78 mm	320,00
	0010 04G Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm straight	294,00
	0010 05G Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	154,00
	0010 14M Tail pipe set L/R consisting of 2 tail pipes 142x72 mm	184,00
	0010 78 Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm	294,00
	0010 83C Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	190,00
	0010 83CS Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race	198,00
	0010 83CB Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
	0010 84C Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race	380,00
	0010 84CS Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race	396,00
	0010 84CB Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome	428,00

Part no.	Description	€ excl. VAT
3 Series E46 Sedan / Touring / CI Coupé / CI Cabrio		
320i 2.2l 125 kW, 2000=>; 325i 2.5l 141 kW, 2000=>; 330i/330ix 3.0l 170 kW, 2000=>		
	Axle-back-system: 089000 0500 + tail pipe set! Not for M sport option! Sport exhaust for left-system (without tail pipes)	356,00
	Choose from following tail pipe package:	
089000 0500	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
0026 83CTS	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	390,00
0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	160,00
3 Series E46 Sedan / Touring		
330d/330xd 3.0l Diesel 135 kW, 1999=>; 330d/330xd 3.0l Diesel 150 kW, 2003=>		
3 Series E46 Coupé		
330Cd/330Cdx 3.0l Diesel 150 kW, 2003=>		
	Axle-back-system: 087099 0504! Not for M sport option! Sport exhaust with 2 tail pipes Ø 76 mm	445,00
° 087099 0504		
3 Series E90 Sedan / E91 Touring		
318i 2.0l 95 kW (N46), 2005=>; 320i 2.0l 110 kW (N46), 2005=>		
	Axle-back-system: 082105 099 + tail pipe set! Not for M sport option! Only for models with N46 engine! Axle-back-system L/R: 082105 199 + tail pipe set! Not for M sport option! Only for models with N46 engine! When mounting the L/R-system, the rear skirt must be cut!	
	PowerSound sport exhaust system consisting of:	
1) 082105 099	PowerSound sport exhaust with manual valve control system (without tail pipes)	417,00
	Choose from following tail pipe package:	
0008 04	2 tail pipes Ø 76 mm	147,00
0008 84C	2 tail pipes Ø 84 mm Street Race	190,00
0008 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
	Alternative: PowerSound Sport exhaust system L/R consisting of:	
082105 199	PowerSound sport exhaust with manual valve control system (without tail pipes)	429,00
0152 24	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm angled	363,00
3 Series E90 Sedan / E91 Touring		
325i 2.5l 160 kW (N52), 2005=> (Anschluß innen Ø 70 mm); 330i 3.0l 190 kW (N52), 2005=>		
	Axle-back-system: 088205 099 + tail pipe set! Not for M sport option! Only for models with N52 engine! Axle-back-system L/R: 088205 199 + tail pipe set! Not for M sport option! Only for models with N52 engine! When mounting the L/R-system, the rear skirt must be cut!	
	PowerSound sport exhaust system consisting of:	
1) 088205 099	PowerSound sport exhaust with manual valve control system (without tail pipes)	429,00
	Choose from following tail pipe package:	
0008 04	2 tail pipes Ø 76 mm	147,00
0008 84C	2 tail pipes Ø 84 mm Street Race	190,00
0008 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
	Alternative: PowerSound Sport exhaust system L/R consisting of:	
1) ° 088205 199	PowerSound sport exhaust with manual valve control system (without tail pipes)	440,00
0152 24	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm angled	363,00
3 Series E90 Sedan / E91 Touring / E92 Coupé / E93 Cabrio		
318i 2.0l 105 kW (N43B20A); 320i 2.0l 125 kW (N43B20A); 325i 2.5l 160 kW (N52), <=SEP2007 (connection inner Ø 65 mm); 330i 3.0l 200 kW (N52), <=SEP2007		
	Axle-back-system: (085107 0000) + 085107 098 + tail pipe set! 325i/330i suitable for standard bumper and M sport option! 318i/320i not for M sport option! Only for models with N43B20A & N52 engines! Axle-back-system L/R: (085107 0000) + 085107 198 + tail pipe set! 325i/330i suitable for standard bumper and M sport option! 318i/320i not for M sport option! Only for models with N43B20A & N52 engines! When mounting left or left/right sport exhaust the skirt must be trimmed as per the supplied template!	
	085107 0000 Connection tube for mounting on 318i/320i models	50,00
	Sport exhaust system consisting of:	
085107 098	Sport exhaust left (without tail pipes)	423,00
	Choose from following tail pipe package:	
0008 04	2 tail pipes Ø 76 mm	147,00
0008 84C	2 tail pipes Ø 84 mm Street Race	190,00
0008 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
	Alternative: Sport exhaust system L/R consisting of:	
085107 198	Sport exhaust for L/R system (without tail pipes)	430,00
0152 24	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm angled	363,00
3 Series E90 Sedan / E91 Touring		
330d 3.0l Diesel 170 kW, 2005=>; 330xd 3.0l Diesel 170 kW, 2005=>		
	Axle-back-system: 087005 098 + tail pipe set! Not for M sport option! Sport exhaust system consisting of:	
2) 087005 098	Sport exhaust left (without tail pipes)	324,00
	Choose from following tail pipe package:	
2) 0000 02	2 tail pipes 92x78 mm	160,00
0007 04G	2 tail pipes Ø 76 mm straight	147,00
0007 14M	1 tail pipe 142x72 mm	92,00
0007 78	2 tail pipes Ø 84 mm	147,00
0007 83C	1 tail pipe Ø 84 mm Street Race	95,00
0007 83CS	1 tail pipe Ø 84 mm Carbon Race	99,00
0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome	107,00
0007 84C	2 tail pipes Ø 84 mm Street Race	190,00
0007 84CS	2 tail pipes Ø 84 mm Carbon Race	198,00
0007 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
3 Series E92 Coupé		
330xd 3.0l Diesel 170 kW, 2006=>		
	Axle-back-system: 087005 098 + tail pipe set! Not for M sport option! Sport exhaust system consisting of:	
2) 087005 098	Sport exhaust left (without tail pipes)	324,00
0500 04	2 tail pipes Ø 76 mm	147,00

Part no.	Description	€ excl. VAT
3 Series E92 Coupé / E93 Cabrio / E90 Sedan		
335i / 335ix 3.0l 225 kW, 2006=>		
	Axle-back-system L/R: 088206 0500LR resp. 088906 0500LR (Racing) + tail pipe set! Not for M sport option! The rear skirt must be trimmed as per the supplied template!	
	Sport exhaust system L/R consisting of:	
088206 0500LR	Sport exhaust left and sport exhaust right (without tail pipes)	614,00
088906 0500LR	RACING sport exhaust left and RACING sport exhaust right (without tail pipes)	614,00
	Choose from following tail pipe package:	
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	780,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
0046 05	Tail pipe set L/R consisting of 4 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	320,00
3 Series F30 Sedan / F31 Touring, 2012=>		
320i/320ix 2.0l 135 kW (N20B20B); 328i/328ix 2.0l 180 kW (N20B20A)		
	Axle-back-system: (AD0164 for F30/F31 320i and F32/F36 420i) + 086112 0504! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template! The original exhaust must be cut!	
	Axle-back-system L/R: (AD0164 for F30/F31 320i and F32/F36 420i) + 086012 0500 + tail pipe set! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template! When mounting left/right sport exhaust on BMW F30/F31 328i(x) and BMW F32/F36 428i(x) the right side skirt must be trimmed as per the supplied template! The original exhaust must be cut!	
	Cat-back-system: 086012 0300 + 086112 0504! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template!	
	Cat-back-system L/R: 086012 0300 + 086012 0500 + tail pipe set! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template! When mounting left/right sport exhaust on BMW F30/F31 328i(x) and BMW F32/F36 428i(x) the right side skirt must be trimmed as per the supplied template!	
	Turbo-back-system: 086012 1100 (Racing) + 086012 0300 + 086112 0504! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template!	
	Turbo-back-system L/R: 086012 1100 (Racing) + 086012 0300 + 086012 0500 + tail pipe set! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template! When mounting left/right sport exhaust on BMW F30/F31 328i(x) and BMW F32/F36 428i(x) the right side skirt must be trimmed as per the supplied template!	
4)	086012 1100 RACING downpipe with sport catalytic convertor (200 CPSi), only for F30/F31 328i and F32/F36 428i, NOT for xDrive models, without homologation	1.081,00
	086012 0300 Catback front section, only for BMW F30/F31 328i and BMW F32/F36 428i, NOT for xDrive models	555,00
	AD0164 Distance tube K7 for mounting of the sport exhaust on the BMW F30/F31 320i(x) and BMW F32/F36 420i(x) models	23,00
	086112 0504 Sport exhaust with 2 tail pipes Ø 76 mm	546,00
	Alternative: Sport exhaust system L/R consisting of:	
	086012 0500 Sport exhaust for L/R system (without tail pipes), without valve	441,00
	Choose from following tail pipe package:	
	086012 1604 Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm	384,00
	086012 1604B Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm Black Chrome	437,00
3 Series F30 Sedan / F31 Touring, 2012=>		
335i/335ix 3.0l 225 kW (N55B30)		
	Axle-back-system L/R: 086512 0500 + tail pipe set! Suitable for standard bumper and M sport option!	
	Cat-back-system L/R: 086512 0300 + 086512 0500 + tail pipe set! Suitable for standard bumper and M sport option!	
	Turbo-back-system L/R: 086512 1100 (Racing) resp. 088014 1100 (Racing) + 086512 0300 + 086512 0500 + tail pipe set! Suitable for standard bumper and M sport option!	
4)	086512 1100 RACING downpipe with sport catalytic convertor (200 CPSi), NOT for xDrive models, without homologation, only for models until 7/2014	1.048,00
4)	088014 1100 RACING downpipe with sport catalytic convertor (200 CPSi), NOT for xDrive models, without homologation, only for models up from 7/2014	1.019,00
	086512 0300 Catback front section, NOT for xDrive models	555,00
	Alternative: Sport exhaust system L/R consisting of:	
	086512 0500 Sport exhaust for L/R system (without tail pipes)	367,00
	Choose from following tail pipe package:	
	086512 1683C Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race, with integrated valve, incl. EC homologation fits without trimming the original rear skirt	422,00
	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	
	086512 1683CB Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome, with integrated valve, incl. EC homologation fits without trimming the original rear skirt	447,00
	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	
	086512 1684C Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with integrated valve, incl. EC homologation	557,00
	The rear skirt must be trimmed according to the supplied template!	
	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	
	086512 1684CB Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with integrated valve, incl. EC homologation	611,00
	The rear skirt must be trimmed according to the supplied template!	
	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	
3 Series F30 Sedan, type 3K / F31 Touring, type 3K, 2015=>		
340i LCi 3.0l 240/265 kW; 340i xDrive LCi 3.0l 240/265 kW		
4 Series F32 Coupe / F33 Cabrio / F36 Gran Coupe, 2016=>		
440i 3.0l 240/265 kW; 440i xDrive 3.0l 240/265 kW		
	Axle-back-system L/R: 088015 1500 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required! Suitable for standard bumper and M sport option!	
	Cat-back-system L/R: 088015 0300 + 088015 1500 + tail pipe set! No vehicle modifications required! Suitable for standard bumper and M sport option!	
	088015 0300 resonated cat-back section, incl. EC homologation	562,00
	088015 1500 Sport exhaust centered for L/R system (without tail pipes), with integrated valves, incl. EC homologation	625,00
	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	
	Choose from following tail pipe package:	
	0026 55S Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
	0026 05 Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	160,00
	0026 83C Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
	0026 83CS Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
	0026 83CB Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
	0026 83CTS Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	390,00

Part no.	Description	€ excl. VAT
3 Series F30 Sedan / F31 Touring, 2012=>		
316d/2.0l Diesel 85 kW (N47D20C); 318d/318xd 2.0l Diesel 105 kW (N47D20C); 320d/320xd 2.0l Diesel 135 kW (N47D20C)		
	Axle-back-system L/R: 084512 0500 + tail pipe set! Suitable for standard bumper and M sport option! The rear skirt must be trimmed as per the supplied template!	
	Sport exhaust system L/R consisting of:	
084512 0500	Sport exhaust for L/R system (without tail pipes)	411,00
	Choose from following tail pipe package:	
086012 1604	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm	384,00
086012 1604B	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm Black Chrome	437,00
3 Series F30 Sedan / F31 Touring, 2013=>		
330d/330xd 3.0l Diesel 190 kW (N57D30A)		
3 Series F30 Facelift Sedan / F31 Facelift Touring, 2015=>		
320d/320xd 2.0l Diesel 140 kW (B47D20A)		
	Axle-back-system L/R: (AD0032) + 086312 1504! Only for M sport option! The rear skirt must be trimmed as per the supplied template!	
AD0032	Distance tube C1 for mounting on 2F30/F31 Facelift 320d(x)	27,00
086312 1504	Sport exhaust L/R, with 4 tail pipes Ø 76 mm	824,00
4 Series F32 Coupe/ F36 Gran Coupe, 2013=>		
420i/420ix 2.0l 135 kW (N20B20B); 428i/428ix 2.0l 180 kW (N20B20A)		
	Axle-back-system: (AD0164 for F30/F31 320i and F32/F36 420i) + 086112 0504! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template! The original exhaust must be cut!	
	Axle-back-system L/R: (AD0164 for F30/F31 320i and F32/F36 420i) + 086012 0500 + tail pipe set! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template! When mounting left/right sport exhaust on BMW F30/F31 328i(x) and BMW F32/F36 428i(x) the right side skirt must be trimmed as per the supplied template! The original exhaust must be cut!	
	Cat-back-system: 086012 0300 + 086112 0504! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template!	
	Cat-back-system L/R: 086012 0300 + 086012 0500 + tail pipe set! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template! When mounting left/right sport exhaust on BMW F30/F31 328i(x) and BMW F32/F36 428i(x) the right side skirt must be trimmed as per the supplied template!	
	Turbo-back-system: 086012 1100 (Racing) + 086012 0300 + 086112 0504! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template!	
	Turbo-back-system L/R: 086012 1100 (Racing) + 086012 0300 + 086012 0500 + tail pipe set! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template! When mounting left/right sport exhaust on BMW F30/F31 328i(x) and BMW F32/F36 428i(x) the right side skirt must be trimmed as per the supplied template!	
4)	086012 1100 RACING downpipe with sport catalytic convertor (200 CPSI), only for F30/F31 328i and F32/F36 428i, NOT for xDrive models, without homologation	1.081,00
	086012 0300 Catback front section, only for BMW F30/F31 328i and BMW F32/F36 428i, NOT for xDrive models	555,00
	AD0164 Distance tube K7 for mounting of the sport exhaust on the BMW F30/F31 320i(x) and BMW F32/F36 420i(x) models	23,00
	086112 0504 Sport exhaust with 2 tail pipes Ø 76 mm	546,00
	Alternative: Sport exhaust system L/R consisting of:	
	086012 0500 Sport exhaust for L/R system (without tail pipes), without valve	441,00
	Choose from following tail pipe package:	
	086012 1604 Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm	384,00
	086012 1604B Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm Black Chrome	437,00
4 Series F32 Coupe/ F36 Gran Coupe, 2013=>		
435i/435ix 3.0l 225 kW (N55B30)		
	Axle-back-system L/R: 086512 0500 + tail pipe set! Suitable for standard bumper and M sport option!	
	Cat-back-system L/R: 086512 0300 + 086512 0500 + tail pipe set! Suitable for standard bumper and M sport option!	
	Turbo-back-system L/R: 086512 1100 (Racing) + 086512 0300 + 086512 0500 + tail pipe set! Suitable for standard bumper and M sport option!	
4)	086512 1100 RACING downpipe with sport catalytic convertor (200 CPSI), NOT for xDrive models, without homologation, only for models until 7/2014	1.048,00
4)	088014 1100 RACING downpipe with sport catalytic convertor (200 CPSI), NOT for xDrive models, without homologation, only for models up from 7/2014	1.019,00
	086512 0300 Catback front section, NOT for xDrive models	555,00
	Sport exhaust system L/R consisting of:	
	086512 0500 Sport exhaust for L/R system (without tail pipes)	367,00
	Choose from following tail pipe package:	
	086512 1683C Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race, with integrated valve, incl. EC homologation fits without trimming the original rear skirt	422,00
	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	
	086512 1683CB Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome, with integrated valve, incl. EC homologation fits without trimming the original rear skirt	447,00
	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	
	086512 1684C Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with integrated valve, incl. EC homologation	557,00
	The rear skirt must be trimmed according to the supplied template!	
	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	
	086512 1684CB Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with integrated valve, incl. EC homologation	611,00
	The rear skirt must be trimmed according to the supplied template!	
	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	
4 Series F32 Coupe/ F36 Gran Coupe, 2013=>		
420d/420xd 2.0l Diesel 135 kW (N47D20C)		
	Axle-back-system L/R: 084512 0500 + tail pipe set! Suitable for standard bumper and M sport option! The rear skirt must be trimmed as per the supplied template!	
	Sport exhaust system L/R consisting of:	
084512 0500	Sport exhaust for L/R system (without tail pipes)	411,00
	Choose from following tail pipe package:	
086012 1604	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm	384,00
086012 1604B	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm Black Chrome	437,00

Part no.	Description	€ excl. VAT
4 Series F32 Coupe / F33 Cabrio / F36 Gran Coupe, 2016=>		
440i 3.0l 240/265 kW; 440i xDrive 3.0l 240/265 kW		
Axle-back-system L/R: 088015 1500 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required! Suitable for standard bumper and M sport option!		
Cat-back-system L/R: 088015 0300 + 088015 1500 + tail pipe set! No vehicle modifications required! Suitable for standard bumper and M sport option!		
088015 0300	resonated cat-back section, incl. EC homologation	562,00
088015 1500	Sport exhaust centered for L/R system (without tail pipes), with integrated valves, incl. EC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	625,00
Choose from following tail pipe package:		
0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	160,00
0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
0026 83CTS	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	390,00
5 Series E60 Sedan / E61 Touring		
520i 2.2l 125 kW, 2003=>; 523i 2.5l 130 kW, 2006=>; 525i 2.5l 141 kW, 2003=>; 525i 2.5l 160 kW, 2006=>; 530i 3.0l 170 kW, 2003=>;		
Axle-back-system: 086103 0556! Not for M sport option!		
Axle-back-system L/R: 086103 198 + tail pipe set! Not for M sport option! L/R-system not for E61 Touring models! When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template!		
086103 0556	Sport exhaust with 2 tail pipes Ø 84 mm angled	575,00
Alternative: Sport exhaust system L/R consisting of (only for E60 Sedan):		
086103 198	Sport exhaust for L/R system (without tail pipes)	575,00
Choose from following tail pipe package:		
0010 02	Tail pipe set L/R consisting of 4 tail pipes 92x78 mm	320,00
0010 04G	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm straight	294,00
0010 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	154,00
0010 14M	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm	184,00
0010 78	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm	294,00
0010 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	190,00
0010 83CS	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race	198,00
0010 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
0010 84C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race	380,00
0010 84CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race	396,00
0010 84CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome	428,00
5 Series E60 Sedan / E60 LCI Sedan		
535d 3.0l 200 kW, 2004=>		
Axle-back-system: 088005 0504! Not for M sport option!		
2) 088005 0504	Sport exhaust with 2 tail pipes Ø 76 mm	590,00
5 Series F10 Sedan / F11 Touring, 2010=>		
520i 4 Zyl. 2.0l 135 kW (N20B20); 528i 4 Zyl. 2.0l 180 kW (N20B20A); 528ix 4 Zyl. 2.0l 180 kW (N20B20A); 523i 2.5l 6 Zyl. 150 kW (N52B30A); 523i 3.0l 6 Zyl. 150 kW (N53B30A); 528i 3.0l 6 Zyl. 190 kW (N53B30A)		
Axle-back-system: (AD0153) + (087610 0000) + 087610 0584C! Suitable for standard bumper and M sport option! Also for models with panorama glass roof!		
Axle-back-system L/R: (AD0153) + (087610 0000) + 087112 1584C resp. 087112 1584CS resp. 087112 1556! Suitable for standard bumper and M sport option! Also for models with panorama glass roof! When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template! L/R-system also Original BMW electric retractable towbar!		
Cat-back-system: (AD0153) + (087610 0000) + 087112 0000 (Racing) resp. 087112 0300 + 087610 0584C! Suitable for standard bumper and M sport option! Also for models with panorama glass roof!		
Cat-back-system L/R: (AD0153) + (087610 0000) (Racing) resp. 087112 0300 + 087112 1584C resp. 087112 1584CS resp. 087112 1556! Suitable for standard bumper and M sport option! Also for models with panorama glass roof! When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template! L/R-system also Original BMW electric retractable towbar!		
AD0153	Distance tube Z6 for mounting of the sport exhaust on BMW 520i F10/F11 with the original front silencer	23,00
087112 0000	RACING tube without homologation, instead of front silencer, only for 520i 4 Zyl. 2.0l 135 kW (N20B20); 528i(x) 4 Zyl. 2.0l 180 kW (N20B20A)	195,00
087112 0300	Front silencer, only for 520i 4 Zyl. 2.0l 135 kW (N20B20); 528i(x) 4 Zyl. 2.0l 180 kW (N20B20A)	324,00
087610 0000	Connection tube for mounting on BMW F10 523i 3.0l 6 Zyl. 150 kW und BMW F10 528i 3.0l 6 Zyl. 190 kW	59,00
087610 0584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race	535,00
Alternative: Sport exhaust system L/R:		
087112 1584C	Sport exhaust L/R, with 4 tail pipes Ø 84 mm Street Race	815,00
087112 1584CS	Sport exhaust L/R, with 4 tail pipes Ø 84 mm Carbon Race	837,00
087112 1556	Sport exhaust L/R, with 4 tail pipes Ø 84 mm angled	770,00
5 Series F10 Sedan / F11 Touring, 2010=>		
520d 2.0l 4 Cyl. 120/135 kW (N47D20C); 525d/525d xDrive 2.0l 4 Cyl. 160 kW (N47D20); 525d 3.0l 6 Cyl. 150 kW (N57D30A); 530d 3.0l 180 kW (N57D30A); 530d xDrive 3.0l 190 kW (N57D30A)		
Axle-back-system: (AD0153) + 087610 0584C! Suitable for standard bumper and M sport option! Also for models with panorama glass roof!		
Axle-back-system L/R: (AD0153) + 087612 1584C! Suitable for standard bumper and M sport option! Also for models with panorama glass roof! When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template! Not for cars with AdBlue tank!		
AD0153	Distance tube Z6 for mounting on BMW F10 Sedan/F11 Touring 520d models	23,00
087610 0584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race	535,00
Alternative: Sport exhaust system L/R (not for cars with AdBlue tank):		
087612 1584C	Sport exhaust L/R, with 4 tail pipes Ø 84 mm Street Race	799,00
5 Series F10 Sedan / F11 Touring, 2010=>		
535i 3.0l 225 kW (N55B30A); 535i xDrive 3.0l 225 kW (N55B30A)		
Axle-back-system L/R: 086010 0500LR + tail pipe set! Suitable for standard bumper and M sport option! The rear skirt must be trimmed as per the supplied template!		
Sport exhaust system L/R consisting of:		
089010 0500LR	Sport exhaust left and sport exhaust right (without tail pipes)	725,00
Choose from following tail pipe package:		
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	780,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
0046 05	Tail pipe set L/R consisting of 4 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	320,00

Part no.	Description	€ excl. VAT
6 Series E63 Coupé / E64 Cabrio		
645CI 4.4i 245 kW, 2004=>; 650CI 4.8i 270 kW, 2006=>		
Axle-back-system L/R: 089204 0500LR + tail pipe set! Not for M sport option!		
Sport exhaust system L/R consisting of:		
089204 0500LR	Sport exhaust left and sport exhaust right (without tail pipes)	716,00
Choose from following tail pipe package:		
0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
7 Series E65 Sedan		
730d 3.0i Diesel 160 kW, 2003=>		
Axle-back-system: 089203 0504! Not for M sport option!		
089203 0534	Sport exhaust with 2 tail pipes 102x68 mm	669,00
1 Series M Coupé E82, type M-V, 2011=>		
3.0i 250 kW (AAU)		
Axle-back-system L/R: 088611 1584C!		
Cat-back-system L/R: 088611 0000 (Racing) + 088611 1584C!		
4) 088611 0000	RACING replacement tube, pre-cat back, Main cat & front silencer omitted, without homologation	512,00
088611 1584C	Sport exhaust centered L/R, with 4 tail pipes Ø 84 mm Street Race	1.032,00
REMUS Titanium2 axle-back-system L/R: 088511 1584TI!		
REMUS Titanium2 cat-back-system L/R: 088511 0000TI (Racing) + 088511 1584TI!		
4) 088511 0000TI	Titanium2 RACING replacement tube, pre-cat back, main cat and front silencer omitted, without homologation	1.293,00
088511 1584TI	Titanium2 sport exhaust centered L/R, with 4 tail pipes Ø 84 mm	2.279,00
1 Series M135i F20 5 door / F21 3 door, 2011=>		
M135i(x) 3.0i 235 kW (N55B30)		
Axle-back-system L/R: 088014 0500 resp. 088914 0500 (Racing) + tail pipe set!		
Cat-back-system L/R: 088014 0300 + 088014 0500 resp. 088914 0500 (Racing) + tail pipe set!		
Turbo-back-system L/R: 088014 1100 (Racing) + 088014 0300 + 088014 0500 resp. 088914 0500 (Racing) + tail pipe set!		
4) 088014 1100	RACING downpipe with sport catalytic convertor (200 CPSI), without homologation, fits only on models up from 7/2013	1.019,00
088014 0300	Catback front section two-part Original tube Ø 80 mm, REMUS tube Ø 84 mm	540,00
Sport exhaust system L/R consisting of:		
088014 0500	Sport exhaust centered for L/R system (without tail pipes) Original tube Ø 80 mm, REMUS tube Ø 84 mm	382,00
088914 0500	RACING sport exhaust centered for L/R system (without tail pipes), without homologation Original tube Ø 80 mm, REMUS tube Ø 84 mm	382,00
Choose from following tail pipe package:		
087011 1683C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race, with integrated valve, incl. EC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	408,00
087011 1683CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome, with integrated valve, incl. EC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	435,00
2 Series M235i F22 Coupe, 2014=>		
M235i 3.0i 240 kW		
Axle-back-system L/R: 088014 0500 resp. 088914 0500 (Racing) + tail pipe set!		
Cat-back-system L/R: 088014 0300 + 088014 0500 resp. 088914 0500 (Racing) + tail pipe set!		
Turbo-back-system L/R: 088014 1100 (Racing) + 088014 0300 + 088014 0500 resp. 088914 0500 (Racing) + tail pipe set!		
4) 088014 1100	RACING downpipe with sport catalytic convertor (200 CPSI), without homologation	1.019,00
088014 0300	Catback front section two-part Original tube Ø 80 mm, REMUS tube Ø 84 mm	540,00
Sport exhaust system L/R consisting of:		
088014 0500	Sport exhaust centered for L/R system (without tail pipes) Original tube Ø 80 mm, REMUS tube Ø 84 mm	382,00
088914 0500	RACING sport exhaust centered for L/R system (without tail pipes), without homologation Original tube Ø 80 mm, REMUS tube Ø 84 mm	382,00
Choose from following tail pipe package:		
088014 1683C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race, with integrated valve, incl. EC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	408,00
088014 1683CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome, with integrated valve, incl. EC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	435,00
M2 F87 Coupe, 2016=>		
3.0i 272 kW		
Cat-back-system L/R: 088016 1500 + tail pipe set ! No cutting of the original exhaust system required!		
Cat-back-system L/R (without tail pipes) with integrated valves, incl. EC homologation Original tube Ø 80 mm, REMUS tube 2 x Ø 65 mm The system includes an additional original BMW actuator and a Y-cable for connecting both actuators with the onboard electronics of the vehicle.		
" 088016 1500		1.990,00
Choose from following tail pipe package:		
0046 70SG	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	296,00
0046 70S	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	340,00
0046 70CS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	840,00
0046 98C	Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	444,00
0046 98CB	Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	492,00
M3 E46 Coupé & Cabrio		
3.2i 252 kW, 2001=>		
088101 1584C	Sport exhaust L/R, with 4 tail pipes Ø 84 mm Street Race	780,00

Part no.	Description	€ excl. VAT
M3 E90 Sedan / E92 Coupé / E93 Cabrio		
4.0l V8 309 kW (S65B40A), 2007=>		
Axle-back-system L/R: (089207 0000) + 089107 0500LR resp. 089907 0500LR (Racing) + tail pipe set!		
REMUS Titanium2 axle-back-system L/R (not for E90): 089107 0584LTI + 089107 0584RTI!		
Cat-back-system L/R: 089207 1000 (Racing) + 089207 0000 + 089107 0500LR resp. 089907 0500LR (Racing) + tail pipe set!		
Turbo-back-system L/R: 089207 1200 (Racing) + 089207 1000 (Racing) + 089207 0000 + 089107 0500LR resp. 089907 0500LR (Racing) + tail pipe set!		
4)	089207 1200 RACING cat replacement tube left/right with flange connection, fits on original header, without homologation, only mountable together with 089207 1000	290,00
	089207 1000 RACING tube without homologation, instead of middle silencer, original pipe must be cut	416,00
	089207 0000 Connection tube for mounting of the sport exhaust L/R onto original middle silencer and RACING tube	307,00
Sport exhaust system L/R consisting of:		
	089107 0500LR Sport exhaust left and sport exhaust right (without tail pipes)	725,00
	089907 0500LR RACING sport exhaust left and RACING sport exhaust right (without tail pipes)	725,00
Choose from following tail pipe package:		
	0046 83C Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
	0046 83CS Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
	0046 83CB Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
	0046 83CTS Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	780,00
	0046 55S Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
	0046 05 Tail pipe set L/R consisting of 4 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	320,00
REMUS Titanium2 axle-back-system L/R (not for E90): 089107 0584LTI + 089107 0584RTI!		
	089107 0584LTI Titanium2 sport exhaust left with 2 tail pipes Ø 84 mm, fits on original middle silencer	1.632,00
	089107 0584RT Titanium2 sport exhaust right with 2 tail pipes Ø 84 mm, fits on original middle silencer	1.632,00
M3 F80 Sedan, 2014=>		
M4 F82 Coupe, 2014=>		
3.0l 317 kW (S55B30)		
Axle-back-system L/R: 089014 0500 + tail pipe set! The original exhaust will need to be cut at the manufacturer marked cutting point!		
Cat-back-system L/R: 089014 0000 (Racing) resp. 089014 0300 (Racing) + 089014 0500 + tail pipe set! No cutting of the original exhaust system required!		
4)	089014 0000 RACING X-pipe NON-resonated front section (eliminating front silencer and secondary catalytic convertors), without homologation Original tube Ø 65 mm, REMUS tube Ø 70 mm	672,00
	089014 0300 RACING X-pipe RESONATED front section (eliminating front silencer and secondary catalytic convertors), without homologation Original tube Ø 65 mm, REMUS tube Ø 70 mm	790,00
Sport exhaust system L/R consisting of:		
	089014 0500 Sport exhaust, L/R axle back-system (without tail pipes), with 2 integrated valves, incl. EC homologation Original tube Ø 65 mm, REMUS tube Ø 70 mm The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	1.614,00
Choose from following tail pipe package:		
	0046 70SG Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	296,00
	0046 70S Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	340,00
	0046 70CS Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	840,00
	0046 98C Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	444,00
	0046 98CB Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	492,00
Z3 R/C Roadster / Coupé		
1.8l 85 kW, 1996=> <=SEP1998		
°	084696 0549 Axle-back-system: 084696 0549! Sport exhaust with 1 tail pipe 135x75 mm angled	557,00
Z3 R/C Roadster / Coupé		
1.9l 103 kW, 1996=> <=SEP1998		
	085696 0549 Axle-back-system: 085696 0549! Sport exhaust with 1 tail pipe 135x75 mm angled	557,00
Z4 E85 Roadster		
2.5l 141 kW, 2003=>; 3.0l 170 kW, 2003=>		
	088103 0584C Axle-back-system: 088103 0584C! Sport exhaust with 2 tail pipes Ø 84 mm Street Race	688,00
Z4M Roadster / Coupé		
M85 3.2l 252 kW, 2006=>		
°	089106 0504L Axle-back-system L/R: 089106 0504L + 089106 0504R! Sport exhaust left with 2 tail pipes Ø 76 mm	541,00
°	089106 0504R Sport exhaust right with 2 tail pipes Ø 76 mm	541,00
Z4 E89 Cabrio		
sDrive 23i, 2.5l 150 kW (N52B25A), 2009=>; sDrive 30i, 3.0l 190 kW (N52B30A), 2009=>		
	088109 0584C Axle-back-system: 088109 0584C! Sport exhaust with 2 tail pipes Ø 84 mm Street Race	649,00
M5 F10 Sedan, 2011=>		
4.4l V8 412 kW (S63B44)		
	089211 0584CS Axle-back-system L/R: 089211 0584CSL + 089211 0584CSR! Sport exhaust left with 2 tail pipe Ø 84 mm Carbon Race, with vacuum operated valve, incl. EC homologation The valve position is vacuum controlled via the onboard electronics.	1.056,00
	089211 0584CS Sport exhaust right with 2 tail pipe Ø 84 mm Carbon Race, with vacuum operated valve, incl. EC homologation The valve position is vacuum controlled via the onboard electronics.	1.056,00
X3 F25, 2011=>		
X3 F25 Facelift, 2014=>		
X3 sDrive 20i 2.0l 135 kW (N20B20A); X3 sDrive 18d 2.0l 100/105/110 kW (B47D20C); X3 sDrive 20d 2.0l 100/110 kW (N57D30A); X3 xDrive 28i 2.0l 180 kW (N20B20A); X3 xDrive 35i 3.0l 225 kW (N55B30A); X3 xDrive 20d 2.0l 120/135/140/151 kW (B47D20A); X3 xDrive 30d 3.0l 155/190/210 kW (N57D30A); X3 xDrive X3 xDrive 35d 3.0l 230 kW (N57D30B);		
	088111 0584C Axle-back-system: 088111 0584C! Suitable for standard bumper and M sport option! Axle-back-system L/R: 086014 0500 + tail pipe set! Suitable for standard bumper and M sport option! When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template! When mounting on xDrive 20i/28i models, order original BMW bracket part no 18308509666! Sport exhaust with 2 tail pipes Ø 84 mm Street Race (only for F25 xDrive 35i 3.0l 225 kW)	538,00
	086014 0500 Sport exhaust system L/R consisting of: Sport exhaust centered for L/R system (without tail pipes)	482,00
Choose from following tail pipe package:		
	0046 83C Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
	0046 83CS Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
	0046 83CB Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
	0046 83CTS Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	780,00
	0046 55S Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
	0046 05 Tail pipe set L/R consisting of 4 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	320,00

Part no.	Description	€ excl. VAT
X4 F26, 2014=>		
X4 sDrive 20i 2.0l 135 kW (N20B20A)		
X4 xDrive 28i 2.0l 180 kW (N20B20A); X4 xDrive 35i 3.0l 225 kW (N55B30A); X4 xDrive 20d 2.0l 120/135/140/151 kW (B47D20A); X4 xDrive 30d 3.0l 155/190/210 kW (N57D30A); X4 xDrive 35d 3.0l 230 kW (N57D30B);		
Axle-back-system L/R: 086014 0500 + tail pipe set! Not for M sport option! Suitable for standard bumper and M sport option! When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template! When mounting on xDrive 20i/28i models, order original BMW bracket part		
086014 0500	Sport exhaust centered for L/R system (without tail pipes)	482,00
0046 55SS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled/angled, chromed, with adjustable spherical clamp connection	360,00

X5 E53, 2000=>		
3.0l 170 kW, 2000=>; 4.4l 210 kW, 2000=>		
Axle-back-system L/R: 089200 0582RL + 089200 0582RR! Not for M sport option!		
089200 0582RL	Sport exhaust left with 2 tail pipes Ø 84 mm	445,00
089200 0582RR	Sport exhaust right with 2 tail pipes Ø 84 mm	445,00

X5 E70, 2007=>		
3.0l si 200 kW (N52B30A), 2007=>; 4.8l 261 kW, 2007=>		
Axle-back-system L/R: (089407 0000) + 089407 1549! Suitable for standard bumper and M sport option!!		
089407 0000	Connection tube for mounting on 3.0l si 200 kW model	165,00
089407 1549	Sport exhaust L/R, with 2 tail pipes 135x75 mm angled	881,00

X6 E71 xDrive, 2008=>		
xDrive 50i 4.4l 300 kW (N63B44A), 2008=>		
Axle-back-system L/R: 089308 1556! Not for M sport option!		
089308 1556	Sport exhaust L/R, with 4 tail pipes Ø 84 mm angled, without homologation	891,00

CHEVROLET

Camaro, type LLT, 2009=>		
3.6l V6 224 kW		
Axle-back-system L/R: 109011 0598CL + 109011 0598CR!		
Cat-back-system L/R: 109011 0000 (Racing) + 109011 0598CL + 109011 0598CR!		
2) 109011 0000	Cat-Back connection tube, without homologation	202,00
2) 109011 0598CL	Sport exhaust left with 1 tail pipe Ø 98 mm Street Race, without homologation	505,00
2) 109011 0598CR	Sport exhaust right with 1 tail pipe Ø 98 mm Street Race, without homologation	505,00

CHRYSLER / JEEP

Jeep Grand Cherokee, type WH, 2005=>		
5.7l V8 240 kW		
115405 0502	Sport exhaust with 2 tail pipes 92x78 mm	509,00

Jeep Grand Cherokee 4x4, type WK, 2011=>		
5.7l V8 259 kW		
Axle-back-system L/R: 359511 0585SL + 359511 0585SR!		
359511 0585SL	Sport exhaust left with 1 tail pipe Ø 127 mm angled	406,00
359511 0585SR	Sport exhaust right with 1 tail pipe Ø 127 mm angled	406,00

CITROËN

ZX, type N2		
1.8l 74 kW, JUN1992=>; 1.9l 88 kW, JUL1991=>; 2.0l 89/112 kW, JUN1992=>; & Turbo Diesel		
2) 126091 0505	Sport exhaust with 1 tail pipe Ø 90 mm	349,00

Xantia II, 1998=>		
1.9l TD 66 kW; 2.1l TD 80 kW		
2) 126598 0570	Sport exhaust with 1 tail pipe Ø 102 mm	384,00

Xsara VTS, 3 & 5 door, 1998=>		
2.0l 120 kW		
2) 126098 0507	Sport exhaust with 1 tail pipe 97x80 mm	350,00

C3 Facelift, 2009=>		
1.1l 44 kW; 1.4l VTi 70 kW; 1.6l VTi 88 kW		
Axle-back-system: 122510 0556! The rear skirt must be trimmed as per the supplied template!		
2) 122510 0556	Sport exhaust with 2 tail pipes Ø 84 mm angled	455,00

C3 Facelift, 2009=>		
1.4l HDI 50 kW, 1.6l HDI 68 kW		
Axle-back-system: 125110 0556! The rear skirt must be trimmed as per the supplied template!		
125110 0556	Sport exhaust with 2 tail pipes Ø 84 mm angled	434,00

DS3, 2010=>		
1.4l VTi 70 kW, 1.6l VTi 88 kW		
Axle-back-system: 122510 0556! The rear skirt must be trimmed as per the supplied template!		
2) 122510 0556	Sport exhaust with 2 tail pipes Ø 84 mm angled	455,00

DS3, 2010=>		
1.6l THP 115 kW (5FR); 1.4l HDI 50 kW, 1.6l HDI 68 kW		
DS3 Racing, type S, 2011=>		
1.6l 152 kW		
Axle-back-system: 125110 0556! When mounting on 1.4l HDI & 1.6l HDI models, the rear skirt must be trimmed as per the supplied template!		
125110 0556	Sport exhaust with 2 tail pipes Ø 84 mm angled	434,00

DS4, type N, 2011=>		
1.6l 82 kW (9HR); 1.6l 88 kW (HCB); 1.6l 147 kW (5FU); 1.6l HDI 82 kW (9HR)		
AD0154	Distance tube A7 for mounting on 1.6l 82/88 kW and 1.6l HDI 82 kW	23,00
2) 125011 1504	Sport exhaust L/R, with 4 tail pipes Ø 76 mm	727,00

C5 Sedan, 2001=> until production no. 94-26		
2.0l HDI 80 kW		
Production no. Is found on A or B pillar near the door! Only for models with cone connection!		
126001 0588	Sport exhaust with 2 tail pipes Ø 84 mm Edition	417,00

Part no.	Description	€ excl. VAT
C5 Break, 2001=> until production no. 94-26		
2.0l HDI 80 kW Production no. Is found on A or B pillar near the door! Only for models with cone connection!		
2) 126201 3502	Sport exhaust with 2 tail pipes 92x78 mm	408,00
C5 Sedan, 2001=>		
2.2l HDI 16V 98 kW Only for models with cone connection!		
2) 126501 0588	Sport exhaust with 2 tail pipes Ø 84 mm Edition	408,00
DAEWOO / CHEVROLET		
Espero Sedan, 4 doors, 1995=>& Mod. 1997		
2.0l 77 kW		
2) 166097 0507	Sport exhaust with 1 tail pipe 97x80 mm	293,00
Nubira, 4 doors, 1997=>		
1.6l 78 kW; 2.0l 98 kW		
° 164597 0507	Sport exhaust with 1 tail pipe 97x80 mm	381,00
DAIHATSU		
Charade Classic Sedan		
1.5l 16V 66 kW		
2) 142595 0501	Sport exhaust with 1 tail pipe 92x78 mm	333,00
FIAT		
500, type 312, 2007=>		
1.2l 51 kW (169A4000)		
182607 0514S	Sport exhaust with 1 tail pipe 142x72 mm angled	371,00
182607 0554	Sport exhaust with 2 tail pipes Ø 70 mm staggered	445,00
° 184007 1514SS	Sport exhaust L/R, with 2 tail pipes 142x72 mm angled (no homologation for 1.2l 51 kW)	595,00
500, type 312, 2007=>		
1.4l 74 kW (169A3000); 1.3l JTD Multijet 55 kW (169A1000)		
° 184007 1514SS	Sport exhaust L/R, with 2 tail pipes 142x72 mm angled	595,00
500 Abarth, type 312, 2007=>		
1.4l 99 kW		
500 Abarth Esseesse, type 312, 2007=>		
1.4l 118 kW (312A1000)		
500 Abarth, type 312, 2013=>		
1.4l 132 kW (312A3000) (without homologation)		
182510 0500	Axle-back-system L/R: 182510 0500 + tail pipe set! Not homologated for 1.4l 132 kW! Sport exhaust centered for L/R system (without tail pipes)	347,00
Choose from following tail pipe package:		
0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
Panda, type 169, 2003=>		
1.1l 40 kW; 1.2l 44 kW		
182104 0541	Sport exhaust with 1 tail pipe 92x78 mm angled	333,00
Punto		
1.7l TDS 51 kW		
Axle-back-system: 184594 0570! Cat-back-system: 184594 0300 + 184594 0570!		
2) 184594 0300	Front silencer	211,00
2) 184594 0570	Sport exhaust with 1 tail pipe Ø 102 mm	283,00
Punto GT Turbo		
1.4l 96 kW, SEP1997=>; 1.4l GT Turbo 98 kW, 1993=>		
Axle-back-system: 185093 0570! Cat-back-system: 185093 0300 + 185093 0570!		
2) 185093 0300	Front silencer	239,00
2) 185093 0570	Sport exhaust with 1 tail pipe Ø 102 mm	307,00
Punto, type 188, 1999=>		
1.8l HGT 96 kW; 1.9l JTD 59 kW; 1.9l JTD 63 kW, 2005=>		
° 185099 0540P	Sport exhaust with 1 tail pipe 140x72 mm mat polished	281,00
Grande Punto Hatchback, 3 and 5 door, 2005=>		
Grande Punto Facelift Hatchback, 3 and 5 door, 2009=>		
1.2l 48 kW; 1.4l 57 kW		
1) 2) 186505 199	Axle-back-system L/R: 186505 199 + tail pipe set! PowerSound sport exhaust with manual valve control system (without tail pipes)	475,00
Choose from following tail pipe package:		
0010 02	Tail pipe set L/R consisting of 4 tail pipes 92x78 mm	320,00
0010 04G	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm straight	294,00
0010 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	154,00
0010 14M	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm	184,00
0010 70	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm	164,00
0010 78	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm	294,00
0010 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	190,00
0010 83CS	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race	198,00
0010 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
0010 84C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race	380,00
0010 84CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race	396,00
0010 84CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome	428,00
0010 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race	216,00
0010 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome	240,00

Part no.	Description	€ excl. VAT
Punto Evo Abarth, type 199, 2011=>		
1.4i 120 kW		
	Axle-back-system: 184011 0500 + tail pipe set! Cat-back-system: 184011 0000 (Racing) + 184011 0500 + tail pipe set!	
184011 0000	RACING tube without homologation, instead of front silencer	165,00
184011 0500	Sport exhaust system consisting of: Sport exhaust for left-system (without tail pipes)	368,00
	Choose from following tail pipe package:	
0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	160,00
Brava, 1995=>		
1.4i 12V 55 kW; 1.4i 12V 59 kW; 1.9i Diesel 48 kW		
AD0029	Distance tube B for mounting on 1.9i Diesel model	17,00
2) 186096 0532	Sport exhaust with 2 tail pipes 82x67 mm	325,00
124 Spider, 2016=>		
1.4i Turbo 103 kW		
	Axle-back-system L/R: 185016 1500 + tail pipe set! No vehicle modifications required! Cat-back-system L/R: 185016 0000 (Racing) + 185016 1500 + tail pipe set! No vehicle modifications required!	
185016 0000	Cat-back RACING non resonated front section instead of front silencer Original tube Ø 54 mm - REMUS tube Ø 60 mm	170,00
	Sport exhaust system L/R consisting of:	
185016 1500	Sport exhaust centered for L/R system (without tail pipes) Original tube Ø 54 mm - REMUS tube Ø 60 mm	360,00
	Choose from following tail pipe package:	
0026 70SS	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CSS	Tail pipe set L/R consisting of 2 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
FORD		
Ka II, type RU8, 2009=>		
1.2i Duratec 51 kW (AAAA/169A4000)		
182607 0514S	Sport exhaust with 1 tail pipe 142x72 mm angled	371,00
182607 0554	Sport exhaust with 2 tail pipes Ø 70 mm staggered	445,00
o 184007 1514SS	Sport exhaust L/R, with 2 tail pipes 142x72 mm angled (no homologation for 1.2i 51 kW)	595,00
Ka II, type RU8, 2009=>		
1.3i TDCi 55 kW		
o 184007 1514SS	Sport exhaust L/R, with 2 tail pipes 142x72 mm angled	595,00
Fusion, type JU2, 2002=>		
1.4i TDI 50 kW		
o 202602 0532	Sport exhaust with 2 tail pipes 82x67 mm	396,00
Escort Estate		
1.6i 65/66 kW type GAL ab AUG1992=>; 1.6i 65/66 kW type ANL, DEC1995=>; 1.8i 77 kW type GAL, JAN1992=>; 1.8i 85 kW type ANL, OCT1997=>		
2) 205092 2501	Sport exhaust with 1 tail pipe 92x78 mm	328,00
Fiesta ST, VII, type JA8, 2013=>		
1.6i 134 kW (JTJA)		
	Axle-back-system: 204014 0500 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required! Cat-back-system: 204014 0300 + 204014 0500 + tail pipe set! No vehicle modifications required!	
204014 0300	Resonated cat-back front section Original tube Ø 55 mm - REMUS tube Ø 65 mm	249,00
	Sport exhaust system consisting of:	
204014 0500	Sport exhaust (without tail pipes) Original tube Ø 55 mm - REMUS tube Ø 65 mm	313,00
	Choose from following tail pipe package:	
0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	160,00
0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
0026 83CTS	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	390,00
Focus Fastback, type DAW/DBW, OCT1998=>		
1.4i 55 kW; 1.6i 74 kW; 1.8i 85 kW; 2.0i 96 kW; 1.8i TD 66 kW <=OCT2000		
	Axle-back-system: AD0053 (1.4i) resp. AD0052 (1.6i) + 206698 0505! Cat-back-system (only for 1.4i/1.6i): 206598 0300 + 206698 0505!	
AD0053	Distance tube X1 for mounting on 1.4i model	17,00
AD0052	Distance tube W1 for mounting on 1.6i model	17,00
o 206598 0300	Front silencer, only for 1.4i 55 kW, 1.6i 74 kW	299,00
o 206698 0505	Sport exhaust with 1 tail pipe Ø 90 mm	296,00
Focus II Facelift Hatchback, type DA3, 2008=>		
2.0i TDCi 81 kW (EXDA); 2.0i TDCi 100 kW (G6DD/G6DB/G6DG)		
	Axle-back-system: 206508 0500 + 206508 0604!	
2) 206508 0500	Sport exhaust (without tail pipes)	284,00
2) 206508 0604	Connection tube left with 2 tail pipes Ø 76 mm	235,00

Part no.	Description	€ excl. VAT
Focus III ST, type DYB, 2012=>		
2.0l EcoBoost 184 kW (R9DA)		
Focus III ST Facelift, type DYB, 2015=>		
2.0l EcoBoost 184 kW (R9DA)		
	Cat-back-system: 205512 0300 resp. 205012 0300 (Racing) resp. 205012 0000 (Racing) + 205512 5500 + tail pipe set! Only fits as a complete system! No vehicle modifications required!	
205012 0000	Cat-back RACING non-resonated front, without homologation	165,00
2) 205012 0300	Original tube Ø 55/60 mm - REMUS tube Ø 70 mm Cat-back RACING resonated front section, without homologation	279,00
205512 0300	Original tube Ø 55/60 mm - REMUS tube Ø 70 mm Resonated cat-back front section, incl. EC homologation	302,00
205512 5500	Original tube Ø 55/60 mm - REMUS tube Ø 70 mm Sport exhaust centered (without tail pipes), incl. EC homologation	382,00
0026 80S	Original tube Ø 55/60 mm - REMUS tube Ø 70 mm Tail pipe set 2 tail pipes Ø 115 mm angled, polished, with adjustable spherical clamp connection	191,00
Focus III RS, type DYB, 2016=>		
2.3l 257 kW (YVDA)		
	Cat-back-system: 206516 1500 + tail pipe set ! No vehicle modifications required! No cutting of the original exhaust system required!	
" 206516 1500	Cat-back-system L/R (without tail pipes) with integrated valve, incl. EC homologation Original tube Ø 70 mm, REMUS tube Ø 76 mm	1.090,00
0026 80S	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics. Tail pipe set 2 tail pipes Ø 115 mm angled, polished, with adjustable spherical clamp connection	191,00
Mondeo 93 & 97 Sedan (right side outlet)		
2.0l 16V 97/ 100 kW type BAP, BFP, GBP; 2.0l 16V 96 kW type BAP, BFP, Mod. 1997=>; 2.0l 16V 96 kW type BAP, BFP, AUG1997=>		
2) 205593 0501	Sport exhaust with 1 tail pipe 92x78 mm	328,00
Mondeo 01 Sedan, type B5Y, 2007=>		
2.0l TDCi 85 kW		
2) 206006 098	Axle-back-system: 206006 098 + tail pipe set! The rear skirt must be trimmed as per the supplied template! Sport exhaust (without tail pipes)	312,00
	Choose from following tail pipe package:	
0008 04	2 tail pipes Ø 76 mm	147,00
0008 84C	2 tail pipes Ø 84 mm Street Race	190,00
0008 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
1003 05G	2 Diesel tail pipes Ø 90 mm straight with emission exit downwards	186,00
2) 1003 78	2 Diesel tail pipes Ø 84mm with emission exit downwards	186,00
Mondeo 07 Sedan / Fastback / Estate, type BA7, 2007=>		
1.8l TDCi 74 kW (FFBA); 2.0l TDCi 96 kW (AZBA); 2.0l TDCi 103 kW (QXBA)		
2) 205007 098	Axle-back-system: 205007 098 + tail pipe set! Sport exhaust (without tail pipes)	315,00
	Choose from following tail pipe package:	
0008 04	2 tail pipes Ø 76 mm	147,00
0008 84C	2 tail pipes Ø 84 mm Street Race	190,00
0008 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
1003 05G	2 Diesel tail pipes Ø 90 mm straight with emission exit downwards	186,00
2) 1003 78	2 Diesel tail pipes Ø 84mm with emission exit downwards	186,00
Galaxy Facelift, type WAG, 2010=>		
2.0l TDCi 103 kW (UFWA)		
2) 205007 098	Axle-back-system: 205007 098 + tail pipe set! Sport exhaust (without tail pipes)	315,00
	Choose from following tail pipe package:	
0008 04	2 tail pipes Ø 76 mm	147,00
0008 84C	2 tail pipes Ø 84 mm Street Race	190,00
0008 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
1003 05G	2 Diesel tail pipes Ø 90 mm straight with emission exit downwards	186,00
2) 1003 78	2 Diesel tail pipes Ø 84mm with emission exit downwards	186,00
Puma, SEP1997=>		
1.7l 92 kW		
2) 204097 0507	Sport exhaust with 1 tail pipe 97x80 mm	323,00
Mustang Coupe & Cabrio, 2015=>		
2.3l EcoBoost Turbo 231 kW		
	Cat-back-system L/R: 206215 0300 resp. 206215 1300 (Racing) + 206715 0500LR + tail pipe set + optional STE 0006! REMUS Cat-back-systems only fits as a complete system!	
206215 0300	Front silencer for 2.3l Turbo, incl. EC homologation Original tube Ø 57 mm = 2 1/4", REMUS tube Ø 76 mm = 3.0"	276,00
206215 1300	Optional RACING tube instead of front silencer for 2.3l Turbo, without homologation Original tube Ø 57 mm = 2 1/4", REMUS tube Ø 76 mm = 3.0"	95,00
" 206715 0500LR	Sport exhaust left and sport exhaust right (without tail pipes), incl. 2 connection tubes, with integrated valves, incl. EC homologation Original tube Ø 57 mm = 2 1/4", REMUS tube Ø 76 mm = 3.0"	1.034,00
" STE 0006	It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve can be carried out using the separate available REMUS sound controller. The sound controller and electrical actuator allows the valve to be operated in 4 different positions. Optional: REMUS Sound Controller and electrical actutators The REMUS Sound Controller consisting of the electronic module and the remote control as well as the electrical actuators including the cables will be delivered optional. Without EC homologation.	480,00
	RACING-Cat-back-system L/R: 206215 1300 (Racing) + 206815 0500LR (Racing) + tail pipe set! REMUS Cat-back-systems only fits as a complete	
206215 1300	RACING tube instead of front silencer for 2.3l Turbo, without homologation Original tube Ø 57 mm = 2 1/4", REMUS tube Ø 76 mm = 3.0"	95,00
206815 0500LR	RACING steel sport exhaust left and stainless steel sport exhaust right (without tail pipes), incl. 2 connection tubes, without homologation Original tube Ø 57 mm = 2 1/4", REMUS tube Ø 76 mm = 3.0"	699,00
	Choose from following tail pipe package:	
0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00

Part no.	Description	€ excl. VAT
Mustang GT Coupe & Cabrio, 2015=>		
5.0l V8 310 kW		
Cat-back-system L/R: 206615 0300 + 206715 0500LR + tail pipe set + optional STE 0006! REMUS Cat-back-systems only fits as a complete system!		
206615 0300	Front silencer for 5.0l V8, with EC homologation Original tube Ø 57 mm = 2 1/4", REMUS tube Ø 76 mm = 3.0" Sport exhaust left and sport exhaust right (without tail pipes), incl. 2 connection tubes, with integrated valves, incl. EC homologation	307,00
" 206715 0500LR	Original tube Ø 57 mm = 2 1/4", REMUS tube Ø 76 mm = 3.0" It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve can be carried out using the separate available REMUS sound controller. The sound controller and electrical actuator allows the valve to be operated in 4 different positions.	1.034,00
" STE 0006	Optional: REMUS Sound Controller and electrical actuators The REMUS Sound Controller consisting of the electronic module and the remote control as well as the electrical actuators including the cables will be delivered optional. Without EC homologation.	480,00
RACING-Cat-back-system L/R: 206615 1300 (Racing) + 206815 0500LR (Racing) + tail pipe set! REMUS Cat-back-systems only fits as a complete		
206615 1300	RACING tube instead of front silencer for 5.0l V8, without homologation Original tube Ø 57 mm = 2 1/4", REMUS tube Ø 76 mm = 3.0"	127,00
206815 0500LR	RACING steel sport exhaust left and stainless steel sport exhaust right (without tail pipes), incl. 2 connection tubes, without homologation Original tube Ø 57 mm = 2 1/4", REMUS tube Ø 76 mm = 3.0"	699,00
Choose from following tail pipe package:		
0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00

HONDA

Civic, 3 door, SEP1991=>

1500 GTI Typ EG4 66 kW; 1500 LSI Typ EG4 66 kW; 1500 VEI Typ EG4 66 kW
Sport exhaust only homologated together with front silencer

° 253092 0300	Front silencer, only for 1.5l 66kW EG4	237,00
---------------	--	--------

Civic, 4 door, SEP1991=>

1500 LSI/AT type EG8 66 kW; 1600 ESI type EH9 92 kW

Civic Coupé

Typ EJ1 1.6l 92 kW, 1994=>; Typ EJ1 / EJ2 1.5l 74kW, 1994=>; Typ EJ6 1.6l 77 kW, 1996=>; Typ EJ9 1.4iS 66 kW Mod. 96; Typ EK3 1.5i VTEC 84 kW Mod. 96
When fitting twin tail pipes the rear skirt must be cut!

2) 253094 0502	Sport exhaust with 2 tail pipes 92x78 mm	421,00
----------------	--	--------

Civic, type EG9, 4 door, SEP1991=> <=1995

1.6l VTI 118 kW

2) 255092 0501	Sport exhaust with 1 tail pipe 92x78 mm	355,00
----------------	---	--------

Civic, Type FK1/FK2, 2006=>

Type FK1 1.4l i-DSI 61 kW (L13A7); Type FK2 1.8l i-VTEC 103 kW (R18A2)

Civic type S, Type FN1, 2008=>

Type FN1 1.8l i-VTEC 103 kW (R18A2)

Axle-back-system: (254006 9999) + 254106 199! When mounting on FK1 1.4l i-DSI models, the original Honda chrome tail pipes have to be used (part.no. 18310-SMG-E02 & 18320-SMG-E02). Additionally the mounting kit 254006 9999 has to be used!

1) 254006 9999	Hardware kit for mounting on 1.4l i-DSI model	40,00
254106 199	PowerSound sport exhaust with manual valve control system (without tail pipes)	606,00

Civic Type-R, type FK2, 5 door, 2015=>

2.0l VTEC Turbo/Turbo GT 228 kW (K20C1)

Cat-back-system LHD: 256315 0300 + 256515 1500 + tail pipe set + optional STE 0005! No vehicle modifications are required!
Only for left hand drive! NOT SUITABLE FOR RHD MODELS IN FOLLOWING COUNTRIES: Australia, Cyprus, Japan, Hong Kong, India, Isle of Man, Ireland, Malaysia, New Zealand, South Africa, Singapore, Thailand, UK

Cat-back-system RHD: 256215 0300 + 256515 1500 + tail pipe set + optional STE 0005! No vehicle modifications are required!
Only for right hand drive! ONLY SUITABLE FOR RHD MODELS IN FOLLOWING COUNTRIES: Australia, Cyprus, Japan, Hong Kong, India, Isle of Man, Ireland, Malaysia, New Zealand, South Africa, Singapore, Thailand, UK

" 256215 0300	Resonated cat-back section RHD, incl. EC homologation Original tube Ø 60 mm, REMUS tube Ø 70 mm	360,00
" 256315 0300	Resonated cat-back section LHD, incl. EC homologation Original tube Ø 60 mm, REMUS tube Ø 70 mm sport exhaust centered for left/right system (without tail pipes) with integrated valves, incl. EC homologation	360,00
" 256515 1500	Original tube Ø 60 mm, REMUS tube Ø 70 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve can be carried out using the separate available REMUS sound controller. The sound controller and electrical actuator allows the valve to be operated in 4 different positions.	678,00
" STE 0005	Optional: REMUS Sound Controller and electrical actuator The REMUS Sound Controller consisting of the electronic module and the remote control as well as the electrical actuator including the cables will be delivered optional. Without EC homologation.	380,00
Choose from following tail pipe package:		
0446 70SG	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, straight cut, chromed, (length 145 mm), with adjustable spherical clamp connection	296,00
0446 70CS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 102 mm angled (length 145 mm), Titanium internals, with adjustable spherical clamp connection	840,00

Shuttle, 1995=>

2.2i ES 110 kW

2) 256395 0549	Sport exhaust with 1 tail pipe 135x75 mm angled	418,00
----------------	---	--------

Accord, type CG8, 1999=>

type CG8 1.8i ES 100 kW; type CG9 2.0i ES 108 kW

° 255099 0502	Sport exhaust with 2 tail pipes 92x78 mm	431,00
---------------	--	--------

CR-Z, type ZF1, 2010=>

1.5l Hybrid 84 kW (+ 7 kW E-Motor) (LEA1-1002161)

CR-Z, Facelift, type ZF1, 2013=>

1.5l Hybrid 89 kW (+ 13 kW E-Motor) (LEA3)

Cat-back-system incl. ABS rear diffuser: 253111 5584C + 252301 HES! Only fits as a complete system!		
" 253111 5584C	Cat-Back connection tube (instead of front silencer) and sport exhaust centered with 2 tail pipes Ø 84 mm Street Race	677,00
" 252301 HES	ABS rear diffuser centered, satin black	199,00

Part no.	Description	€ excl. VAT
HUMMER		
Hummer H1		
6.5l V8 TDI 141/147 kW		
269503 0500	Sport exhaust with tube, without homologation	630,00
Hummer H2, 2002=>2006 (double flow into front silencer)		
5.9l 237 kW		
269506 1515M	Sport exhaust L/R, with 4 tail pipes 142x72 mm with flat, angled rolling, without homologation	1.458,00
HYUNDAI		
Elantra, type XD, 2002=>		
1.6l 66 kW		
284102 0502	Sport exhaust with 2 tail pipes 92x78 mm	409,00
iX35, type EL, FWD & AWD, 2010=>		
2.0l CVVT 120 kW (G4KD); 1.6l GDI 99 kW (G4FD); 1.7l CRDI 85 kW (D4FD); 2.0l CRDI 100 kW (D4HA); 2.0l CRDI 135 kW (D4HA)		
286111 1584C	Sport exhaust L/R, with 4 tail pipes Ø 84 mm Street Race	688,00
Tucson, type TL, 2015=>		
1.6l GDI 97 kW 2WD; 1.6l T-GDI 130 kW 4WD; 1.7l CRDI 85 kW 2WD; 2.0l CRDI 100 2WD/4WD; 2.0l CRDI 136 kW 2WD & 4WD		
Axle-back-system L/R: 286015 1500 + tail pipe set! The rear skirt must be trimmed as per the supplied template! Bolt-on Axle-back-system, except for the rear skirt, no vehicle modifications are required!		
286015 1500	Sport exhaust centered for L/R system (without tail pipes) (Original tube Ø 54 mm, REMUS tube Ø 60 mm)	350,00
Choose from following tail pipe package:		
0046 70SS	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	340,00
0046 70CSS	Tail pipe set L/R consisting of 4 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	840,00
0046 98C	Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	444,00
0046 98CB	Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	492,00
Genesis Coupé, type BK20/BK38, 2011=>		
2.0l 156 kW (G4KF); 3.8l V6 224 kW (G6DA)		
Cat-back-system L/R for 2.0l: 287111 0000 + 289111 1584C!		
Cat-back-system L/R for 3.8l V6: 289111 0000 + 289111 1584C!		
287111 0000	Cat-Back connection tube for mounting on 2.0l 156 kW	161,00
289111 0000	Cat-Back connection tube for mounting on 3.8l V6 224 kW	161,00
289111 1584C	Sport exhaust L/R, with 4 tail pipes Ø 84/98 mm Street Race	631,00
JAGUAR		
F-Type S (AWD & RWD), type QQ6, Convertible & Coupe, 2015=>		
3.0l compressor 280 kW		
Cat-back-system: 338013 0500LR + tail pipe set! No vehicle modifications required!		
Cat-back-system consisting of:		
Resonated front section, left & right sport exhausts with center exit (selectable tail pipes),		
"	338013 0500LR with 2 vacuum operated valves, incl. EC homologation	1.830,00
Original tube Ø 55 mm, REMUS tube Ø 60 mm		
The valves are vacuum manually controlled via the onboard electronics.		
Choose from following tail pipe package:		
0026 80SA	Tail pipe set consisting of 2 tail pipes Ø 115 mm angled, chromed, with adjustable spherical clamp connection	240,00
0026 80SAB	Tail pipe set consisting of 2 tail pipes Ø 115 mm angled, Black Chrome, with adjustable spherical clamp connection	266,00
KIA		
Rio, type UB, 2012=>		
1.2l 62.5 kW (G4LA); 1.4l 80 kW (G4FA); 1.1l CRDi 55 kW (D3FA); 1.4l CRDi (D4FC)		
Axle-back-system centered: 362111 5584C! The rear skirt has to be trimmed according to the enclosed template!		
362111 5584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race (tail pipe position in the middle of the rear skirt)	527,00
Cee'd, Hatchback, type ED, 2007=>		
1.6l CRDi 66 kW (D4FB)		
2) 365207 0533	Sport exhaust with connection tube with 1 tail pipe 102x68 mm	398,00
Sportage, type SL, FWD & 4WD, 2010=>		
2.0l CVVT 120 kW (G4KD); 1.6l GDI 99 kW (G4FD); 1.7l CRDI 85 kW (D4FD); 2.0l CRDI 100 kW (D4HA); 2.0l CRDI 135 kW (D4HA)		
286111 1584C	Sport exhaust L/R, with 4 tail pipes Ø 84 mm Street Race	688,00
Sportage, type QL, 2015=>		
1.6l GDI 97 kW 2WD; 1.6l T-GDI 130 kW 4WD; 1.7l CRDI 85 kW 2WD; 2.0l CRDI 100 2WD/4WD; 2.0l CRDI 136 kW 2WD & 4WD		
Axle-back-system L/R: 286015 1500 + tail pipe set! The rear skirt must be trimmed as per the supplied template! Bolt-on Axle-back-system, except for the rear skirt, no vehicle modifications are required!		
286015 1500	Sport exhaust centered for L/R system (without tail pipes) (Original tube Ø 54 mm, REMUS tube Ø 60 mm)	350,00
Choose from following tail pipe package:		
0046 70SS	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	340,00
0046 70CSS	Tail pipe set L/R consisting of 4 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	840,00
0046 98C	Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	444,00
0046 98CB	Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	492,00
Sportage GT-Line, type QLE, 2015=>		
1.6l T-GDI 130 kW 4WD; 2.0l CRDI 100 2WD/4WD; 2.0l CRDI 136 kW 4WD		
Axle-back-system L/R: 286015 1500 + tail pipe set! Bolt-on Axle-back-system - no other vehicle modifications are required for the GT-Line!		
286015 1500	Sport exhaust centered for L/R system (without tail pipes) (Original tube Ø 54 mm, REMUS tube Ø 60 mm)	350,00
Choose from following tail pipe package:		
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
0046 05	Tail pipe set L/R consisting of 4 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	320,00
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	780,00

Part no.	Description	€ excl. VAT
LAND ROVER		
Range Rover Sport V8 Supercharged, type LW, 2013=>		
5.0l V8 375 kW		
	Axle-back-system: 709013 0500LR + tail pipe set! Cat-back-system: 709013 0300 + 709013 0500LR + tail pipe set!	
709013 0300	Front silencer	463,00
709013 0500LR	Sport exhaust left and sport exhaust right (without tail pipes)	747,00
	Choose from following tail pipe package:	
0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
LOTUS		
Esprit 300 Sport, 1994=>		
2.2l Turbo 225 kW		
2)	416094 0509R Sport exhaust electro-polished L/R, with 2 tail pipes 135x75 mm, without homologation	2.183,00
MASERATI		
Ghibli III, type 157M, 2013=>		
3.0l 243 kW		
Ghibli III S, type 157M, 2013=>		
3.0l 301 kW		
Ghibli III S Q4, type 157M, 2013=>		
3.0l 301 kW		
	Axle-back-system L/R: 428014 0500LR (Racing) + tail pipe set! No vehicle modifications required!	
	Cat-back-system L/R: 428014 0300 (Racing) resp. 428514 0300 (Racing) + 428014 0500LR (Racing) + tail pipe set! No vehicle modifications required!	
428014 0300	Resonated front section for MASERATI Ghibli III S Q4, Type M157, 2013=> 3.0l 301 kW, without homologation	519,00
428514 0300	Resonated front section for MASERATI Ghibli III, Type M157, 2013=> 3.0l 243 kW and MASERATI Ghibli III S, Type M157, 2013=> 3.0l 301 kW, without homologation	519,00
	Sport exhaust system L/R consisting of: Left / Right RACING axle-back sport exhaust system (without tail pipes),	
428014 0500LR	incl. 2 vacuum operated valves, without homologation The valve position is vacuum controlled via the onboard electronics.	1.579,00
	Choose from following tail pipe package:	
0046 70SG	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	296,00
0046 70S	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	340,00
0046 70CS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	840,00
MAZDA		
Demio		
1.3l 46/53 kW, 1998=>; 1.5l 75 kW, 2000=>		
2)	453000 0504 Sport exhaust with 2 tail pipes Ø 76 mm	357,00
323F, type BJ, 1998=>		
1.3l 54 kW; 1.3l 16V 53 kW, 2001=>; 1.5l 65 kW; 1.6l 16V 70/72/73,5 kW, 2001=>; 1.8l 84 kW; 2.0l DITD 66 kW, 1999=>; 2.0l 96 kW; 2.0l DITD 74 kW, 2001=>		
2)	453098 0502 Sport exhaust with 2 tail pipes 92x78 mm	419,00
323 Sedan, 1998=>, type BJ, 1999=>		
1.3l 54 kW; 1.3l 16V 53 kW, 2001=>; 1.5l 65 kW; 1.6l 16V 70/72/73,5 kW, 2001=>; 1.8l 84 kW type BJ; 2.0l DITD 66 kW type BJ, 1999=>; 2.0l DITD 74 kW, 2001=>		
2)	453598 3502 Sport exhaust with 2 tail pipes 92x78 mm	413,00
3, type BK, (3/4/5 door), 2003=>		
1.3l 62 kW (ZJ); 1.4l 59 kW; 1.6l 77 kW (Z6); 2.0l 110 kW (LF)		
456103 0570	Sport exhaust with 1 tail pipe Ø 102 mm, for original bumper	461,00
3 Sport, Hatchback, 5 door, type BM, 2013=>		
1.5l 74 kW (P5); 2.0l 88/121 kW (PE); 2.2l CD 110 kW (SH)		
	Axle-back-system L/R: 456513 1500 + 456513 1613S! Bolt-on Axle-back-system, no vehicle modifications required!	
456513 1500	Sport exhaust centered for L/R system (without tail pipes)	287,00
456513 1613S	Tail pipe set L/R consisting of 2 tail pipes 120x74 mm angled	267,00
Premacy		
1.8l 74 kW, 1999=>; 1.8l 84 kW, 1999=>; Facelift 1.8l 74 kW, 2001=>; Facelift 2.0l DiTD 74 kW, 2001=>		
2)	453098 0502 Sport exhaust with 2 tail pipes 92x78 mm	419,00
5, 2006=>		
2.0l CD 81 kW		
2)	456006 0501 Sport exhaust with 1 tail pipe 92x78 mm	376,00
6 Sedan & Sport Combi, type GJ, 2013=>		
2.0l 107 kW; 2.0l 121 kW; 2.5l 141 kW		
456113 1513S	Sport exhaust L/R, with 2 tail pipes 120x74 angled	555,00
6 Sedan & Sport Combi, type GJ, 2013=>		
2.2l CD 110 kW (SH), 2.2l CD 129 kW (SH)		
	Axle-back-system L/R: 456213 0500 + 456513 1613S!	
456213 0500	Sport exhaust centered for L/R system (without tail pipes)	287,00
456213 1613S	Tail pipe set L/R consisting of 2 tail pipes 120x74 mm angled	267,00
MX-5, type NB, 1998=>		
1.6l 81 kW; 1.8l 103 kW; 1.8l 107 kW		
455198 0507	Sport exhaust with 1 tail pipe 97x80 mm	476,00

Part no.	Description	€ excl. VAT
MX-5, type NC1, 2005=>		
1.8l 93 kW (L8); 2.0l 118 kW (LF)		
	Axle-back-system L/R: 456105 199 + tail pipe set! When fitting tail pipes 0010 14M the rear skirt must be trimmed as per the supplied template!	
1) 456105 199	PowerSound sport exhaust with manual valve control system (without tail pipes)	396,00
	Choose from following tail pipe package:	
0010 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	154,00
0010 14M	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm	184,00
0010 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	190,00
0010 83CS	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race	198,00
0010 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
MX-5, type ND, 2015=>		
1.5l Skyactive G-130/G131 96 kW; 2.0l Skyactive G-160 (iELOOP) 118 kW		
	Axle-back-system L/R: 456016 1500 + tail pipe set! No cutting of the original exhaust system required! The right side skirt outlet must be trimmed as per the enclosed template!	
	Cat-back-system L/R: 456016 0300 resp. 456016 1200 (Racing) + 456016 1500 + tail pipe set! The original exhaust must be cut! The right side skirt outlet must be trimmed as per the enclosed template!	
4) 456016 1200	RACING secondary catalyst replacement tube, without homologation Original tube Ø 54 mm, REMUS tube Ø 60 mm	130,00
456016 0300	Resonated cat-back front section Original tube Ø 54 mm, REMUS tube Ø 60 mm	240,00
456016 1500	Sport exhaust centered for L/R system (without tail pipes) Original tube Ø 54 mm, REMUS tube Ø 60 mm	360,00
	Choose from following tail pipe package:	
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	780,00
RX8, 2003=> (not for Facelift models!)		
1.3l 170 kW		
° 452103 1598C	Sport exhaust L/R, with 2 tail pipes Ø 98 mm Street Race	692,00
CX-3, 2WD / AWD, type DK, 2015=>		
2.0l 88 kW; 2.0l 110 kW; 1.5l Diesel 77 kW		
	Axle-back-system L/R: 454015 1500 + tail pipe set!	
454015 1500	Sport exhaust centered for L/R system (without tail pipes)	395,00
	Choose from following tail pipe package:	
0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
CX-5, FWD / AWD, type KE, 2013=>		
2.2l CD 110 kW (SH), 2.2l CD 129 kW (SH)		
	Axle-back-system L/R: 456213 0500 + 456513 1613S!	
456213 0500	Sport exhaust centered for L/R system (without tail pipes)	287,00
456513 1613S	Tail pipe set L/R consisting of 2 tail pipes 120x74 mm angled	267,00
MERCEDES		
A-Class W176, 2012=>		
A200 1.6l 90 kW (270910); A200 1.6l 115 kW (270910); A250 2.0l 155 kW (270920); A200CDI 1.8l 80 kW (651901); A200CDI 1.8l 100 kW (651901); A180CDI 1.5l 80 kW (K9K)		
	Axle-back-system: 506112 1585S! Only for cars with AMG styling package!	
506112 1585S	Sport exhaust L/R, with 2 tail pipes Ø 127 mm angled	647,00
CLA 250 (260) 2WD & 4matic, C117, 2013=>		
2.0l 155 kW		
	RACING cat-back-system L/R: 503513 1300 resp. 503613 1300 + 503513 1500 + tail pipe set only fits as a complete system! No rear skirt modifications required! No cutting of the original exhaust system required except for cars with the underbody catalytic converter.	
503513 1300	non resonated RACING cat-back front section for MB CLA 250 (260) 4matic, without homologation (original tube Ø 60 mm, REMUS tube Ø 65 mm)	191,00
503613 1300	non resonated RACING cat-back front section for MB CLA 250 (260) FWD, without homologation (original tube Ø 60 mm, REMUS tube Ø 65 mm)	191,00
503513 1500	RACING sport exhaust centered for L/R system (without tail pipes), without homologation (original tube Ø 60 mm, REMUS tube Ø 65 mm)	297,00
0046 03SSG	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm angled/angled, straight cut, chromed, with adjustable spherical clamp connection	382,00
A 45 AMG 4matic, W176 and 245G, 2013=>		
CLA 45 AMG 4matic, C117 and 245G, 2014=>		
2.0l 265 kW		
A 45 AMG Facelift 4matic, W176 and 245G, 2015=>		
CLA 45 AMG Facelift 4matic, C117 and 245G, 2015=>		
2.0l 280 kW		
	Cat-back-system L/R: 504013 1500 + 504013 1600 resp. 504513 1600 + optional STE 0002!	
" 504013 1500	Cat-back-system centered including non resonated front section with integrated valve, incl. EC homologation The supplied actuator activates the valve to factory preset positions via the vehicle onboard electronics	1.271,00
	choose from following outlet tubes:	
" 504013 1600	Outlet tubes for A 45 AMG/A 45 AMG Facelift incl. installation kit, suitable for the original exhaust outlets	119,00
" 504513 1600	Outlet tubes for CLA 45 AMG / CLA 45 AMG Facelift incl. installation kit, suitable for the original exhaust outlets	119,00
	Optional: REMUS Sound Controller	
" STE 0002	The REMUS Sound Controller consisting of the electronic module and the remote control for individual sound adjustment in 4 levels, will be delivered optional. Without EC homologation.	320,00
B-Class W245		
B180CDI 2.0l CDI 80 kW, 2005=>; B200CDI 2.0l CDI 103 kW, 2005=>		
2) 506105 0607	Connection tube with 1 tail pipe 97x80 mm	198,00
190E W201		
2.0l 90 kW, DEC1990=>; 2.3l 100 kW, DEC1990=>; from Chassis no. 1A611777 oder 1F815882; 2.6l 118 kW, JUL1986=>; 2.6l 122 kW, JUL1986=>; 2.5l TD 93 kW, NOV1987=>		
	Axle-back-system: 506191 0502	
° 506191 0502	Sport exhaust with 2 tail pipes 92x78 mm	459,00

Part no.	Description	€ excl. VAT
C-Class W202 Sedan & Estate, MAR1993=> incl. Mod. 98		
C180 89/90 kW; C200 100/120 kW; C220 110 kW; C200 Diesel 55 kW; C220 Diesel 70 kW; C250 Diesel 83/110 kW; C230 110 kW; C230 compressor 142 kW; C240 V6 2.4l 125 kW, JUN1997=>; C280 6 Zyl. 142 kW; C280 2.8l 145 kW, JUN1997=>		
	Axle-back-system: (AD0047) + 509197 0548 resp. 509197 0540P!	
AD0047	Distance tube R1 for mounting on C180/C200/C200D/C220D models from 06/1997	23,00
509197 0548	Sport exhaust with 2 tail pipes 74x65 mm angled	493,00
509197 0540P	Sport exhaust with 1 tail pipe 140x72 mm mat polished	374,00
C-Class W204 Sedan, 2007=>		
C-Class W204 facelift Sedan, 2010=>		
C200K 1.8l compressor 135 kW; C180 CDI 2.2l 88 kW; C200 CDI 2.2l 100 kW; C220CDI 2.2l CDI 125 kW; C250 CDI 2.2l 150 kW;		
	Axle-back-system: 506607 0517	
506607 0517	Sport exhaust with 1 tail pipe 138x90 angled, rolled	421,00
C-Class W204 Sedan, 2007=>		
C-Class W204 facelift Sedan, 2010=>		
C230 2.5l 150 kW; C230 4matic 2.5l 150 kW; C280/C300 3.0l 170 kW; C280/C300 4matic 3.0l 170 kW; C350 3.5l 200 kW; C350 4matic 3.5l 200 kW; C350 CGI 3.5l 215 kW; C320 CDI 3.0l 165 kW; C320 CDI 4matic 3.0l 165 kW; C350 CDI 4matic 3.0l 170 kW		
	Axle-back-system: 509107 0517L + 509107 0517R!	
509107 0517L	Sport exhaust left with 1 tail pipe 138x90 mm angled	373,00
509107 0517R	Sport exhaust right with 1 tail pipe 138x90 mm angled	373,00
C-Class C63 AMG W204 Sedan & S204 T-model, 6/2011=>		
C63 AMG 6.3l V8 336 kW		
	RACING cat-back-system L/R: 509511 0500LR + tail pipe set! No vehicle modifications are required!	
509511 0500LR	RACING cat-back-system consisting of: Resonated cat-back section, left & right sport exhausts, without homologation (Original tube Ø 65 mm, REMUS tube Ø 70 mm)	1.579,00
	Choose from following tail pipe package:	
0446 70SG	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, straight cut, chromed, (length 145 mm), with adjustable spherical clamp connection	296,00
0446 70CS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 102 mm angled (length 145 mm), Titanium internals, with adjustable spherical clamp connection	840,00
C-Class C63/C63S AMG Coupe & Cabrio, type 205, only for cars with performance exhaust system, 2016=>		
C63 AMG 4.0l V8 350 kW; C63S AMG 4.0l V8 375 kW		
C-Class C63/C63S AMG Sedan & T-model, type 205, only for cars with performance exhaust system, 2016=>		
C63 AMG 4.0l V8 350 kW; C63S AMG 4.0l V8 375 kW		
	Cat-back-system L/R: 509115 0500LR + 509115 1600 resp. 509215 1600! Suitable for the original exhaust outlets! No cutting of the original exhaust system required! 3 x OEM specification electronic actuators are included in the REMUS C63/C63 S sport exhaust system. No need to re-use original parts.	
" 509115 0500LR	Cat-back-system consisting of: non resonated cat-back section with crossover tube incl. integrated valve, left & right sport exhausts, incl. EC homologation Original tube Ø 65 mm, REMUS tube Ø 70 mm The supplied actuator activates the valve to factory preset positions via the vehicle onboard electronics.	1.650,00
	choose from following outlet tubes:	
" 509115 1600	4 outlet tubes for AMG C63/C63S Coupe & Cabrio, with 2 integrated valves suitable for the original exhaust outlets The supplied actuators activate the valves to factory preset positions via the vehicle onboard electronics.	640,00
" 509215 1600	4 outlet tubes for AMG C63/C63S Sedan & T-model, with 2 integrated valves suitable for the original exhaust outlets The supplied actuators activate the valves to factory preset positions via the vehicle onboard electronics.	640,00
E-Class W211 Sedan & S211 Estate		
E200 compressor 1.8l 120 kW, NOV2001=>; E240 2.6l 120/130 kW, 2002=>; E240 4matic 2.6l 120/130 kW, NOV2001=>; E280 3.0l 170 kW, 2005=>; E320 3.2l 165 kW, 2002=>; E320 4matic 3.2l 165 kW, NOV2001=>; E350 3.5l 200 kW, 2005=>; E500 5.0l 225 kW, 2002=>; E500 4matic 5.0l 225 kW, NOV2001=>; E270CDI 2.7l CDI 120 / 130 kW, 2002=>; E280 CDI 3.2l 130 kW, NOV2001=>; E280 CDI 3.0l CDI 140 kW, 2005=>; E320 CDI 3.2l CDI 150 kW, 2002=>; E320 CDI 3.0l CDI 165 kW, 2005=>; E400 CDI 4.0l 191 kW, NOV2001=>		
	Axle-back-system L/R: 509502 0500LR + 0026 18!	
509502 0500LR	Sport exhaust left and sport exhaust right (without tail pipes)	618,00
0026 18	Tail pipe set L/R consisting of 2 tail pipes 133x85 mm angled/angled, chromed, with adjustable spherical clamp connection	208,00
S-Class W221, 2005=>		
S350 3.5l V6 200 kW; S500 5.5l V8 285 kW		
	Axle-back-system L/R: 509405 0504L + 509405 0504R.	
2) 509405 0504L	Sport exhaust left with 2 tail pipes Ø 76 mm	529,00
2) 509405 0504R	Sport exhaust right with 2 tail pipes Ø 76 mm	529,00
S-Class W222, 2013=>		
S500 4.7l 335 kW (M278 929)		
	Axle-back-system L/R: 509013 0556L + 509013 0556R! The original exhaust must be cut! Cat-back-system L/R: 509013 0300 + 509013 0556L + 509013 0556R! No cutting of the original exhaust system required!	
509013 0300	Front silencer	389,00
509013 0556L	Sport exhaust left with 2 tail pipes Ø 84 mm angled with vacuum operated valve, incl. EC homologation The valve position is vacuum controlled via the onboard electronics.	779,00
509013 0556R	Sport exhaust right with 2 tail pipes Ø 84 mm angled with vacuum operated valve, incl. EC homologation The valve position is vacuum controlled via the onboard electronics.	779,00
S-Class S63 AMG Coupe, type 217, 2015=>		
S63 AMG Coupe / S63 AMG 4matic Coupe 5.5l V8 430 kW		
	Cat-back-system L/R: 509515 0500LR! No vehicle modifications required! Suitable for the original exhaust outlets! 2 x OEM specification electronic actuators are included in the REMUS S63 sport exhaust system. No need to re-use original parts.	
" 509515 0500LR	Performance cat-back-system consisting of: Resonated cat-back section, left & right sport exhausts, suitable for the original exhaust outlets with 2 integrated valves, incl. EC homologation Original tube Ø 70 mm, REMUS tube Ø 76 mm The supplied actuators activate the valves to factory preset positions via the vehicle onboard electronics.	3.021,00

Part no.	Description	€ excl. VAT
CLK W208 Coupé & Cabrio		
CLK200 2.0l 100/120 kW, 1997=>; CLK230 compressor 2.3l 142 kW; CLK 280 2.8l 145 kW; CLK320 3.2l 160 kW, 1997=>		
Axle-back-system: 509197 0548 resp. 509197 0540P. When mounting on CLK models the rear skirt has to be slightly cut!		
509197 0548	Sport exhaust with 2 tail pipes 74x65 mm angled	493,00
509197 0540P	Sport exhaust with 1 tail pipe 140x72 mm mat polished	374,00
SLK R170		
SLK200 2.0l 100 kW, SEP1996=>; SLK230 compressor. 2.3l 142 kW, SEP1996=>; SLK200 compressor. 2.0l 141 kW, SEP1996=>; SLK200 compressor. 2.0l 120 kW, 2001=>		
Cat-back-system: 507696 0300 + 507696 0506!		
507696 0300	Front silencer	204,00
507696 0506	Sport exhaust with 2 tail pipes Ø 90 mm	512,00
SLK R171		
SLK280 3.0l 170 kW, 2004=>; SLK350 3.5l 200 kW, 2004=>		
Axle-back-system L/R: 509004 0554L + 509004 0554R!		
° 509004 0554L	Sport exhaust left with 2 tail pipes Ø 70 mm	445,00
° 509004 0554R	Sport exhaust right with 2 tail pipes Ø 70 mm	445,00
SLK R172		
SLK200 1.8l 135 kW (271861); SLK250 1.8l 150 kW (271861); SLK350 3.5l 225 kW (276956)		
Axle-back-system L/R: 509111 0504L + 509111 0504R!		
509111 0504L	Sport exhaust left with 2 tail pipes Ø 76 mm	461,00
509111 0504R	Sport exhaust right with 2 tail pipes Ø 76 mm	461,00
SL R129		
280SL 142 kW; 280SL 2.8l 150 kW; 300SL 170 kW; 300SL 140 kW; 300SL 24V 170 kW; 320SL 3.2l 165/170 kW; 500SL 5.0l 235 kW; 500SL 240 kW		
Axle-back-system: (507096 0000) + 507293 0510! From September 1995 (Facelift R129) use 507096 0000! (slide connection instead of flange connection)		
° 507096 0000	Connection tube for mounting on Facelift models up from Sept. 1995	78,00
507293 0510	Sport exhaust with 2 tail pipes 135x75 mm	1.032,00
M-Class W164, 2005=>		
ML 500 5.0l V8 225 kW; ML 280 Cdi 140 kW; ML 320 Cdi 165 kW		
Axle-back-system L/R: 509305 0554L + 509305 0554R!		
° 509305 0554L	Sport exhaust left with 2 tail pipes Ø 70 mm	560,00
° 509305 0554R	Sport exhaust right with 2 tail pipes Ø 70 mm	560,00
MINI		
One & One Cabrio R50, 2001=> / 2002=> / 2004=>		
1.6l 66 kW (W10B16A)		
Cooper & Cooper Cabrio R52, 2001=> / 2002=> / 2004=>		
1.6l 85 kW (W10B16A)		
Cooper R56, 2006=>		
1.6l 88 kW (N12B16A)		
One R56 N12, 2007=>		
1.4l 70 kW (N12B14A)		
Axle-back-system: (AD0009) + 754106 0598C! When mounting to 2001 models, use original BMW bracket (part no. 18 20 7 521 427) of the 2002 model!		
AD0009	Distance tube F for mounting on 1.4l 70 kW model	23,00
754106 0598C	Sport exhaust with 1 tail pipe Ø 98 mm Street Race	491,00
One R50, 2004=>		
1.4l Diesel 55 kW		
Axle-back-system: 752504 099 + tail pipe set!		
1) 2) 752504 099	PowerSound sport exhaust with manual valve control system (without tail pipes)	356,00
0303 04	2 tail pipes Ø 76 mm	147,00
Cooper S R50, 2002=>		
1.6l 120 kW		
Cooper S R53 & Cooper S Cabrio R53, 2004=>		
1.6l 16V 125 kW (no homologation)		
Axle-back-system: 754602 5584C!		
754602 5584C	Sport exhaust left and sport exhaust right with centered 2 tail pipes Ø 84 mm Street Race (tail pipe position in the middle of the rear skirt)	780,00
Cooper S R56, 2007=>		
1.6l 16V 128 kW		
Axle-back-system: 755106 099 + tail pipe set!		
1) 755106 099	PowerSound sport exhaust centered with manual valve control system (without tail pipes)	396,00
Choose from following tail pipe package:		
0010 70	Tail pipe set 2 tail pipes Ø 102 mm	164,00
0010 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race	216,00
0010 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome	240,00
Cooper S R56, 2012=>		
1.6l 135 kW (N18B16A)		
Cooper S Cabrio R57, 2009=>		
1.6l 128 kW (N14B16A); 1.6l 135 kW (N18B16A)		
Cooper S Coupe R58, 2011=>		
1.6l 135 kW (N18B16A)		
John Cooper Works "JCW", R56, R57, R58		
1.6l Turbo 155 kW (N14B16C)		
Axle-back-system: 755109 099 + tail pipe set!		
1) ° 755109 099	PowerSound sport exhaust centered with manual valve control system (without tail pipes)	382,00
Original tube Ø 55 mm, REMUS tube Ø 65 mm		
Choose from following tail pipe package:		
0010 70	Tail pipe set 2 tail pipes Ø 102 mm	164,00
0010 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race	216,00
0010 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome	240,00

Part no.	Description	€ excl. VAT
One F55 (5 door), 2014=>		
1.2l 75 kW		
Cooper F55 (5 door), 2014=>		
1.5l 100 kW		
Axle-back-system: 754514 0500 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required!		
Cat-back-system: AD0190 + AD0194 + 755014 0300 resp. 755014 0000 (Racing) + 754514 0500 + tail pipe set! No vehicle modifications required!		
AD0190	Distance tube A8 for mounting of 755014 0000 respectively 755014 0300 onto the original catalytic converter	23,00
AD0194	Distance tube E8 (length compensation) for mounting of 755014 0000 respectively 755014 0300 onto F55 (5 door) models	19,00
755014 0000	RACING section without homologation, instead of front silencer REMUS tube Ø 70 mm	162,00
755014 0300	resonated front section REMUS tube Ø 70 mm	260,00
754514 0500	Sport exhaust for left-system (without tail pipes) REMUS tube Ø 70 mm	374,00
Choose from following tail pipe package:		
0006 70SG	1 tail pipe Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	74,00
0006 70S	1 tail pipe Ø 102 mm angled, chromed, with adjustable spherical clamp connection	85,00
0006 70CS	1 Carbon tail pipe Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	210,00
0006 98C	1 tail pipe Ø 98 mm Street Race, with adjustable spherical clamp connection	111,00
0006 98CB	1 tail pipe Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	123,00
One F56 (3 door), 2014=>		
1.2l 75 kW		
Cooper F56 (3 door), 2014=>		
1.5l 100 kW		
Axle-back-system: 754014 0500 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required!		
Cat-back-system: AD0190 + 755014 0300 resp. 755014 0000 (Racing) + 754014 0500 + tail pipe set! No vehicle modifications required!		
AD0190	Distance tube A8 for mounting of 755014 0000 respectively 755014 0300 onto the original catalytic converter	23,00
755014 0000	RACING section without homologation, instead of front silencer REMUS tube Ø 70 mm	162,00
755014 0300	resonated front section REMUS tube Ø 70 mm	260,00
754014 0500	Sport exhaust for left-system (without tail pipes), pipe Ø 70 mm	374,00
Choose from following tail pipe package:		
0006 70SG	1 tail pipe Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	74,00
0006 70S	1 tail pipe Ø 102 mm angled, chromed, with adjustable spherical clamp connection	85,00
0006 70CS	1 Carbon tail pipe Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	210,00
0006 98C	1 tail pipe Ø 98 mm Street Race, with adjustable spherical clamp connection	111,00
0006 98CB	1 tail pipe Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	123,00
Cooper S F55 (5 door), 2014=>		
2.0l Turbo 141 kW		
Axle-back-system: 755714 097 + tail pipe set + optional STE 0003! The original exhaust must be cut! No rear skirt modifications required!		
Cat-back-system: (AD0181) + AD0194 + 755014 0300 bzw 755014 0000 (Racing) + 755714 097 + tail pipe set + optional STE 0003! No vehicle modifications required!		
Cat-back-system: (AD0181) + 756715 397 + tail pipe set + optional STE 0003! No vehicle modifications required!		
AD0181	Distance tube U7 for mounting of 755014 0000 respectively 755014 0300 on China/USA/Korea models	16,00
AD0194	Distance tube E8 (length compensation) for mounting of 755014 0000 respectively 755014 0300 onto F55 (5 door) models	19,00
755014 0000	RACING section without homologation, instead of front silencer REMUS tube Ø 70 mm	162,00
755014 0300	resonated front section REMUS tube Ø 70 mm	260,00
" 755714 097	Sport exhaust centered (without tail pipes) with integrated valve, incl. EC homologation REMUS tube Ø 70 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve can be carried out using the separate available REMUS sound controller. The sound controller and electrical actuator allows the valve to be operated in 4 different positions.	408,00
" STE 0003	Optional: REMUS Sound Controller and electrical actuator The REMUS Sound Controller consisting of the electronic module and the remote control as well as the electrical actuator including the cables will be delivered optional. Without EC homologation.	380,00
Choose from following tail pipe package:		
0026 70SG	Tail pipe set 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
Alternative: Cat-back sport exhaust system:		
AD0181	Distance tube U7 for mounting of 756715 397 on China/USA/Korea models Cat-back-system consisting of 1 front silencer replacement tube, 1 connection tube and sport exhaust centered (without tail pipes) with integrated valve, incl. EC homologation	16,00
" 756715 397	REMUS tube Ø 70 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve can be carried out using the separate available REMUS sound controller. The sound controller and electrical actuator allows the valve to be operated in 4 different positions.	530,00
" STE 0003	Optional: REMUS Sound Controller and electrical actuator The REMUS Sound Controller consisting of the electronic module and the remote control as well as the electrical actuator including the cables will be delivered optional. Without EC homologation.	380,00
Choose from following tail pipe package:		
0026 70SG	Tail pipe set 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00

Part no.	Description	€ excl. VAT
Cooper S F56 (3 door), 2014=>		
2.0l Turbo 141 kW		
	Axle-back-system: 755214 097 + tail pipe set + optional STE 0003! The original exhaust must be cut! No rear skirt modifications required!	
	Cat-back-system: (AD0181) + 755014 0300 resp. 755014 0000 (Racing) + 755214 097 + tail pipe set + optional STE 0003! No vehicle modifications required!	
	Cat-back-system: (AD0181) + 756215 397 + tail pipe set + optional STE 0003! No vehicle modifications required!	
AD0181	Distance tube U7 for mounting of 755014 0000 respectively 755014 0300 on China/USA/Korea models	16,00
755014 0000	RACING section without homologation, instead of front silencer	162,00
755014 0300	REMUS tube Ø 70 mm resonated front section REMUS tube Ø 70 mm	260,00
" 755214 097	Sport exhaust centered (without tail pipes) with integrated valve, incl. EC homologation REMUS tube Ø 70 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve can be carried out using the separate available REMUS sound controller. The sound controller and electrical actuator allows the valve to be operated in 4 different positions.	408,00
" STE 0003	Optional: REMUS Sound Controller and electrical actuator The REMUS Sound Controller consisting of the electronic module and the remote control as well as the electrical actuator including the cables will be delivered optional. Without EC homologation.	380,00
	Choose from following tail pipe package:	
0026 70SG	Tail pipe set 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
AD0181	Alternative: Cat-back sport exhaust system: Distance tube U7 for mounting of 756215 397 on China/USA/Korea models Cat-back-system consisting of 1 front silencer replacement tube, 1 connection tube and sport exhaust centered (without tail pipes) with integrated valve, incl. EC homologation	16,00
" 756215 397	REMUS tube Ø 70 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve can be carried out using the separate available REMUS sound controller. The sound controller and electrical actuator allows the valve to be operated in 4 different positions.	530,00
" STE 0003	Optional: REMUS Sound Controller and electrical actuator The REMUS Sound Controller consisting of the electronic module and the remote control as well as the electrical actuator including the cables will be delivered optional. Without EC homologation.	380,00
	Choose from following tail pipe package:	
0026 70SG	Tail pipe set 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
Cooper S F57 (Cabrio 3door), 2015=>		
2.0l Turbo 141 kW		
	Cat-back-system: (AD0181) + 756215 397 + tail pipe set + optional STE 0003! No vehicle modifications required!	
AD0181	Distance tube U7 for mounting of 756215 397 on China/USA/Korea models Cat-back-system consisting of 1 front silencer replacement tube, 1 connection tube and sport exhaust centered (without tail pipes) with integrated valve, incl. EC homologation	16,00
" 756215 397	REMUS tube Ø 70 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve is carried out using the separate available REMUS sound controller. The sound controller and electrical actuator allows the valve to be operated in 4 different positions.	530,00
" STE 0003	Optional: REMUS Sound Controller Sound Controller consisting of: Electronic module incl. remote control for individual sound in 4 levels, no homologation	380,00
	Choose from following tail pipe package:	
0026 70SG	Tail pipe set 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
Cooper S Clubman R55, 2008=>		
1.6l 128 kW (N14B16A)		
	Axle-back-system L/R: 754108 0598CLR!	
° 754108 0598CL	Sport exhaust left and sport exhaust L/R. with 2 tail pipes Ø 98 mm Street Race	682,00
Cooper S Clubman F54 (5 door), 2016=>		
2.0l Turbo 141 kW		
	Cat-back-system L/R: 756216 1500 + tail pipe set + optional STE 0007! No vehicle modifications required!	
" 756216 1500	Cat-back-system L/R (without tail pipes) with integrated valves, incl. EC homologation Original tube Ø 65 mm, REMUS tube Ø 70 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve can be carried out using the separate available REMUS sound controller. The sound controller and electrical actuator allows the valve to be operated in 4 different positions.	578,00
" STE 0007	Optional: REMUS Sound Controller and electrical actuator The REMUS Sound Controller consisting of the electronic module and the remote control as well as the electrical actuator including the cables will be delivered optional. Without EC homologation.	380,00
	Choose from following tail pipe package:	
0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70SS	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CSS	Tail pipe set L/R consisting of 2 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00

Part no.	Description	€ excl. VAT
Cooper S Countryman R60 ALL4, type UKL/X, 2010=>		
1.6l Turbo 135 kW (N18B16A)		
Cooper SD Countryman R60 LCI ALL4, 2011=>		
2.0l SD 105 kW		
Cooper S Countryman R60 LCI ALL4, 7/2014=>		
1.6l Turbo 140 kW		
	Axle-back-system L/R: The original exhaust must be cut! No rear skirt modifications required!	
754011 0500	Sport exhaust for L/R system (without tail pipes) Original tube Ø 55 mm, REMUS tube Ø 55 mm	431,00
	Choose from following tail pipe package:	
0026 70SG	Tail pipe set 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
Cooper S Paceman R61 ALL4, 2012=>		
1.6l Turbo 135 kW (N18B16A)		
Cooper SD Paceman R61 ALL4, 2012=>		
2.0l SD 105 kW		
Cooper S Paceman R61 ALL4, 7/2014=>		
1.6l Turbo 140 kW		
	Axle-back-system L/R: 754011 0500 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required!	
754011 0500	Sport exhaust for L/R system (without tail pipes) Original tube Ø 55 mm, REMUS tube Ø 55 mm	431,00
	Choose from following tail pipe package:	
0026 70SG	Tail pipe set 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
John Cooper Works "JCW", R56, R57, R58		
1.6l Turbo 155 kW (N14B16C)		
	Axle-back-system: 755109 099 + tail pipe set!	
1) ° 755109 099	PowerSound sport exhaust centered with manual valve control system (without tail pipes) Original tube Ø 55 mm, REMUS tube Ø 65 mm	382,00
	Choose from following tail pipe package:	
0010 70	Tail pipe set 2 tail pipes Ø 102 mm	164,00
0010 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race	216,00
0010 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome	240,00
John Cooper Works "JCW" F56 (3 door), 2015=>		
John Cooper Works "JCW" F57 (Cabrio 3 door), 2015=>		
2.0l Turbo 170 kW		
	Cat-back-system: (AD0181) + 756215 397 + tail pipe set + optional STE 0003! No vehicle modifications required!	
AD0181	Distance tube U7 for mounting of 756215 397 on China/USA/Korea models Cat-back-system consisting of 1 front silencer replacement tube, 1 connection tube and sport exhaust centered (without tail pipes) with integrated valve, incl. EC homologation	16,00
" 756215 397	REMUS tube Ø 70 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve is carried out using the separate available REMUS sound controller. The sound controller and electrical actuator allows the valve to be operated in 4 different positions.	530,00
" STE 0003	Optional: REMUS Sound Controller Sound Controller consisting of: Electronic module incl. remote control for individual sound in 4 levels, no homologation	380,00
	Choose from following tail pipe package:	
0026 70SG	Tail pipe set 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
MITSUBISHI		
Lancer Evolution VII, 2001=>		
2.0l Turbo 206 kW		
2) 556001 0580TD	Sport exhaust with 1 tail pipe Ø 115 mm Turbo Design	436,00
Carisma, 2001=>		
1.9l DI-D 75 kW		
° 555001 0502	Sport exhaust with 2 tail pipes 92x78 mm	445,00
Space Wagon Allrad		
2.0l 98 kW		
	Axle-back-system: 557593 0500 + 557593 0601!	
2) 557593 0500	Sport exhaust (without tail pipes)	217,00
2) 557593 0601	Connection tube with 1 tail pipe 92x78 mm	111,00
Space Star, 2001=>, 2003=>		
1.9l DI-D 75/85 kW		
2) 555502 0501	Sport exhaust with 1 tail pipe 92x78 mm	392,00
NISSAN		
Micra, type K11, 2002=>		
1.5l Diesel 42 kW		
° 601102 0501	Sport exhaust with 1 tail pipe 92x78 mm	265,00
Micra, type K12, MAI2005=>		
1.2l 48 kW		
2) 602005 0588	Sport exhaust with 2 tail pipes Ø 84 mm Edition	392,00
Micra C+C Cabrio, 2006=>		
1.4l 16V 65 kW		
° 602505 0532	Sport exhaust with 2 tail pipes 82x67 mm	401,00

Part no.	Description	€ excl. VAT
Almera Fastback, 5 door, 2000=>		
2.2i 16V TD 81 kW		
2) 606200 0501	Sport exhaust with 1 tail pipe 92x78 mm	357,00
Primera Sedan, type P12, DEZ2001=> <=MAI2002		
1.8i 16V 85 kW		
2) 605002 0501	Sport exhaust with 1 tail pipe 92x78 mm	364,00
Primera Sedan, type P12, 2002=>		
2.2i TDI 93 kW		
0 606302 0501	Sport exhaust with 1 tail pipe 92x78 mm	371,00
Primera Touring, type P12, 2002=>		
2.2i TDI 93 kW		
2) 606302 3501	Sport exhaust with 1 tail pipe 92x78 mm	364,00
Juke, type F15, 2WD, 2010=>		
1.6i 86 kW (HR16); 1.6i 140 kW (MR16); 1.5i dCi 81 kW (K9K)		
Juke Facelift, type F15, 2WD, 2014=>		
1.6i 140 kW (MR16)		
Axle-back-system: 604111 0500 + tail pipe set! The skirt outlet must be trimmed as per the enclosed template! No cutting of original exhaust required!		
604111 0500	Sport exhaust for left-system (without tail pipes) Original tube Ø 50 mm, REMUS tube Ø 54 mm	286,00
Choose from following tail pipe package:		
0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
0026 83CTS	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	390,00
Qashqai, type J11, 2WD, 2013=>		
1.2i DIG-T 85 kW; 1.6i 120 kW; 1.5i dCi 81 kW, 1.6i dCi 96 kW		
Qashqai, type J11, 4WD, 2013=>		
1.6i 120 kW; 1.6i dCi 96 kW		
Axle-back-system: (604014 0000) + 604114 0500 + 0026 14SS!		
604014 0000	Connection tube for mounting on 1.2i DIG-T 85 kW, 1.5i dCi 81 kW, 1.6i dCi 96 kW 2WD	72,00
604114 0500	Sport exhaust centered for L/R system (without tail pipes)	445,00
0026 14SS	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm angled/angled, chromed, with adjustable spherical clamp connection	199,00
350Z, 2003=>		
3.5i V6 206 kW, 2003=>; 3.5i V6 221 kW type Z33, 2006=>		
609103 1570S	Sport exhaust L/R, with 2 tail pipes Ø 102 mm angled	689,00
370Z Coupé & Cabrio, type Z34, 2010=>		
3.7i 241/243 kW (VQ37)		
608609 1585S	Sport exhaust centered L/R, with 2 tail pipes Ø 127 mm angled	677,00
GT-R, type R35, 2009=>		
3.8i 357 kW (VR38)		
4) 609009 1100	Cat. replacement tube, without homologation	575,00
OPEL		
Corsa C		
1.0i 12V 43 kW, 2000=>; 1.0i 16V 44 kW, 2003=>; 1.2i 16V 55 kW, 2000=>; 1.2i 59 kW, 2005=>; 1.4i 16V 66 kW, 2000=>; 1.8i 16V 92 kW, 2000=> 1.3i CDTi 51 kW, 2003=>; 1.7i DI 16V 48 kW, 2000=>; 1.7i DI 16V 55 kW, 2000=>; 1.7i CDTi 74 kW, 2003=>		
Axle-back-system: (AD0045) + 622603 0512!		
AD0045	Distance tube O1 for mounting of sport exhaust on original front silencer at 1.0i model	17,00
622603 0512	Sport exhaust with 1 tail pipe 120x74 mm	307,00
Corsa D, with original rear skirt, 2006=>		
1.0i 44 kW (Z10XEP); 1.2i 59 kW (Z12XEP); 1.4i 66 kW (Z14XEP)		
Axle-back-system L/R: (AD0096 bzw AD0009) + 625006 1570! When fitting L/R system, the rear skirt must be trimmed as per the supplied template!		
AD0096	Distance tube I6 for mounting on 1.0i 44 kW model with 625006 1570	23,00
AD0009	Distance tube F for mounting on 1.2i 59 kW model with 625006 1570	23,00
2) 625006 1570	Sport exhaust L/R, with 2 tail pipes Ø 102 mm	602,00
Corsa D, with original sport rear skirt, 2006=>		
1.0i 44 kW (Z10XEP); 1.2i 59 kW (Z12XEP); 1.4i 66 kW (Z14XEP); 1.0i 48 kW (A10XEP), 2010=>; 1.2i 51 kW (A12XER/A12XEL), 2010=>; 1.2i 63 kW (A12XER), 2010=>; 1.4i 74 kW (A14XER), 2010=>		
Axle-back-system L/R: (AD0096 bzw AD0009) + 625106 1570! When fitting L/R system, the rear skirt must be trimmed as per the supplied template!		
AD0096	Distance tube I6 for mounting on 1.0i 44 kW model with 625106 1570	23,00
AD0009	Distance tube F for mounting on 1.2i 59 kW model with 625106 1570	23,00
2) 625106 1570	Sport exhaust L/R, with 2 tail pipes Ø 102 mm	602,00
Corsa D, with original rear skirt, 2006=>		
1.3i CDTi 55 kW (Z13DTJ); 1.3i CDTi 66 kW (Z13DTH); 1.7i CDTi 92 kW (Z17DTR)		
Axle-back-system L/R: 625006 1570! When fitting L/R system, the rear skirt must be trimmed as per the supplied template!		
2) 625006 1570	Sport exhaust L/R, with 2 tail pipes Ø 102 mm	602,00
Corsa D, with original sport rear skirt, 2006=>		
1.3i CDTi 55 kW (Z13DTJ); 1.3i CDTi 66 kW (Z13DTH); 1.7i CDTi 92 kW (Z17DTR)		
Axle-back-system: 625106 098 + tail pipe set!		
Axle-back-system L/R: 625106 1570! When fitting L/R system, the rear skirt must be trimmed as per the supplied template!		
Sport exhaust system consisting of:		
2) 625106 098	Sport exhaust left (without tail pipes)	196,00
Choose from following tail pipe package:		
0007 05G	1 tail pipe Ø 90 mm straight	77,00
0007 70	1 tail pipe Ø 102 mm	82,00
0007 83C	1 tail pipe Ø 84 mm Street Race	95,00
0007 83CS	1 tail pipe Ø 84 mm Carbon Race	99,00
0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome	107,00
0007 98C	1 tail pipe Ø 98 mm Street Race	108,00
0007 98CB	1 tail pipe Ø 98 mm Street Race Black Chrome	120,00
2) 625106 1570	Alternative: Sport exhaust system L/R Sport exhaust L/R, with 2 tail pipes Ø 102 mm	602,00

Part no.	Description	€ excl. VAT
Tigra A Coupé, Type S93, 1994=>		
1.4l 66 kW; 1.6l 78 kW		
2) 622594 0532	Sport exhaust with 2 tail pipes 82x67 mm	345,00
Tigra Coupé & Cabrio, Type X-C, 2004=>		
1.4l 66 kW (Z14XEP); 1.8l 92 kW (Z18XE)		
622603 0512	Sport exhaust with 1 tail pipe 120x74 mm	307,00
Astra F-CC Fastback, <=Chassis no. T ...		
1.8l 66 kW; 2.0l GSI 85 kW		
° 622001R	Cat. replacement tube for 1.8l 66 kW, 2.0l 85 kW, without homologation	118,00
Astra F Caravan, Chassis no. T ... =>		
3-point-mounting		
1.8l 16V 85 kW; 2.0l 16V 100 kW (not for automatic)		
2) 626095 2502	Sport exhaust with 2 tail pipes 92x78 mm	436,00
Astra F Sedan, Chassis no. T ... =>		
3-point-mounting		
1.4l 44/55/60 kW; 1.6l 55/74 kW; 1.8l 66 kW; 1.7l Diesel 42/50 kW; 1.7l TD 60 kW		
2) 622596 2504	Sport exhaust with 2 tail pipes Ø 76 mm	328,00
Astra F Sedan, Chassis no. T ... =>		
3-point-mounting		
1.8l 16V 85 kW; 2.0l 16V 100 kW (not for automatic)		
2) 622096 2502	Sport exhaust with 2 tail pipes 92x78 mm	382,00
2) 622096 2504	Sport exhaust with 2 tail pipes Ø 76 mm	338,00
Astra G Caravan (flange connection), Type T98/Kombi		
2.0l Turbo 141/147 kW & OPC (Z20LET); 2.0l DTI 74 kW (Y20DTH), JUL2002=> <=Chassis no. 3600000; 2.2l DTI 92 kW (Y22DTR), JUL2002=> <=Chassis no. 3600000		
° 626102 3502	Sport exhaust with 2 tail pipes 92x78 mm, not suitable in combination with a towbar!	399,00
Astra G-CC Hatchback, typ T98, 3 & 5 door (slip connection)		
2.0l DTI 74 kW (Y20DTH), 2003=>, Chassis no. 3500001=>; 2.2l DTI 92 kW (Y22DTR), 2003=>, Chassis no. 3500001=>		
° 626103 0502	Sport exhaust with 2 tail pipes 92x78 mm, not suitable in combination with a towbar!	396,00
2) 626103 0506	Sport exhaust with 2 tail pipes Ø 90 mm, not suitable in combination with a towbar!	375,00
Astra G-Sedan (slip connection), type T98/NB		
1.6l 55/62 kW (Z16SE), 2003=>, Chassis no. Y2230813=>; 1.6l 76 kW (Z16XEP), 2003=>, Chassis no. Y2230813=>; 1.6l 74 kW (Z16XE), 2003=>, Chassis no. Y2230813=>; 1.8l 85/92 kW (Z18XE), 2003=>, Chassis no. Y2230813=>		
2) 624503 2502	Sport exhaust with 2 tail pipes 92x78 mm, not suitable in combination with a towbar!	392,00
Astra G Sedan (slip connection), type T98/NB		
2.0l DTI 74 kW (Y20DTH), 2003=>, Chassis no. 3200001=>; 2.2l DTI 92 kW (Y22DTR), 2003=>, Chassis no. 3200001=>		
2) 626103 2502	Sport exhaust with 2 tail pipes 92x78 mm, not suitable in combination with a towbar!	405,00
Astra G Caravan (slip connection), type T98/Kombi		
2.0l DTI 74 kW (Y20DTH), 2003=>, Chassis no. 3600001=>; 2.2l DTI 92 kW (Y22DTR), 2003=>, Chassis no. 3600001=>		
° 626103 3502	Sport exhaust with 2 tail pipes 92x78 mm, not suitable in combination with a towbar!	399,00
Astra G-Coupé (slip connection), Type T98C		
2.0l DTI 74 kW (Y20DTH), 2003=>, Chassis no. 3800001=>; 2.2l DTI 92 kW (Y22DTR), 2003=>, Chassis no. 3800001=>		
2) 625503 0502	Sport exhaust with 2 tail pipes 92x78 mm	392,00
Astra H Hatchback, 2004=>		
2.0l Turbo 125 kW (Z20LEL)		
Axle-back-system: 626204 099 + tail pipe set! If using on cars with sport rear bumper this must be trimmed as per the supplied template when fitting on models with sport rear skirt!		
Axle-back-system L/R: 626204 199 + tail pipe set! If using on cars with sport rear bumper this must be trimmed as per the supplied template when fitting on models with sport rear skirt!		
1) ° 626204 099	PowerSound sport exhaust with manual valve control system (without tail pipes)	341,00
Choose from following tail pipe package:		
0008 04	2 tail pipes Ø 76 mm	147,00
0008 84C	2 tail pipes Ø 84 mm Street Race	190,00
0008 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
1) ° 626204 199	PowerSound sport exhaust with manual valve control system (without tail pipes)	371,00
Choose from following tail pipe package:		
0112 66	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm Rallye-Design	411,00
0112 04G	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm straight	350,00
Astra H 3 & 5 door Hatchback, 2005=>		
Astra H GTC Coupé 3 door, 2005=>		
2.0l Turbo 147 kW (Z20LER)		
2) 626005 0502	Sport exhaust with 2 tail pipes 92x78 mm	419,00
Astra H Hatchback, 2004=>		
Astra H GTC Coupé, 2005=>		
1.7l CDTI 59 kW (Z17DTL); 1.7l CDTI 74 kW (Z17DTH); 1.9l CDTI 88 kW (Z19DTH); 1.9l CDTI 110 kW (Z19DTH)		
Axle-back-system L/R: 626404 198 + 0112 04G! If using on cars with sport rear bumper this must be trimmed as per the supplied template when fitting on models with sport rear skirt!		
2) 626404 198	Sport exhaust for L/R system (without tail pipes)	285,00
0112 04G	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm straight	350,00
Astra H Twin Top, 2006=>		
1.6l 77 kW (Z16XEP); 1.6l 85 kW (Z16XER); 1.8l 103 kW (Z18XER)		
Axle-back-system: 624006 098 + tail pipe set!		
2) 624006 098	Sport exhaust left (without tail pipes)	303,00
Choose from following tail pipe package:		
0007 05G	1 tail pipe Ø 90 mm straight	77,00
0007 70	1 tail pipe Ø 102 mm	82,00
0007 83C	1 tail pipe Ø 84 mm Street Race	95,00
0007 83CS	1 tail pipe Ø 84 mm Carbon Race	99,00
0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome	107,00
0007 98C	1 tail pipe Ø 98 mm Street Race	108,00
0007 98CB	1 tail pipe Ø 98 mm Street Race Black Chrome	120,00

Part no.	Description	€ excl. VAT
Astra J Hatchback, type P-J, 2009=>		
1.4l 74 kW (A14XER/A14XEL), 1.4l 74 kW (A14XER); 1.4l Turbo Ecotec 103 kW (A14NET); 1.6l Ecotec 85 kW (A16XER)		
Axle-back-system L/R: 625009 1584C! The rear skirt must be trimmed as per the supplied template!		
2) 625009 1584C	Sport exhaust L/R, with 4 tail pipes Ø 84 mm Street Race (not for Astra J GTC)	816,00
Vectra A 4x4, JAN1989=>		
2.0l 16V 110 kW		
2) 627001R	Cat. replacement tube for Calibra 4x4/Vectra 4x4 2.0l 110 kW, without homologation	196,00
Vectra B Fastback / Sedan / Caravan, Type J96, Type J96/KOMBI, 1996=>		
Vectra B Facelift Sedan / Fastback / Caravan, Type J96, Type J96/KOMBI, 1999=>		
1.6l 16V 74 kW, 1996=>; 1.8l 16V 85 kW, 1996=>; 1.8l 16V 92 kW, 2001=>; 2.0l 16V 100 kW, 1996=>; 2.2l 16V 108 kW, 2001=>; 2.5l V6 125 kW, 1996=>; 2.6l V6 125 kW, 2001=>; 1500 2.5l V6 143 kW, 1998=>; 2.0l DI 16V 60 kW, OCT1996=>; 2.0l TDI 16V 74 kW, OCT1997=>; 2.0l DTI 16V 74 kW, 1999=>; 2.2l DTI 16V 88 kW, 2001=>; 2.2l DTI 16V 92 kW, 2001=>		
Axle-back-system: 625099 0504!		
Cat-back-system: 625099 0000 (Racing) + 625099 0504!		
625099 0000	RACING tube without homologation, instead of front silencer, only for 1.8l 85 kW, 2.0l 100 kW, 2.5l V6 125 kW	128,00
2) 625099 0504	Sport exhaust with 2 tail pipes Ø 76 mm, suitable in combination with a towbar!	455,00
Insignia Sedan & Fastback, type 0G-A, 2008=>		
2.0l CDTI 81 kW (A20DTC); 2.0l CDTI 96 kW (A20DTH); 2.0l CDTI 118 kW (A20DTH)		
Axle-back-system: 626008 0598CL! When fitting on "SELECTION" models the rear bumper must be trimmed as per the enclosed template.		
Axle-back-system L/R: 626008 0000 + 626008 0598CL + 626008 0598CR! Mounting of the L/R-system is only possible in combination with the Y-pipe. The rear bumper must be trimmed as per the supplied template, alternatively use the original rear bumper of the OPEL Insignia 2.8l V6 (part no GM 13269546).		
626008 0000	Y-tube for mounting of the sport exhaust L/R	119,00
626008 0598CL	Diesel-Sound-System sport exhaust left with 1 tail pipe Ø 98 mm Street Race	338,00
626008 0598CR	Diesel-Sound-System sport exhaust right with 1 tail pipe Ø 98 mm Street Race	354,00
Insignia 4x4 Turbo Sedan & Fastback, type 0G-A, 2008=>		
2.0l Turbo 162 kW (A20NHT)		
Axle-back-system L/R: 2x AD0145 + 626008 0598CL + 626008 0598CR!		
AD0145	Distance tube U6 for mounting necessary (2x)!	23,00
626008 0598CL	Sport exhaust left with 1 tail pipe Ø 98 mm Street Race	338,00
626008 0598CR	Sport exhaust right with 1 tail pipe Ø 98 mm Street Race	354,00
Calibra 4x4, FEB1990=>		
2.0l 16V 110 kW		
2) 627001R	Cat. replacement tube for Calibra 4x4/Vectra 4x4 2.0l 110 kW, without homologation	196,00
Calibra 16V & V6, 1993=>		
16V 110 kW, Mod. 1993=>; V6 125 kW Mod. 93; 16V 100 kW, 1994=>; 16V 100 kW (X20XEV)		
626093 0300	Front silencer	420,00
Omega B Caravan, 1994=>		
2.0l 85/100 kW		
626094 3548	Sport exhaust with 2 tail pipes 74x65 mm angled	445,00
GT, 2007=>		
2.0l Turbo 194 kW		
Axle-back-system L/R: 626108 1556!		
626108 1556	Sport exhaust centered L/R, with 4 tail pipes Ø 84 mm angled	895,00
Antara, 2WD & 4WD, type L-A, 2007=>		
2.4l 103 kW (Z24SED); 2.0l CDTI 110 kW (Z20S); 3.2l V6 167 kW (Z32SE)		
Axle-back-system L/R: 626007 198 + tail pipe set! The rear skirt must be trimmed as per the supplied template!		
626007 198	Sport exhaust for L/R system (without tail pipes)	466,00
Choose from following tail pipe package:		
0411 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	154,00
0411 70	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm	164,00
0411 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race	216,00
PEUGEOT		
205 GTI, 1984=>		
type 741B, 741C, 20C, 20D; 1.6l 76/83 kW		
205 GTI, CTI cat., 1987=>		
1.9l 75/88 kW, RX up to 1988		
2) 662084 0562	Sport exhaust with 2 tail pipes Ø 70 mm RACING Look	419,00
2) 662084 0511	Sport exhaust with 1 tail pipe 135x75 mm Rallye-Design	436,00
205 GTI, type 20C, 1988=>		
1.9l 88 kW with cat.		
205 CTI, type 20D		
1.9l 75 kW with cat., 205 GT		
2) 665088 0511	Sport exhaust with 1 tail pipe 135x75 mm Rallye-Design	436,00
206, type 2, 1998=>		
1.1l 40 kW (HFY), 1.1l 44 kW (HFZ/HFX); 1.4l 55 kW (KFX/KFW); 1.6l 65 kW (NFZ); 1.6l 16V 80 kW (NFU) 2001=>		
662698 0595P	Sport exhaust with 1 tail pipe Ø 90 mm mat polished	279,00
206 GTI, Type 2, 1999=>		
2.0l GTI 16V 99 kW (RFR)		
206 CC, Type 2, 2001=>		
2.0l 100 kW (RFN)		
666199 0570	Sport exhaust with 1 tail pipe Ø 102 mm	347,00

Part no.	Description	€ excl. VAT
207, 3 & 5 door, 2006=>		
1.4l 54/65 kW		
	Axle-back-system L/R: 662506 199 + tail pipe set!	
1) 2)	662506 199 PowerSound sport exhaust with manual valve control system (without tail pipes)	482,00
	Choose from following tail pipe package:	
0010 02	Tail pipe set L/R consisting of 4 tail pipes 92x78 mm	320,00
0010 04G	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm straight	294,00
0010 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	154,00
0010 14M	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm	184,00
0010 78	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm	294,00
0010 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	190,00
0010 83CS	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race	198,00
0010 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
0010 84C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race	380,00
0010 84CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race	396,00
0010 84CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome	428,00
207, 3 & 5 door, 2006=>		
1.4l HDI 50 kW; 1.6l HDI 66/80 kW		
	Axle-back-system L/R: 664006 198 + tail pipe set!	
2)	664006 198 Sport exhaust for L/R system (without tail pipes)	445,00
	Choose from following tail pipe package:	
0010 02	Tail pipe set L/R consisting of 4 tail pipes 92x78 mm	320,00
0010 04G	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm straight	294,00
0010 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	154,00
0010 14M	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm	184,00
0010 78	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm	294,00
0010 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	190,00
0010 83CS	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race	198,00
0010 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
0010 84C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race	380,00
0010 84CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race	396,00
0010 84CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome	428,00
207 "Active" & "Active Pro", 3 & 5 door, 2006=>		
1.6l HDI 66/80 kW		
	Axle-back-system: 664506 098 + tail pipe set!	
	Sport exhaust system consisting of:	
2)	664506 098 Sport exhaust left (without tail pipes)	252,00
	Choose from following tail pipe package:	
0007 05G	1 tail pipe Ø 90 mm straight	77,00
0007 70	1 tail pipe Ø 102 mm	82,00
0007 83C	1 tail pipe Ø 84 mm Street Race	95,00
0007 83CS	1 tail pipe Ø 84 mm Carbon Race	99,00
0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome	107,00
0007 98C	1 tail pipe Ø 98 mm Street Race	108,00
0007 98CB	1 tail pipe Ø 98 mm Street Race Black Chrome	120,00
306 Sedan, <=1997		
1.8l 74 kW; 1.9l Diesel 66 kW; 2.0l 89 kW		
2)	665096 0570 Sport exhaust with 1 tail pipe Ø 102 mm	347,00
306 Sedan, 1997=>		
1.9l Diesel 50 kW		
2)	665598 0508 Sport exhaust with 2 tail pipes 80x65 mm	364,00
306 Sedan, 1997=>		
1.9l TD 66 kW		
2)	666598 0508 Sport exhaust with 2 tail pipes 80x65 mm	364,00
307 3 & 5 door, 2001=>		
307 SW, 2002=>		
1.6l 16V 80 kW		
2)	664002 0584C Sport exhaust with 2 tail pipes Ø 84 mm Street Race	419,00
308 GTI, type T9, 2015=>		
1.6l Turbo 200 kW		
	Cat-back-system L/R: 665215 1500 + optional STE 0007! No cutting of original exhaust required!	
	Cat-back sport exhaust system, fits into the original skirt using integrated tail pipes, with integrated valves, incl. EC homologation	
"	665215 1500 Original tube Ø 60 mm, REMUS tube Ø 65 mm	912,00
	It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve can be carried out using the separate available REMUS sound controller. The sound controller and electrical actuator allows the valve to be operated in 4 different positions.	
	Optional: REMUS Sound Controller and electrical actuator	
"	STE 0007 The REMUS Sound Controller consisting of the electronic module and the remote control as well as the electrical actuator including the cables will be delivered optional. Without EC homologation.	380,00
407 SW, 2004=> (not for 2008 model)		
1.6l HDI 80 kW; 2.0l HDI 100 kW; 2.2l HDI 125 kW; 2.7l HDI 150 kW		
2)	667506 0504 Sport exhaust with 2 tail pipes Ø 76 mm	431,00
RCZ, Type 4J, 2010=>		
RCZ Facelift, Type 4J, 2013=>		
1.6l THP 115 kW (5FV); 1.6l THP 147 kW (5FU)		
	Axle-back-system L/R: 666110 1584C. The right side skirt outlet must be trimmed as per the enclosed template!	
	666110 1584C Sport exhaust L/R, with 4 tail pipes Ø 84 mm Street Race	703,00

Part no.	Description	€ excl. VAT
PORSCHE		
Boxster Type 987, 2006-2009 2.7l 176 kW; 2.7l 180 kW		
Boxster S Type 987, 2006-2009 3.2l 206 kW; 3.4l 217 kW		
3) 686106 1500	RACING cat-back-system L/R: 686106 1500 + tail pipe set! RACING stainless steel sport exhaust system L/R (without tail pipes), cat-back from front catalytic converters, no secondary catalytic converters, without homologation	1.108,00
	Choose from following tail pipe package:	
0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	160,00
0026 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
Cayman Type 987, 2006-2009 2.7l 180kW		
Cayman S Type 987, 2006-2009 3.4l 217 kW		
3) 686106 1500	RACING cat-back-system L/R: 686106 1500 + tail pipe set! RACING stainless steel sport exhaust system L/R (without tail pipes), cat-back from front catalytic converters, no secondary catalytic converters, without homologation	1.108,00
	Choose from following tail pipe package:	
0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	160,00
0026 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
Cayman Facelift Type 987, 2009=> 2.9l 195 kW		
Cayman S Facelift Type 987, 2009=> 3.4l 235 kW		
3) 689109 0500LR	Cat-back-system L/R: 689109 0500LR + tail pipe set! RACING stainless steel sport exhaust system L/R (without tail pipes), cat-back from front catalytic converters, no secondary catalytic converters, without homologation	906,00
	Choose from following tail pipe package:	
689109 1698C	Tail pipe set 2 stainless steel tail pipes Ø 98 mm Street Race	371,00
689109 1698CB	Tail pipe set 2 stainless steel tail pipes Ø 98 mm Street Race Race Black Chrome	413,00
Boxster Facelift Type 987, 2009=> 2.9l 188 kW (MA120)		
Boxster S Facelift Type 987, 2009=> 3.4l 228 kW		
Boxster S Black Edition Type 987, 2011=> 3.4l 235 kW		
3) 689308 1798C	RACING cat-back-system L/R: 689308 1798C resp. 689308 1798CB RACING stainless steel sport exhaust system L/R, cat-back from front catalytic converters, no secondary catalytic converters, 2 stainless steel Street Race tips Ø 98 mm, without homologation	1.267,00
3) 689308 1798CB	RACING stainless steel sport exhaust system L/R, cat-back from front catalytic converters, no secondary catalytic converters, 2 satin black chromed stainless steel Street Race Black Chrome tips Ø 98 mm, without homologation	1.320,00
Boxster S Type 981, 2012=> 3.4l 232 kW (MA123)		
Boxster Type 981, 2012=> 2.7l 195 kW (MA122)		
689012 0500LR	Cat-back-system L/R: 689012 0500LR + tail pipe set! Stainless steel sport exhaust L/R, cat-back, EU approved for road usage	1.399,00
	Choose from following tail pipe package:	
0027 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, short, with adjustable spherical clamp connection	222,00
0027 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, short, with adjustable spherical clamp connection	246,00
0426 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, (length 145 mm), with adjustable spherical clamp connection	148,00
Cayman, type 981C, 2012=> 2.7l 202 kW		
Cayman S, type 981C, 2012=> 3.4l 239 kW		
689012 0500LR	RACING cat-back-system L/R: 689012 0500LR + tail pipe set! RACING Stainless steel sport exhaust L/R, cat-back, without homologation	1.399,00
	Choose from following tail pipe package:	
0027 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, short, with adjustable spherical clamp connection	222,00
0027 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, short, with adjustable spherical clamp connection	246,00
0426 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, (length 145 mm), with adjustable spherical clamp connection	148,00
911 Turbo Type 996, 2000-2006 3.6l 309 kW (M9670)		
911 Turbo S Type 996, 2004-2006 3.6l Turbo 331kW (M96/70E)		
911 GT2 Type 996, 2004-2006 3.6l 355kW (M96/70SL); 3.6l 340kW (M96/70S)		
4) 689103 1506	RACING cat-back-system L/R incl race specification catalytic converter: 689103 1506 RACING stainless steel sport exhaust L/R incl. race specification catalytic converter, 4 chromed stainless steel tips Ø 76/90 mm, without homologation	2.247,00
911 Carrera / Carrera Cabrio Type 997/1, May2004-2008 3.6l 239 kW		
911 Carrera S / Carrera S Cabrio Type 997/1, May2004-2008 3.8l 261 kW		
4) 689305 1200	Cat-back-system L/R: 689405 0500LR + 689405 0606SLR! RACING header-back-system L/R: 689305 1200 + 689405 0500LR + 689405 0606SLR! RACING cat replacement tube left/right, without homologation	371,00
689405 0500LR	Stainless steel sport exhaust L/R, fits onto the REMUS or original front system, EU approved for road usage	1.336,00
689405 0606SL	Tail pipe set L/R consisting of 4 chromed stainless steel tips Ø 90 mm angled	525,00
911 Turbo Type 997, 2006-2008 3.6l Turbo 353 kW (M97/70)		
4) 688107 1574	Cat-back-system L/R: 688107 1574 RACING cat-back-system L/R: 688307 1574 Stainless steel sport exhaust L/R, with catalytic converter, 4 chromed stainless steel tips Ø 76/84 mm, EU approved for road usage	2.719,00
4) 688307 1574	RACING stainless steel sport exhaust L/R, with race specification catalytic converter, 4 chromed stainless steel tips Ø 76/84 mm, without homologation	2.359,00

Part no.	Description	€ excl. VAT
911 Carrera 4 Type 991, 2013 =>		
3.4l 257 kW (MA104)		
	RACING cat-back-system L/R: 689612 1584CS	
2) 3) 689612 1584CS	RACING stainless steel sport exhaust system L/R cat-back, 4 stainless steel Carbon Race tips Ø 84 mm, with 2 integrated vacuum operated valves, without homologation The valve position is vacuum controlled via the onboard electronics.	2.115,00
911 Carrera S Type 991, 2011 =>		
3.8l 294 kW		
	Cat-back-system L/R: 689612 1584CS	
2) 3) 689612 1584CS	Stainless steel cat-back sport exhaust system L/R, 4 stainless steel Carbon Race tips Ø 84 mm, with 2 vacuum operated valves, incl. EC homologation The valve position is vacuum controlled via the onboard electronics.	2.115,00
911 Carrera / Carrera 4, Coupe & Cabrio, type 991.2 (Facelift), 2015 =>		
Only for models with center exit Porsche sport exhaust system!		
3.0l Turbo 272 kW		
911 Carrera S / Carrera 4S, Coupe & Cabrio, type 991.2 (Facelift), 2015 =>		
Only for models with center exit Porsche sport exhaust system!		
3.0l Turbo 309 kW		
	Axle-back-system center exit: 688015 1500 + 0526 70CS! No vehicle modifications required!	
	Design Option: 0526 70CS also fits on the center exit Porsche sport exhaust system!	
" 688015 1500	Sport exhaust system center exit (without tail pipes), with vacuum operated valves, incl. EC homologation Original tube Ø 76/70 mm - REMUS tube Ø 76/70 mm The valves are vacuum controlled via the onboard electronics.	1.850,00
0526 70CS	Tail pipe set consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection This tail pipe set also fits without the REMUS sport exhaust onto the center exit Porsche sport exhaust system!	560,00
Panamera S/4S Type 970, (without factory valve option), 2009 =>		
4.8l 294 kW		
Panamera / Panamera 4 Type 970, 2010=>		
3.6l 220 kW		
Panamera Facelift / Panamera 4 Facelift Type 970, 2013=>		
3.6l 228 kW		
Panamera Diesel Type 970, 2011=>		
3.0l 184 kW		
	Axle-back-system L/R: 688009 0500LR + tail pipe set!	
688009 0500LR	L/R stainless steel sport exhaust system, with EC homologation	1.055,00
	Choose from following tail pipe package:	
0046 70QSS	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled/angled, chrome, with adjustable spherical clamp connection	445,00
0046 70QBSS	Tail pipe set L/R consisting of 4 tail pipe Ø 102 mm angled/angled Black Chrome, with adjustable spherical clamp connection	493,00
Panamera Turbo Type 970, 2009=>		
4.8l V8 Turbo 368 kW (M4870)		
Panamera Turbo Facelift Type 970, 2013=>		
4.8l V8 Turbo 382 kW		
Panamera S/4S Type 970, (with factory valve option), 2009 =>		
4.8l 294 kW		
Panamera S Facelift/4S Facelift Type 970, 2013 =>		
4.8l 309 kW		
	Axle-back-system L/R: 689409 0500LR + tail pipe set!	
	Cat-back-system L/R (not for Panamera S/4S 4.8l 294 kW): 689409 0300 + 689409 0500LR + tail pipe set!	
689409 0300	Stainless steel front section with sport silencer, cat-back, EU approved for road usage, not for Panamera S/4S 4.8l 294 kW L/R stainless steel sport exhaust system,	525,00
689409 0500LR	with integrated vacuum operated valves, incl. EC homologation The valve position is vacuum controlled via the onboard electronics.	1.558,00
	Choose from following tail pipe package:	
0046 70QSS	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	445,00
0046 70QBSS	Tail pipe set L/R consisting of 4 tail pipe Ø 102 mm angled/angled Black Chrome, with adjustable spherical clamp connection	493,00
Macan S, type 95 B, 2014=>		
3.0l 250 kW (CTM)		
Macan Turbo, type 95 B, 2014=>		
3.6l Turbo 294 kW (CTL)		
	Axle-back-system L/R: 689014 0500LR + tail pipe set! The original exhaust must be cut!	
	Axle-back-system L/R bolt on: 689014 0000 + 689014 0500LR + tail pipe set! No vehicle modifications required!	
	Cat-back-system L/R: 689014 0100 + 689014 0000 + 689014 0500LR + tail pipe set! No vehicle modifications required!	
" 689014 0100	L/R stainless steel Cat-Back front tubes with flexible joints, with EC homologation (Original tube Ø 65 mm, REMUS tube Ø 70 mm)	334,00
" 689014 0000	Dual stainless steel connection tubes with crossover tube, with EC homologation (Original tube Ø 65 mm, REMUS tube Ø 70 mm)	302,00
	L/R stainless steel sport exhaust system (without tail pipes), with integrated valves, incl. EC homologation Original tube Ø 65 mm, REMUS tube Ø 70 mm The supplied actuator activates the valve to factory preset positions via the vehicle onboard electronics.	
" 689014 0500LR		1.473,00
	Choose from following tail pipe package:	
0046 70SS	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	340,00
0046 70CSS	Tail pipe set L/R consisting of 4 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	840,00
Cayenne I Turbo Type 955, 2002-2006		
4.5l Turbo 331 kW		
	Axle-back-system L/R: 689303 1598C	
689303 1598C	Stainless steel sport exhaust system L/R, 4 stainless steel Street Race tips Ø 98 mm, EU approved for road usage	1.007,00
Cayenne I Facelift Type 957, 2007-2010		
4.8l V8 Turbo 368 kW		
	Axle-back-system L/R: 689307 1506S	
689307 1506S	Stainless steel sport exhaust system L/R, 4 chromed stainless steel tips Ø 90mm angled, EU approved for road usage	1.092,00
Cayenne II S Hybrid Type 958, 2010=>		
3.0l 245 kW (M06EC)		
Cayenne II Turbo Type 958, 2010=>		
4.8l V8 Turbo 368 kW		
	Axle-back-system L/R: 688010 1598C! The original exhaust must be cut!	
688010 1598C	Stainless steel sport exhaust system L/R, 4 stainless steel Street Race tips Ø 98 mm, EU approved for road usage	1.007,00

Part no.	Description	€ excl. VAT
Cayenne II S V8 Type 958, 2010=>		
4.8l V8 294 kW (M4802)		
	Axle-back-system L/R: 689110 1598C! The original exhaust must be cut!	
	RACING axle-back-system L/R: 688010 1598C! The original exhaust must be cut!	
689110 1598C	Stainless steel sport exhaust system L/R, 4 stainless steel Street Race tail pipes Ø 98 mm, EU approved for road usage	1.081,00
688010 1598C	RACING stainless steel sport exhaust system L/R, 4 stainless steel Street Race tips Ø 98 mm, without homologation	1.007,00

RENAULT

Twingo II, 2007=>		
1.5l dCi 47 kW (K9K17)		
2)	733007 0533 Sport exhaust with 1 tail pipe 102x68 mm	324,00

Clio II, 1998=>		
1.2l 40 / 43 / 55 kW; 1.4l 55 kW; 1.4l 55 kW, 2001=>; 1.4l 72 kW, 2001=>; 1.4l 16V 72 kW, 2000=>; 1.4l 16V 72 kW, 2001=>; 1.6l 66 kW; 1.6l 16V 79 kW, 1999=>; 1.9l Diesel 47 kW type: B, 1999=>		
1.5l dCi 48 kW; 1.9l dTi 59 kW, 2001=>		
	Axle-back-system L/R: 734098 199 + tail pipe set!	
1) °	734098 199 PowerSound sport exhaust with manual valve control system (without tail pipes)	445,00
	Choose from following tail pipe package:	
	0010 02 Tail pipe set L/R consisting of 4 tail pipes 92x78 mm	320,00
	0010 04G Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm straight	294,00
	0010 05G Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	154,00
	0010 14M Tail pipe set L/R consisting of 2 tail pipes 142x72 mm	184,00
	0010 70 Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm	164,00
	0010 78 Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm	294,00
	0010 83C Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	190,00
	0010 83CS Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race	198,00
	0010 83CB Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
	0010 84C Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race	380,00
	0010 84CS Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race	396,00
	0010 84CB Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome	428,00
	0010 98C Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race	216,00
	0010 98CB Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome	240,00

Clio II Sport, 2000=> & 2001=>		
2.0l 16V 124 kW		
2)	736000 0568 Sport exhaust with 2 tail pipes Ø 84 mm Rallye-Design	436,00

Clio IV RS, type X98, 2013=>		
1.6l EDC 147 kW (MR16DDT)		
	Axle-back-system: 735013 0700!	
	Cat-back-system: 735013 0300 + 735013 0700!	
2)	735013 0300 Front silencer, pipe Ø 65 mm, only mountable together with 735013 0700	208,00
2)	735013 0700 Sport exhaust centered, pipe Ø 65 mm, fits to original tail pipe, fits on original front silencer	555,00

Laguna II Grand Tour, 2001=>		
2.2l 16V dCi 110 kW; 2.0l Turbo 120 kW, 2004=>; 2.0l Turbo 125 kW, 2004=>; 2.0l Turbo 150 kW, 2005=>		
2)	736202 3588 Sport exhaust with 2 tail pipes Ø 84 mm Edition	436,00

Espace IV, type JK, 2002=>		
1.9l dCi 88 kW, 2003=>; 2.2l dCi 110 kW, 2002=>		
°	736302 0502 Sport exhaust with 2 tail pipes 92x78 mm	445,00

Grand Espace IV, type JK, 2002=>		
2.2l dCi 110 kW		
°	736402 3502 Sport exhaust with 2 tail pipes 92x78 mm	445,00

Safrane, 1997=>		
2.2l TD 83 kW		
2)	736597 0509 Sport exhaust with 1 tail pipe 135x75 mm	436,00

ROVER

416 Si Hatchback, 1996=>		
1.6l 82 kW		
°	704096 0501 Sport exhaust with 1 tail pipe 92x78 mm	333,00

SEAT

Ibiza, type 6K, APR1993=>		
1.0l 33kW; 1.3l 40kW; 1.4l 44kW; 1.6l 55 kW =>1995; 1.9l Diesel 47 / 50 kW; connection Ø 42mm		
2)	790596 0507 Sport exhaust with 1 tail pipe 97x80 mm	313,00

Ibiza Cupra, type 6K, 1997=>		
2.0l GTI 16V 110 kW; 1.9l TDI 66 / 81 kW		
	Axle-back-system: (796097 9999) + 796097 0548!	
	Connection tube for mounting of the exchanged serial front silencer	48,00
2)	796097 0548 Sport exhaust with 2 tail pipes 74x65 mm angled	405,00

Ibiza Cupra, type 6J, 2016=>		
1.8l TSI 141 kW (DAJ)		
	Cat-back-system: 954513 0300 resp. 954513 0000 (Racing) + 795215 5504S + optional STE 0008! No vehicle modifications required!	
	954513 0300 resonated cat-back front section, incl. EC homologation Original tube Ø 55 mm, REMUS tube Ø 60 mm	201,00
	954513 0000 alternative: non resonated RACING cat-back front section, without homologation Original tube Ø 55 mm, REMUS tube Ø 60 mm	101,00
	Sport exhaust centered with 2 tail pipes Ø 76 mm angled, chromed, centered with integrated valve, incl. EC homologation	
"	795215 5504S Original tube Ø 55 mm, REMUS tube Ø 60 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve can be carried out using the separate available REMUS sound controller. The sound controller and electrical actuator allows the valve to be operated in 4 different positions.	731,00
	Optional: REMUS Sound Controller and electrical actuator	
"	STE 0008 The REMUS Sound Controller consisting of the electronic module and the remote control as well as the electrical actuator including the cables will be delivered optional. Without EC homologation.	380,00

Part no.	Description	€ excl. VAT
Altea, type 5P, 2004=>		
1.4l 63 kW, 2006=>; 1.6l 75 kW; 2.0l FSI 110 kW; 2.0l TFSI 147 kW; 1.9l TDI 77 kW; 2.0l TDI 100 / 103 / 125 kW		
	Axle-back-system: (ADx) + 796105 098 + tail pipe set!	
AD0092	Distance tube G6 for mounting on 1.4l 63 kW model	27,00
AD0032	Distance tube C1 for mounting on 2.0l TDI 125 kW with connection Ø 60 mm	27,00
AD0079	Distance tube T5 for mounting on 1.6l 75 kW and 1.9l TDI 77kW models	23,00
AD0080	Distance tube U5 for mounting on 2.0l FSI 110 kW and 2.0l TDI 100/103/125 kW models	23,00
796105 098	Sport exhaust left (without tail pipes)	357,00
	Choose from following tail pipe package:	
0007 04G	2 tail pipes Ø 76 mm straight	147,00
0007 14M	1 tail pipe 142x72 mm	92,00
0007 78	2 tail pipes Ø 84 mm	147,00
0007 83C	1 tail pipe Ø 84 mm Street Race	95,00
0007 83CS	1 tail pipe Ø 84 mm Carbon Race	99,00
0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome	107,00
0007 84C	2 tail pipes Ø 84 mm Street Race	190,00
0007 84CS	2 tail pipes Ø 84 mm Carbon Race	198,00
0007 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
Altea XL, type 5P, 2007=>		
1.8l TSI 118 kW (BYT)		
2)	796007 0504 Sport exhaust with 2 tail pipes Ø 76 mm	479,00
Leon, type 1P, 2005=>		
1.4l 63 kW; 1.6l 75 kW; 2.0l FSI 110 kW; 2.0l TFSI 136 / 147 kW; 2.0l TFSI 147 kW "FR"; 2.0l TFSI 177 kW "Cupra"; 1.9l TDI 77 kW; 2.0l TDI 100 / 103 / 125 kW; 2.0l TDI 125 kW "FR"		
	Axle-back-system: (ADx) + 796105 098 + tail pipe set!	
AD0092	Distance tube G6 for mounting on 1.4l 63 kW model	27,00
AD0079	Distance tube T5 for mounting on 1.6l 75 kW and 1.9l TDI 77kW models	23,00
AD0080	Distance tube U5 for mounting on 2.0l FSI 110 kW and 2.0l TDI 100/103/125 kW models	23,00
796105 098	Sport exhaust left (without tail pipes)	357,00
	Choose from following tail pipe package:	
0007 04G	2 tail pipes Ø 76 mm straight	147,00
0007 14M	1 tail pipe 142x72 mm	92,00
0007 78	2 tail pipes Ø 84 mm	147,00
0007 83C	1 tail pipe Ø 84 mm Street Race	95,00
0007 83CS	1 tail pipe Ø 84 mm Carbon Race	99,00
0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome	107,00
0007 84C	2 tail pipes Ø 84 mm Street Race	190,00
0007 84CS	2 tail pipes Ø 84 mm Carbon Race	198,00
0007 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
Leon Cupra, type 1P, 2010=>		
2.0l TFSI 195 kW (CDLA);		
Leon FR, type 1P, 2010=>		
2.0l 155 kW (CCZB)		
2)	796010 0584CS Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race	544,00
Leon, type 5F, 2013=>		
Leon SC, type 5F, 2013=>		
Leon FR, type 5F, 2013=>		
Leon SC FR, type 5F, 2013=>		
1.2l TS 1.2l TSI 63 kW (CJZB) [7593/AHJ]; 1.2l TSI 77 kW (CJZA) [7593/AHK]; 1.4l TSI 90 kW (CMPA/CXSA) [7593/AHH]; 1.4l TSI 103 kW (CHPA) [7593/AHI]; 1.4l TSI 110 kW (nicht für Motoren mit aktiver Zylinderabschaltung); 1.8l TSI 132 kW (CJS);		
1.6l TDI 66 kW (CLHB) [7593/AHF]; 1.6l TDI 77 kW (CLHA) [7592/AHG]; 2.0l TDI 110 kW (CKFC) [7593/AHM]; 2.0l TDI 135 kW (CUPA) [7593/AHN]		
	Axle-back-system: 953612 0000 resp. 954112 0000 + 953112 0584CS resp. 954112 0584CS! When fitting left system the rear skirt must be trimmed as per the supplied template!	
	Axle-back-system L/R: 953612 0000 resp. 954112 0000 + 955113 1500 resp. 954112 1600 (Racing) + tail pipe set + optional 792304 HES resp. 792303 HES! The rear diffusers left/right are only mountable together with the L/R systems respectively non-resonated RACING section L/R. Alternatively also the original rear skirt can be used but it has to be trimmed according to enclosed instructions!	
	Axle-back-system centered: 953612 0000 resp. 954112 0000 + 794112 0500 + tail pipe set + 791302 HES resp. 791301 HES! Sport exhaust centered and rear diffuser centered only fits as a complete system!	
953612 0000	Connection tube (twist beam axle) for mounting on 1.2l TSI, 1.4l TSI, 1.6l TDI	59,00
954112 0000	Connection tube (multi-link axle) for mounting on 1.8l TSI, 2.0l TDI	59,00
	Sport exhaust system left:	
953112 0584CS	Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race, only for 1.2l TSI, 1.4l TSI, 1.8l TSI	432,00
954112 0584CS	Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race, only for 1.6l TDI, 2.0l TDI	432,00
	Alternative: Sport exhaust system L/R consisting of:	
955113 1500	Sport exhaust centered for L/R system (without tail pipes), pipe Ø 70 mm	303,00
	Alternative: Non resonated RACING section L/R consisting of:	
954112 1600	non resonated RACING section L/R (without tail pipes), without homologation	130,00
	Choose from following tail pipe package:	
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	780,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
"	792304 HES ABS rear diffuser left/right, satin black, for SEAT Leon/Leon SC	199,00
"	792303 HES ABS rear diffuser left/right, satin black, for SEAT Leon FR/Leon SC FR	199,00
	Alternative: Sport exhaust system centered consisting of:	
794112 0500	Sport exhaust centered (without tail pipes)	341,00
	Choose from following tail pipe package:	
0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
0026 83CTS	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	390,00
0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	160,00
"	791302 HES ABS rear diffuser centered, carbon optic, for SEAT Leon/Leon SC	199,00
"	791301 HES ABS rear diffuser centered, carbon optic, for SEAT Leon FR/Leon SC FR	199,00

Part no.	Description	€ excl. VAT
Leon Cupra, type 5F, 2014=>		
Leon Cupra SC, type 5F, 2014=>		
2.0l TSI 195 kW (CJXE); 2.0l TSI 206 kW (CJXA); 2.0l TSI 213 kW (CJXH)		
	Axle-back-system L/R: 955213 0000 + 796014 1500 resp. 796014 1600 (Racing) + tail pipe set! The original exhaust must be cut! No rear skirt modifications required!	
	Cat-back-system L/R: 796014 0400 resp. 955213 0300 (Racing) + 955213 0000 + 796014 1500 resp. 796014 1600 (Racing) + tail pipe set! No vehicle modifications required!	
	Turbo-back-system L/R: 955113 1100 (Racing) + 796014 0400 resp. 955213 0300 (Racing) + 955213 0000 + 796014 1500 resp. 796014 1600 (Racing) + tail pipe set! No vehicle modifications required!	
4) 955113 1100	RACING downpipe, tube Ø 70 mm, with sport catalytic convertor (200 CPSI), without homologation, can only be fitted in combination with the REMUS front silencer	926,00
	Resonated front and resonated middle cat-back section:	
796014 0400	resonated front and resonated middle cat-back section Original tube Ø 65 mm / REMUS tube Ø 70 mm	376,00
	Alternative: Resonated front and non-resonated middle cat-back section:	
955213 0300	Resonated front and non-resonated middle cat-back section, without homologation for the SEAT Leon Cupra / Cupra SC type 5F Original tube Ø 65 mm / REMUS tube Ø 70 mm	279,00
955213 0000	Connection tube for mounting the L/R sport exhaust or the non-resonated L/R RACING axle-back-systems	59,00
	Sport exhaust system L/R suitable for the original rear skirt:	
796014 1500	Sport exhaust centered for L/R system (without tail pipes), suitable for the original rear skirt, pipe Ø 70 mm Original tube Ø 65 mm / REMUS tube Ø 70 mm	254,00
	Alternative: Non-resonated L/R RACING axle-back system suitable for the original rear skirt:	
796014 1600	Non resonated L/R RACING axle-back-system (without tail pipes, without connecting tube), suitable for the original rear skirt, without homologation Original tube Ø 65 mm / REMUS tube Ø 70 mm	111,00
	Choose from following tail pipe package:	
0026 14SS	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm angled/angled, chromed, with adjustable spherical clamp connection	199,00
0026 04G	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm straight cut, chromed, with adjustable spherical clamp connection	318,00
Leon Cupra ST, type 5F, 2014=>		
2.0l TSI 195 kW (CJXE); 2.0l TSI 206 kW (CJXA); 2.0l TSI 213 kW (CJXH)		
	Axle-back-system L/R: 796515 0500LR + tail pipe set! The original exhaust will need to be cut at the manufacturer marked cutting point! No rear skirt modifications required!	
	Cat-back-system L/R: 796515 0300 + 796515 0500LR + tail pipe set! No vehicle modifications required!	
	Turbo-back-system L/R: 955113 1100 (Racing) + 796515 0300 + 796515 0500LR + tail pipe set! No vehicle modifications required!	
4) 955113 1100	RACING downpipe, with sport catalytic convertor (200 CPSI), without homologation, can only be installed in combination with the REMUS cat-back section REMUS tube Ø 70 mm	926,00
796515 0300	resonated cat-back front section, can only be installed in combination with the REMUS sport exhaust Original tube Ø 60 mm / REMUS tube Ø 65 mm	276,00
796515 0500LR	Sport exhaust left and sport exhaust right (without tail pipes) Original tube Ø 60 mm / REMUS tube Ø 65 mm	557,00
	Choose from following tail pipe package:	
0026 14SS	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm angled/angled, chromed, with adjustable spherical clamp connection	199,00
0026 04G	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm straight cut, chromed, with adjustable spherical clamp connection	318,00
Toledo, type 1L		
1.6l 52 / 54 kW, MAY1991=> <=1995; 1.9l Diesel 50 / 55 kW		
2) 792591 0502	Sport exhaust with 2 tail pipes 92x78 mm	410,00
Toledo, type 5P, 2005=>		
1.6l 75 kW		
	Axle-back-system: 796204 099 + tail pipe set!	
1) 2) 796204 099	PowerSound sport exhaust with manual valve control system (without tail pipes)	356,00
	Choose from following tail pipe package:	
2) 0000 02	2 tail pipes 92x78 mm	160,00
0007 04G	2 tail pipes Ø 76 mm straight	147,00
0007 14M	1 tail pipe 142x72 mm	92,00
0007 70	1 tail pipe Ø 102 mm	82,00
0007 78	2 tail pipes Ø 84 mm	147,00
0007 83C	1 tail pipe Ø 84 mm Street Race	95,00
0007 83CS	1 tail pipe Ø 84 mm Carbon Race	99,00
0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome	107,00
0007 84C	2 tail pipes Ø 84 mm Street Race	190,00
0007 84CS	2 tail pipes Ø 84 mm Carbon Race	198,00
0007 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
0007 98C	1 tail pipe Ø 98 mm Street Race	108,00
0007 98CB	1 tail pipe Ø 98 mm Street Race Black Chrome	120,00
Toledo, type 5P, 2005=>		
1.9l TDI 77 kW; 2.0l TDI 100 / 103 kW; 2.0l FSI 110 kW		
	Axle-back-system: 796504 099 + tail pipe set!	
1) 2) 796504 099	PowerSound sport exhaust with manual valve control system (without tail pipes)	356,00
	Choose from following tail pipe package:	
2) 0000 02	2 tail pipes 92x78 mm	160,00
0007 04G	2 tail pipes Ø 76 mm straight	147,00
0007 14M	1 tail pipe 142x72 mm	92,00
0007 70	1 tail pipe Ø 102 mm	82,00
0007 78	2 tail pipes Ø 84 mm	147,00
0007 83C	1 tail pipe Ø 84 mm Street Race	95,00
0007 83CS	1 tail pipe Ø 84 mm Carbon Race	99,00
0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome	107,00
0007 84C	2 tail pipes Ø 84 mm Street Race	190,00
0007 84CS	2 tail pipes Ø 84 mm Carbon Race	198,00
0007 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
0007 98C	1 tail pipe Ø 98 mm Street Race	108,00
0007 98CB	1 tail pipe Ø 98 mm Street Race Black Chrome	120,00

Part no.	Description	€ excl. VAT
SKODA		
Fabia, type 6Y (not for station wagon), JAN2000=>		
1.9l TDI 74 kW		
Fabia, type 5J (not for station wagon), 2007=> (not for Facelift 2010!)		
1.4l TDI 51 / 59 kW; 1.9l TDI 77 kW		
2)	806007 0504 Sport exhaust with 2 tail pipes Ø 76 mm	361,00
Fabia RS, type 5J, 2011=>		
1.4l 132 kW (CAVE)		
2)	804010 0504 Sport exhaust with 2 tail pipes Ø 76 mm	488,00
Octavia sedan & station wagon, type 1Z, 2004=>		
1.6l 75 kW; 1.6l FSI 85 kW; 1.8l TSI 118 kW (BZB); 2.0l FSI 110 kW; 1.9l TDI 77 kW; 2.0l TDI 103 kW		
Axle-back-system: The original exhaust must be cut! The original rear skirt has to be trimmed!		
805104 099	PowerSound Main silencer with manual valve control system	339,00
Choose from following tail pipe package:		
0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
0026 83CTS	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	390,00
Octavia III RS/vRS Sedan & Station Wagon, type 5E, 2013=>		
2.0l TSI 162/169 kW		
Cat-back-system incl. EC homologation: 806515 0300 + 806715 0500LR + optional STE 0009! No cutting of original exhaust required! REMUS Cat-back-systems only fit as a complete system!		
RACING Cat-back-system without homologation: 806015 1300 + 806015 0500LR! No cutting of original exhaust required! REMUS Cat-back-systems only fit as a complete system!		
RACING Turbo-back-system without homologation: 955113 1100 + 806015 1300 + 806015 0500LR! No cutting of original exhaust required! REMUS Cat-back-systems only fit as a complete system!		
4)	955113 1100 RACING downpipe, tube Ø 70 mm, with sport catalytic convertor (200 CPSI), without homologation, can only be fitted in combination with the REMUS front	926,00
RACING cat-back system without homologation:		
"	806015 1300 RACING cat-back section, replaces front silencer, without homologation	201,00
REMUS tube Ø 70 mm		
RACING sport exhaust left and RACING sport exhaust right, fits into the original skirt using integrated tail pipes,		
"	806015 0500LR with integrated electrical valves, without homologation	1.334,00
It is not permissible to activate the valve on public roads as per the EU transport authority.		
The activation of the valve is carried out using the included REMUS sound controller. The sound controller and electrical actuators allows the valve to be operated in 4 different positions.		
"	806515 0300 Cat-back system incl. EC homologation:	276,00
Resonated cat-back section, with EC homologation		
Sport exhaust left and right, fits into the original skirt using integrated tail pipes,		
with integrated valves, incl. EC homologation in combination with the REMUS resonated cat-back section section		
"	806715 0500LR It is not permissible to activate the valve on public roads as per the EU transport authority.	930,00
The activation of the valve can be carried out using the separate available REMUS sound controller. The sound controller and electrical actuator allows the valve to be operated in 4 different positions.		
Optional: REMUS Sound Controller and electrical actuators		
"	STE 0009 The REMUS Sound Controller consisting of the electronic module and the remote control as well as the electrical actuators including the cables will be delivered optional. Without EC homologation.	480,00
SUBARU		
Impreza WRX 4WD, 2000=> & 2002=>		
2.0l 160 kW; 2.0l 165 kW type EJ 20, SEP2002=>		
Impreza WRX STI, 2002=>		
2.0l 195 kW		
Cat-back system: 846200 8598!		
°	846200 8598 Sport exhaust polished with 1 tail pipe Ø 98 mm angled incl. resonated front section	557,00
Impreza Hatchback WRX Sti, type G3, 2008=>		
2.5l 221 kW (EJ25)		
Axle-back-system L/R: 847008 1557! REMUS is not liable for consequential damages due to the power increase of this Racing system!		
Cat-back-system L/R: 847008 0000 (Racing) + 847008 1557! REMUS is not liable for consequential damages due to the power increase of this Racing system!		
2)	847008 0000 RACING tube without homologation, instead of front silencer	257,00
°	847008 1557 Sport exhaust L/R, with 2 tail pipes 185x85 mm	658,00
BRZ, 2012=>		
2.0l 147 kW		
Axle-back-system L/R: 906112 1585S!		
Cat-back-system L/R: 906112 0000 (Racing) + 906112 1585S!		
906112 0000	RACING tube without homologation, instead of front silencer	154,00
906112 1585S	Sport exhaust L/R, with 2 tail pipes Ø 127 mm angled	668,00
SUZUKI		
Swift Hatchback 3 & 5 door, type MZ, 2005=>		
1.3l 68 kW (M13A); 1.5l 74 kW (M15A)		
Axle-back-system: 852105 099 + tail pipe set!		
Cat-back-system: 852005 0300 resp. 852105 0000 (Racing) + 852105 099 + tail pipe set!		
°	852105 0000 RACING tube without homologation, instead of front silencer	133,00
°	852005 0300 Front silencer, only for 1.3l 68 kW	201,00
1)	852105 099 PowerSound sport exhaust with manual valve control system (without tail pipes)	284,00
Choose from following tail pipe package:		
0407 05G	1 tail pipe Ø 90 mm straight	77,00
0400 07	1 tail pipe 97x80 mm	77,00
Swift Sport, type MZ, 2006=>		
1.6l 16V 92 kW (M16A)		
Axle-back-system: 856107 199 + tail pipe set!		
Cat-back-system: 852105 0000 (Racing) + 856107 199 + tail pipe set!		
1)	852105 0000 RACING tube without homologation, instead of front silencer	133,00
1)	856107 199 PowerSound sport exhaust with manual valve control system (without tail pipes)	392,00
0411 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	154,00

Part no.	Description	€ excl. VAT
Swift, type NZ, 2010=>		
1.2l 69 kW (K12B)		
852110 1583C	Axle-back-system L/R: 822110 1583C! The rear skirt must be trimmed as per the supplied template! Sport exhaust L/R, with 2 tail pipes Ø 84 mm Street Race	614,00
Swift Sport, type NZ, 2012=>		
1.6l 100 kW (M16A)		
	Axle-back-system L/R: 855111 198 + tail pipe set! Cat-back-system L/R: 855111 0000 (Racing) + 855111 198 + tail pipe set!	
855111 0000	RACING tube without homologation, instead of front silencer	133,00
855111 198	Sport exhaust for L/R system (without tail pipes)	381,00
	Choose from following tail pipe package:	
0411 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	154,00
0411 70	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm	164,00
0411 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race	216,00
SX4 S-Cross, 2WD & 4WD, type JY, 2013=>		
1.6l 88 kW; 1.6l Diesel 88 kW		
854015 1513S	Sport exhaust L/R, with 2 tail pipes 120x74 angled	555,00
Vitara, 2WD & 4WD, 2015=>		
1.6l 88 kW; 1.6l Diesel 88 kW		
854015 1513S	Sport exhaust L/R, with 2 tail pipes 120x74 angled	555,00
SSANG YONG		
Kyron 4x4, M200, 2004=>		
2.0l Xdi 104 kW		
2) 866004 1617	Connection tube L/R, with 2 tail pipes 138x90 mm angled rolled	586,00
TOYOTA		
Yaris, 2006=>		
1.4l D-4D 66 kW		
2) 903006 0504	Sport exhaust with 2 tail pipes Ø 76 mm	375,00
Corolla Hatchback, type E11, 1997=>		
1.4l 63 kW; 1.4l 71 kW, 1999=>; 1.6l 79 / 81 kW; 1.6l 81 kW G6-R type E11, 1999=>; 2.0l Diesel 53 kW		
2) 902597 0501	Sport exhaust with 1 tail pipe 92x78 mm	352,00
Auris, type E15UT(A), 2007=>		
2.0l D-4D 93 kW		
2) 906007 098	Axle-back-system: 906007 098 + tail pipe set! sport exhaust (without tail pipes)	301,00
	Choose from following tail pipe package:	
0008 04	2 tail pipes Ø 76 mm	147,00
0008 84C	2 tail pipes Ø 84 mm Street Race	190,00
0008 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
2) 1003 78	2 Diesel tail pipes Ø 84mm with emission exit downwards	186,00
Avensis Sedan & Liftback, type T25, 2003=>		
2.0l VVT-i 108 kW, 2003=>; 2.0l D-4D 85 kW, 2003=>		
2) 906003 0502	Sport exhaust with 2 tail pipes 92x78 mm	430,00
Avensis Verso, AUG2001=>		
2.0l VVT-i 110 kW; 2.0l D-4D 85 kW		
	Axle-back-system: 906002 0500 + 906002 0601!	
o 906002 0500	Sport exhaust (without tail pipes)	312,00
o 906002 0601	Connection tube with 1 tail pipe 92x78 mm	152,00
MR-2, type W2, 1989=>		
2.0l 115 kW with cat.; 2.0l 129 kW, 1994=>; 2.0l 16V 125 kW type W20, 1997=>		
907189 1501	Sport exhaust L/R, with 2 tail pipes 92x78 mm	594,00
MR-2, type W3, 2000=>		
1.8l VTI 103 kW		
o 905100 1505	Sport exhaust L/R, with 2 tail pipes Ø 90 mm	712,00
GT86, type FT20, 2012=>		
2.0l 147 kW		
	Axle-back-system L/R: 906112 1585S! Cat-back-system L/R: 906112 0000 (Racing) + 906112 1585S!	
906112 0000	RACING tube without homologation, instead of front silencer	154,00
906112 1585S	Sport exhaust L/R, with 2 tail pipes Ø 127 mm angled	668,00
RAV4, 4WD, type XA3, 2013=>		
2.0l D-4D 91 kW (1AD); 2.2l D-4D 110 kW		
	Axle-back-system L/R: 905014 0000 (2.0l D-4D) resp. 906014 0000 (2.2l D-4D) + 905014 1518!	
905014 0000	Connection tube for mounting on 2.0l D-4D 91 kW	125,00
906014 0000	Connection tube for mounting on 2.2l D-4D 110 kW	125,00
905014 1518	Sport exhaust L/R, with 2 tail pipes 133x85 mm angled/angled	357,00

VOLKSWAGEN**Fox, 3 door, type 5Z, 2005=>**

1.4l TDI 51 kW

	Axle-back-system: 955005 098 + tail pipe set!	
°	955005 098 Sport exhaust left (without tail pipes)	231,00
	Choose from following tail pipe package:	
2)	0000 02 2 tail pipes 92x78 mm	160,00
	0007 04G 2 tail pipes Ø 76 mm straight	147,00
	0007 05G 1 tail pipe Ø 90 mm straight	77,00
	0007 14M 1 tail pipe 142x72 mm	92,00
	0007 78 2 tail pipes Ø 84 mm	147,00
	0007 83C 1 tail pipe Ø 84 mm Street Race	95,00
	0007 83CS 1 tail pipe Ø 84 mm Carbon Race	99,00
	0007 83CB 1 tail pipe Ø 84 mm Street Race Black Chrome	107,00
	0007 84C 2 tail pipes Ø 84 mm Street Race	190,00
	0007 84CS 2 tail pipes Ø 84 mm Carbon Race	198,00
	0007 84CB 2 tail pipes Ø 84 mm Street Race Black Chrome	214,00

Polo 2, type 86C, 1985=>

33 / 40 / 47 / 55 / 57 kW

Polo G40 Coupé

1.3l G40 83/85 kW

	Axle-back-system: (AD0003) + 953091 0505!	
	AD0003 Distance tube M for mounting on 33/40 kW models	17,00
2)	953091 0505 Sport exhaust with 1 tail pipe Ø 90 mm	333,00

Polo 5, type 6R, 2010=>

1.2l 44 kW (CGPB); 1.2l 51 kW (CGPA); 1.4l 63 kW (CGGB)

	Axle-back-system: 952610 0598C! When fitting on 1.2l 44/51 kW models the rear skirt must be trimmed as per the supplied template!	
	952610 0598C Sport exhaust with 1 tail pipe Ø 98 mm Street Race	394,00

Polo 5 GTI Facelift, type 6R, 2014=>

1.8l TSI 141 kW (DAJ)

	Cat-back-system: 954513 0300 resp. 954513 0000 (Racing) + 954713 0500 + tail pipe set + optional STE 0011! REMUS Cat-back-systems only fits as a complete system! No vehicle modifications required!	
	954513 0300 Resonated cat-back front section, incl. EC homologation Original tube Ø 55 mm, REMUS tube Ø 60 mm	201,00
	954513 0000 Non resonated cat-back front section, without homologation Original tube Ø 55 mm, REMUS tube Ø 60 mm Sport exhaust for left-system (without tail pipes) with integrated valve, incl. EC homologation	101,00
"	954713 0500 Original tube Ø 55 mm, REMUS tube Ø 60 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve can be carried out using the separate available REMUS sound controller. The sound controller and electrical actuator allows the valve to be operated in 4 different positions.	445,00
"	STE 0011 Optional: REMUS Sound Controller and electrical actuator The REMUS Sound Controller consisting of the electronic module and the remote control as well as the electrical actuator including the cables will be delivered optional. Without EC homologation.	380,00
	Choose from following tail pipe package:	
	0026 05 Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	160,00
	0026 55S Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
	0026 83C Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
	0026 83CS Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
	0026 83CB Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
	0026 83CTS Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	390,00

Golf I Cabrio, type 155

1.8l 70 kW, AUG1985=>; 1.8l 72 kW, JUL1989=>

	955189 0595P Sport exhaust with 1 tail pipe Ø 90 mm	314,00
--	---	--------

Golf II, Type 19E, AUG1985=>

All models with cat, from chassis no. 19-6-18001 onwards; 1.3l 37 / 40 kW

Golf II, Type 19E, AUG1987=>

From chassis no JB 000001 onwards; 1.6l 62 / 66 / 79 / 82 kW

	Axle-back-system: AD0008 + 955183 0504!	
	Cat-back-system: AD0008 + 955183 0400 + 955183 0504!	
	AD0008 Distance tube O for mounting necessary	17,00
	955183 0400 Central silencer	161,00
	955183 0504 Sport exhaust with 2 tail pipes Ø 76 mm	384,00

Golf II, Type 19E, with & without cat., 1985=>

1.8l 62 kW

Golf II, type 19E, with & without cat. & Edition (connection Ø 50 mm)

1.8l 66 kW (& Edition connection Ø 50 mm)

Golf II, Type 19E, with cat & Edition (connection Ø 50 mm)

1.8l 79 kW

Golf GTI II, Type 19E, SEP1983=>

1.8l GTI 8V 82 kW

	Axle-back-system: (AD0006) + 955183 0504!	
	Cat-back-system: (AD0006) + 955183 0400 + 955183 0504!	
	AD0006 Distance tube T for mounting on models with cat. and central silencer	17,00
	955183 0400 Central silencer	161,00
	955183 0504 Sport exhaust with 2 tail pipes Ø 76 mm	384,00

Golf III, typ 1HXO, JUL1991=>**Golf III Cabrio, type 1HXO, JUL1991=>****Golf III Cabrio Facelift, type 1EXO (Golf IV Cabrio), 1998=>**

1.4l 40 / 44 kW; 1.6l 55 kW; 1.8l 55kW

°	954198 0540P Sport exhaust with 1 tail pipe 140x72 mm mat polished	265,00
---	--	--------

Part no.	Description	€ excl. VAT
Golf III, typ 1HXO, JUL1991=>		
Golf III Cabrio, type 1HXO, JUL1991=>		
Golf III Cabrio Facelift, type 1EXO (Golf IV Cabrio), 1998=>		
1.6l 74 kW (only rear silencer); 1.8l 66 kW; 2.0l GTI 85 kW; 1.9l SDI 47 kW; 1.9l TD 55 kW; 1.9l TDI 66 kW; 1.9l TDI 81 kW		
Axle-back-system: 955692 0504!		
Cat-back-system: 955692 0400 + 955692 0504! Not for 1.6 74 kW modell!		
955692 0400	Central silencer, only for SDI 47 kW, 2.0l GTI 85 kW	174,00
955692 0504	Sport exhaust with 2 tail pipes Ø 76 mm	374,00
Golf III VR6, type 1HXO, JUL1991=>		
2.8l VR6 128 kW		
Golf III GTI 16V, type 1HXO		
2.0l 16V 110 kW		
2)	959092 0300 Front silencer	140,00
Golf III Syncro, type 1HXO, 1995=>		
1.8l 66 kW; 2.9l VR6 140 kW; 1.9l TDI 66 kW		
2)	959096 0542 Sport exhaust with 2 tail pipes 92x78 mm angled	436,00
Golf IV, type 1J, OCT1997=>		
1.4l 55 kW, 1998=>; 1.6l 74/75/77 kW; 1.6l FSI 81 kW, 2002=>; 1.8l 92 kW; 1.8l Turbo 110 kW; 2.0l 85 kW, 1999=>; 2.3l VR5 110 kW 1998=>; 2.3l V5 125 kW, 2001=>; 1.9l SDI 50 kW; 1.9l TDI 66 kW; 1.9l TDI 74/81/85/96/110 kW (inkl. Pumpe-Düse)		
Axle-back-system: (AD0016) + 049397 099 + tail pipe set! When mounting on 1.4, 1.6, 1.9l SDI, use distance tube AD0016! When mounting on 1.4, 1.6, 1.9l SDI models, use original VW bracket part no 1J0 253 144!		
Cat-back-system: (AD0016) + 045096 0000 (Racing) resp. 046097 0000 (Racing) 049397 099 + tail pipe set! When mounting on 1.4, 1.6, 1.9l SDI, use distance tube AD0016! When mounting on 1.4, 1.6, 1.9l SDI models, use original VW bracket part no 1J0 253 144!		
AD0016	Distance tube H for mounting on 1.4l, 1.6l and 1.9l SDI models	23,00
045096 0000	RACING tube without homologation, instead of front silencer, only for 1.4l 55 kW, 1998=>; 1.6l 74/75/77 kW; 1.8l 92 kW; 2.0l 85 kW, 1999=>; 2.3l V5 125 kW, 2001=>;	96,00
046097 0000	RACING tube without homologation, instead of front silencer, only for 1.6l FSI 81 kW, 2002=>; 1.8l Turbo 110 kW; 2.3l VR5 110 kW 1998=>;	96,00
1) 046397 099	PowerSound sport exhaust with manual valve control system (without tail pipes)	359,00
Choose from following tail pipe package:		
2) 0000 02	2 tail pipes 92x78 mm	160,00
0007 04G	2 tail pipes Ø 76 mm straight	147,00
0007 05G	1 tail pipe Ø 90 mm straight	77,00
0007 14M	1 tail pipe 142x72 mm	92,00
0007 78	2 tail pipes Ø 84 mm	147,00
0007 83C	1 tail pipe Ø 84 mm Street Race	95,00
0007 83CS	1 tail pipe Ø 84 mm Carbon Race	99,00
0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome	107,00
0007 84C	2 tail pipes Ø 84 mm Street Race	190,00
0007 84CS	2 tail pipes Ø 84 mm Carbon Race	198,00
0007 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
Golf V, type 1K, 2003=>		
1.4l 55/59 kW; 1.4l FSI 66 kW; 1.6l 75 kW; 1.6l FSI 85 kW; 2.0l FSI 110 kW; 1.9l TDI 66/77 kW; 2.0l TDI 100/103 kW		
Axle-back-system: 956108 5598C! The rear skirt must be trimmed as per the supplied template!		
Cat-back-system (only for 2.0l TDI 100/103 kW): 956003 0000 (Racing) + 956108 5598C! The rear skirt must be trimmed as per the supplied template!		
2)	956003 0000 RACING tube without homologation, instead of front silencer, only for 2.0l TDI 100/103 kW	129,00
956108 5598C	Sport exhaust with 2 tail pipes Ø 98 mm Street Race centered in „R-Look“	475,00
Golf V Variant, type 1KM, 2007=>		
1.6l 75 kW; 1.9l TDI 77 kW; 2.0l TDI 103 kW		
Axle-back-system: 955505 099 + 0303 04!		
1) °	955505 099 PowerSound sport exhaust with manual valve control system (without tail pipes)	324,00
0303 04	2 tail pipes Ø 76 mm	147,00
Golf V GTI, type 1K, 2004=>		
2.0l TSI 147/155 kW		
Golf V GTI Edition 30, type 1K, 2007=>		
2.0l TSI 169 kW (BYD)		
Axle-back-system: 954008 0584C!		
Cat-back-system: 957204 0300 bzw 957204 0000 (Racing) + 954008 0584C!		
Cat-back-system L/R: 957204 0300 resp. 957204 0000 (Racing) + 954008 0584C! REMUS Cat-back-system only fits as a complete system! When fitting L/R system, the rear skirt must be trimmed as per the supplied template!		
957204 0000	RACING tube without homologation, instead of front silencer, not for Diesel	133,00
957204 0300	Front silencer	324,00
954008 0584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race	488,00
Alternative: Cat-back sport exhaust system L/R consisting of:		
955108 0300	Front silencer	279,00
955108 1584C	Sport exhaust L/R, with 4 tail pipes Ø 84 mm Street Race (also for "Rieger" rear skirt)	675,00
955108 1584CS	Sport exhaust L/R, with 4 tail pipes Ø 84 mm Carbon Race (also for "Rieger" rear skirt)	697,00
Golf VI, type 1K, 2011=>		
1.2l 77 kW		
Golf VI Cabrio, type 1K, 2011=>		
1.2l TSI 77 kW (CBZ)		
Axle-back-system: 952608 0584CS! When fitting left or L/R system, the rear skirt must be trimmed as per the supplied template!		
Axle-back-system L/R: 952608 1500 + tail pipe set! When fitting left or L/R system, the rear skirt must be trimmed as per the supplied template!		
Axle-back-system L/R: 955108 1584C resp. 955108 1584CS! When fitting left or L/R system, the rear skirt must be trimmed as per the supplied template!		
952608 0584CS	Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race	529,00
955108 1584C	Sport exhaust L/R, with 4 tail pipes Ø 84 mm Street Race	675,00
955108 1584CS	Sport exhaust L/R, with 4 tail pipes Ø 84 mm Carbon Race	697,00
Alternative: Sport exhaust system L/R consisting of:		
952608 1500	Sport exhaust centered for L/R system (without tail pipes)	329,00
Choose from following tail pipe package:		
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	780,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00

Part no.	Description	€ excl. VAT
Golf VI, type 1K, 2008=>		
Golf VI Plus, type 1KP, 2009=>		
1.4l 55 kW (BCA); 1.4l 59 kW; 1.4l TSI 90 kW (CAXA); 1.4l TSI 118 kW (CAVD); 2.0l TDI 81 kW (CBD); 2.0l TDI 103 kW (CBA)		
Axle-back-system: 954008 0584C!		
Axle-back-system centered in "R-Look": 956108 5598C + 951302 HES! Sport exhaust centered and rear diffusor only fits as a complete system!		
954008 0584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race, not for 1.4l 55 kW, not for 2.0l TDI	488,00
Alternative: Sport exhaust system centered consisting of:		
956108 5598C	Sport exhaust with 2 tail pipes Ø 98 mm Street Race centered in „R-Look“, not for 1.4l 59 kW, not for Golf VI Plus	475,00
" 951302 HES	ABS rear diffusor centered, carbon optic, not for 1.4l 59 kW, not for Golf V Plus	199,00
Golf VI GTI, type 1K, 2009=>		
2.0l TSI 155 kW (CCZ)		
Golf VI GTI Edition 35, type 1K, 2011=>		
2.0l TSI 173 kW (CDLG)		
Golf VI GTD, type 1K, 2009=>		
2.0l GTD 125 kW (BMN/CBB/CFG)		
Axle-back-system L/R: 956008 0500 + tail pipe set! Not for GTD!		
Cat-back-system L/R: 957204 0000 (Racing) resp. 957204 0300 + 956008 0500 + tail pipe set! Not for GTD!		
Axle-back-system centered in "R-Look": 956108 5598C + 951303 HES! Sport exhaust centered and rear diffusor only fits as a complete system!		
Cat-back-system centered in "R-Look": 957204 0000 (Racing) resp. 957204 0300 + 956108 5598C + 951303 HES! Sport exhaust centered and rear diffusor only fits as a complete system! Not for GTD!		
957204 0000	RACING tube without homologation, instead of front silencer, not for Diesel	133,00
957204 0300	Front silencer, not for Diesel models	324,00
Sport exhaust system L/R consisting of:		
956008 0500	Sport exhaust for L/R system (without tail pipes), not for GTD	394,00
Choose from following tail pipe package:		
0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
Alternative: Sport exhaust system centered consisting of:		
956108 5598C	Sport exhaust with 2 tail pipes Ø 98 mm Street Race centered in „R-Look“	475,00
" 951303 HES	ABS rear diffusor centered, carbon optic	199,00
Golf VI R, type 1K, 2010=>		
2.0l TSI 199 kW (CDLF)		
Axle-back-system centered: 956110 5598C!		
REMUS Titanium2 axle-back-system centered: 956010 5598T!		
Cat-back-system centered: 956110 0000 (Racing) + 956110 5598C resp. 956010 5598T!		
956110 0000	RACING tube Ø 70 mm without homologation, instead of front silencer, original pipe must be cut	96,00
956110 5598C	Sport exhaust Ø 70 mm centered with 2 tail pipes Ø 98 mm Street Race incl. connection tube Ø 70 mm (fits on original front silencer with adaptor)	866,00
2) 956010 5598T	Titanium2 sport exhaust Ø 70 mm centered with 2 tail pipes Ø 98 mm incl. connection tube Ø 70 mm (fits with adapter onto original front silencer)	1.961,00
Golf VII, type AU, 2012=>		
Golf VII GTD, type AU, not for cars with sport & sound package, 2012=>		
1.2l TSI 63 kW (CJZB); 1.2l TSI 77 kW (CJJA); 1.4l TSI 90 kW (CMBA/CPVA/CXSA); 1.4l TSI 103 kW (CHPA/CPTA); 1.4l TSI 110 kW;		
1.6l TDI 66 kW (CLHB); 1.6l TDI 77 kW (CLHA); 2.0l TDI 81 kW (CRVA); 2.0l TDI 110 kW (CRBC); 2.0l GTD 135 kW (CUN)		
Axle-back-system: 953612 0000 resp. 954112 0000 + 953112 0584CS resp. 954112 0584CS!		
Axle-back-system L/R: 953612 0000 resp. 954112 0000 + 955113 1500 resp. 954112 1600 (Racing) + tail pipe set + optional 951401 HES resp. 952401 HES! Sport exhaust centered and rear diffusor centered only fits as a complete system! The rear diffusors left/right are only mountable together with the L/R systems respectively non-resonated RACING section L/R! Alternatively also the original rear skirt can be used but it has to be trimmed according to enclosed instructions!		
Cat-back-system (only for 1.4l TSI): 954312 0000 (Racing) + 953612 0000 resp. 954112 0000 + 953112 0584CS resp. 954112 0584CS!		
Axle-back-system L/R (only for 1.4l TSI): 954312 0000 (Racing) + 953612 0000 resp. 954112 0000 + 955113 1500 resp. 954112 1600 (Racing) + tail pipe set + optional 951401 HES resp. 952401 HES! Sport exhaust centered and rear diffusor centered only fits as a complete system! The rear diffusors left/right are only mountable together with the L/R systems respectively non-resonated RACING section L/R! Alternatively also the original rear skirt can be used but it has to be trimmed according to enclosed instructions!		
954312 0000	RACING tube without homologation, instead of front silencer, only for 1.4l TSI, only fits as a complete system with the REMUS sport exhaust	167,00
953612 0000	Connection tube (twist beam axle) for mounting on 1.2l TSI 63/77 kW, 1.6l TDI 66/77 kW, 2.0l TDI 81 kW	59,00
954112 0000	Connection tube (multi-link axle) for mounting on 1.4l TSI, 2.0l TDI 110 kW, 2.0l GTD 135 kW	59,00
Sport exhaust system left:		
953112 0584CS	Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race, only for 1.2l TSI 63/77 kW, 1.4l TSI	432,00
954112 0584CS	Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race, only for 1.6l TDI 66/77 kW, 2.0l TDI 81/110 kW, 2.0l GTD 135 kW	432,00
Alternative: Sport exhaust system L/R consisting of:		
955113 1500	Sport exhaust centered for L/R system (without tail pipes), pipe Ø 70 mm	303,00
Alternative: Non-resonated RACING section L/R consisting of:		
954112 1600	Non-resonated RACING section L/R (without tail pipes), without homologation	130,00
Choose from following tail pipe package:		
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	780,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
" 951401 HES	ABS rear diffusor left/right, carbon optic	199,00
" 952401 HES	ABS rear diffusor left/right, satin black	199,00

Part no.	Description	€ excl. VAT
Golf VII GTD, type AU, for cars with sport & sound package, 2012=>		
2.0l GTD 135 kW (CUN)		
	Axle-back-system L/R: 954512 0000 + 954112 1600 + 952401 HES resp. 951401 HES + tail pipe set! The rear diffusors are only mountable together with the non-resonated section left/right with tail pipes! The exhaust respectively non-resonated section can only be installed using the original VW bracket 5Q0 253 144D! Please purchase before installing the exhaust from your local VW Dealership! Alternatively also the original rear skirt can be used but it has to be trimmed according to enclosed instructions!	
954212 0000	Connection tube for mounting on 2.0l GTD 135 kW	59,00
	Non-resonated section L/R consisting of:	
954112 1600	Non-resonated section L/R (without tail pipes)	130,00
" 951401 HES	ABS rear diffusor left/right, carbon optic	199,00
" 952401 HES	ABS rear diffusor left/right, satin black	199,00
	Choose from following tail pipe package:	
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	780,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
Golf VII GTI / GTI Performance, type AU, 2013=>		
2.0l TSI 162 kW (CHH); 2.0l TSI 169 kW (CHH)		
	Axle-back-system L/R with REMUS rear diffusor: 955213 0000 + 955113 1500 bzw 954112 1600 (Racing) + tail pipe set + 951401 HES resp. 952401 HES! The original exhaust must be cut!	
	Cat-back-system L/R with REMUS rear diffusor: 955213 0300 + 955213 0000 + 955113 1500 resp. 954112 1600 (Racing) + tail pipe set + 951401 HES resp. 952401 HES! No cutting of original exhaust required!	
	Turbo-back-system L/R with REMUS rear diffusor: 955113 1100 (Racing) + 955213 0300 + 955213 0000 + 955113 1500 resp. 954112 1600 (Racing) + tail pipe set + 951401 HES resp. 952401 HES! No cutting of original exhaust required!	
4) 955113 1100	RACING downpipe, tube Ø 70 mm, with sport catalytic convertor (200 CPSI), without homologation, can only be fitted in combination with the REMUS front silencer (Original tube Ø 65 mm / REMUS tube Ø 70 mm)	926,00
955213 0300	Resonated cat-back section, with homologation for the VW Golf VII GTI/GTI Performance type AU (Original tube Ø 65 mm / REMUS tube Ø 70 mm)	279,00
955213 0000	Connection tube for mounting the L/R sport exhaust or the non-resonated L/R RACING axle-back-systems	59,00
	Sport exhaust system L/R consisting of:	
955113 1500	Sport exhaust centered for L/R system (without tail pipes), pipe Ø 70 mm	303,00
	Alternative: Non-resonated RACING section L/R consisting of:	
954112 1600	Non-resonated RACING section L/R (without tail pipes), without homologation	130,00
	Choose from following tail pipe package:	
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	780,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
" 951401 HES	ABS rear diffusor left/right, carbon optic	199,00
" 952401 HES	ABS rear diffusor left/right, satin black	199,00
	Axle-back-system L/R for original rear skirt: 955213 0000 + 796014 1500 resp. 796014 1600 (Racing) + tail pipe set! The original exhaust must be cut! No rear skirt modifications required!	
	Cat-back-system L/R for original rear skirt: 955213 0300 + 955213 0000 + 796014 1500 resp. 796014 1600 (Racing) + tail pipe set! No vehicle modifications required!	
	Turbo-back-system L/R for original rear skirt: 955113 1100 (Racing) + 955213 0300 + 955213 0000 + 796014 1500 resp. 796014 1600 (Racing) + tail pipe set! No vehicle modifications required!	
4) 955113 1100	RACING downpipe, tube Ø 70 mm, with sport catalytic convertor (200 CPSI), without homologation, can only be fitted in combination with the REMUS front silencer (Original tube Ø 65 mm / REMUS tube Ø 70 mm)	926,00
955213 0300	Resonated cat-back section, with homologation for the VW Golf VII GTI/GTI Performance type AU (Original tube Ø 65 mm / REMUS tube Ø 70 mm)	279,00
955213 0000	Connection tube for mounting the L/R sport exhaust or the non-resonated L/R RACING axle-back-systems	59,00
	Sport exhaust system L/R suitable for the original rear skirt:	
796014 1500	Sport exhaust centered for L/R system (without tail pipes), suitable for the original rear skirt, pipe Ø 70 mm (Original tube Ø 65 mm / REMUS tube Ø 70 mm)	254,00
	Alternative: Non-resonated L/R RACING axle-back system suitable for the original rear skirt:	
796014 1600	Non resonated L/R RACING axle-back-system (without tail pipes, without connecting tube), suitable for the original rear skirt, without homologation (Original tube Ø 65 mm / REMUS tube Ø 70 mm)	111,00
	Choose from following tail pipe package:	
0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	148,00
0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	170,00
0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	420,00
0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	222,00
0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	246,00
	RACING cat-back-system with remote controlled valves, without homologation:	
	955513 1500 + tail pipe set + 951401 HES resp. 952401 HES! No cutting of original exhaust required!	
	RACING turbo-back-system with remote controlled valves, without homologation:	
	955113 1100 + 955513 1500 + tail pipe set + 951401 HES resp. 952401 HES! No cutting of original exhaust required!	
4) 955113 1100	RACING downpipe, tube Ø 70 mm, with sport catalytic convertor (200 CPSI), without homologation, can only be fitted in combination with the REMUS front silencer (Original tube Ø 65 mm / REMUS tube Ø 70 mm)	926,00
	RACING tube instead of front silencer, connection tube and sport exhaust centered for L/R system (without tail pipes), fits in combination with original and REMUS downpipe using the supplied adapters, REMUS tube Ø 76 mm with 2 integrated electrical valves, without homologation	
" 3) 955513 1500	It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve is carried out using the included REMUS sound controller. The sound controller and electrical actuators allows the valve to be operated in 4 different positions.	1.450,00
	Choose from following tail pipe package:	
0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	780,00
0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
" 951401 HES	ABS rear diffusor left/right, carbon optic	199,00
" 952401 HES	ABS rear diffusor left/right, satin black	199,00

Part no.	Description	€ excl. VAT
Golf VII R 4motion, type AU, 2014=>		
2.0l TSI 221 kW (CJX)		
Axle-back-system L/R: 956014 0500 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required!		
Cat-back-system L/R: 956014 0300 resp. 956014 0000 (Racing) + 956014 0500 + tail pipe set! No vehicle modifications required!		
Turbo-back-system L/R: 956014 1100 (Racing) + 956014 0300 resp. 956014 0000 (Racing) + 956014 0500 + tail pipe set! No vehicle modifications required!		
4)	956014 1100 RACING downpipe with sport catalytic converter (200 CPSI), pipe Ø 76 mm, without homologation (only mountable together with REMUS front silencer respectively RACING tube)	993,00
	956014 0300 Front silencer (only mountable together with REMUS sport exhaust), pipe Ø 76 mm	255,00
	956014 0000 RACING tube without homologation, instead of front silencer (only mountable together with REMUS sport exhaust), pipe Ø 76 mm	92,00
Sport exhaust system L/R consisting of:		
	956014 0500 Sport exhaust centered for L/R system (without tail pipes), REMUS tube Ø 76 mm, with 2 integrated valves, incl. EC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	834,00
Choose from following tail pipe package:		
	0046 70SG Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	296,00
	0046 70S Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	340,00
	0046 70CS Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	840,00
	0046 98C Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	444,00
	0046 98CB Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	492,00
Jetta Sedan, type 1 KM, 2005=>		
1.6l 75 kW; 1.6l FSI 85 kW; 2.0l FSI 110 kW; 1.9l TDI 77 kW; 2.0l TDI 103 kW		
Axle-back-system: 955505 099 + 0303 04!		
1) °	955505 099 PowerSound sport exhaust with manual valve control system (without tail pipes)	324,00
	0303 04 2 tail pipes Ø 76 mm	147,00
Scirocco III, type 13, 2008=>		
1.4l TSI 90 kW (CAXA); 1.4l TSI 118 kW (CAV/CTHD)		
Axle-back-system: 952608 0584CS!		
Axle-back-system L/R: 952608 1500 + tail pipe set! When fitting L/R system, the rear skirt must be trimmed as per the supplied template!		
Axle-back-system L/R: 955108 1584C resp. 955108 1584CS! When fitting L/R system, the rear skirt must be trimmed as per the supplied template!		
	952608 0584CS Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race	529,00
	955108 1584C Sport exhaust L/R, with 4 tail pipes Ø 84 mm Street Race	675,00
	955108 1584CS Sport exhaust L/R, with 4 tail pipes Ø 84 mm Carbon Race	697,00
Alternative: Sport exhaust system L/R consisting of:		
	952608 1500 Sport exhaust centered for L/R system (without tail pipes)	329,00
Choose from following tail pipe package:		
	0046 83C Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	392,00
	0046 83CS Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	408,00
	0046 83CB Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
	0046 83CTS Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	780,00
	0046 55S Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
Scirocco III, type 13, 2008=>		
1.4l TSI 90 kW; 1.4l TSI 118 kW; 2.0l TSI 147 kW; 2.0l TSI 155 kW; 2.0l TDI 103 kW		
Scirocco III Facelift, only suitable for R-Line, type 13, 2015=>		
1.4l TSI 92 kW; 2.0l TSI 132 kW		
Axle-back-system: 952608 0584CS! The original exhaust will need to be cut at the manufacturer marked cutting point!		
Axle-back-system L/R: 955108 1584C resp. 955108 1584CS! The original exhaust will need to be cut at the manufacturer marked cutting point! The right side skirt outlet must be trimmed as per the enclosed template! L/R-system also suitable for "Rieger" rear diffuser!		
Axle-back-system L/R with REMUS rear diffuser: 955108 1584C resp. 955108 1584CS + 951401 HES! The original exhaust will need to be cut at the manufacturer marked cutting point!		
Cat-back-system (only for 2.0l TSI 147 kW): 955108 0300 + 952608 0584CS! No cutting of the original exhaust system required!		
Cat-back-system L/R (only for 2.0l TSI 147 kW): 955108 0300 resp. 955008 0300TI + 955108 1584C resp. 955108 1584CS resp. 955508 1584TI! No cutting of the original exhaust system required! The right side skirt outlet must be trimmed as per the enclosed template! L/R-system also suitable for "Rieger" rear diffuser!		
Cat-back-system L/R with REMUS rear diffuser (only for 2.0l TSI 147 kW): 955108 0300 + 955108 1584C resp. 955108 1584CS + 952401 HES. No cutting of the original exhaust system and skirt required!		
2)	955108 0300 Resonated front section, only for 2.0TSI 147 kW, incl. EC homologation	279,00
	955008 0584CS Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race (Not for Facelift models! Not for 1.4l TSI models!)	517,00
	952608 0584CS Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race	529,00
	955108 1584C Sport exhaust L/R, with 4 tail pipes Ø 84 mm Street Race	675,00
	955108 1584CS Sport exhaust L/R, with 4 tail pipes Ø 84 mm Carbon Race	697,00
"	951404 HES ABS rear diffuser left/right, carbon optic	199,00
REMUS Titanium2 axle-back-system L/R: 955508 1584TI! The original exhaust will need to be cut at the manufacturer marked cutting point! The right side skirt outlet must be trimmed as per the enclosed template! L/R-system also suitable for "Rieger" rear diffuser!		
REMUS Titanium2 axle-back-system L/R with REMUS rear diffuser: 955508 1584TI + 951401 HES! The original exhaust will need to be cut at the manufacturer marked cutting point!		
REMUS Titanium2 cat-back-system L/R (only for 2.0l TSI 147 kW): 955008 0300TI + 955508 1584TI! No cutting of the original exhaust system required! The right side skirt outlet must be trimmed as per the enclosed template! L/R-system also suitable for "Rieger" rear diffuser!		
REMUS Titanium2 cat-back-system L/R with REMUS rear diffuser (only for 2.0l TSI 147 kW): 955008 0300TI + 955508 1584TI + 952401 HES. No cutting of the original exhaust system and skirt required!		
	955008 0300TI Titanium2 resonated front section, only for 2.0TSI 147 kW, incl. EC homologation	511,00
	955508 1584TI Titanium2 sport exhaustL/R, with 4 tail pipes Ø 84 mm	2.109,00
"	951404 HES ABS rear diffuser left/right, carbon optic	199,00
Scirocco III R, type 13, 2010=>		
2.0l TSI 195 kW (CDL)		
Cat-back-system L/R: 956610 0000 (Racing) resp. 956610 0300 + 956610 1580!		
	956610 0000 RACING tube Ø 70 mm without homologation, instead of front silencer	113,00
	956610 0300 Front silencer Ø 70 mm	246,00
	956610 1580 Sport exhaust Ø 70 mm centered L/R, with 2 tail pipes Ø 115 mm	644,00
Beetle II, Type 16, 2011=>		
1.2l TSI 77 kW (CBZB); 1.4l TSI 118 kW (CAVD/CTHD); 2.0l TSI 147 kW (CCZA); 2.0l TSI 155 kW (CPLA)		
Axle-back-system L/R: 955111 0000 resp. 954111 0000 + 955111 0500 + 954111 1670S resp. 955111 1670S! When fitting on 1.2l TSI 77 kW, the rear skirt must be trimmed as per the supplied template! When fitting the L/R-system onto 1.4l TSI, the rear diffuser of the 2.0l TSI model must be used!		
	955111 0000 Connection tube (multi link axle) for mounting on 1.2l TSI 77 kW up from MY 2013, 1.4l TSI 118 kW, 2.0l TSI 147/155 kW	78,00
	954111 0000 Connection tube (twist beam axle) for mounting on 1.2l TSI 77 kW until MY 2013	64,00
Sport exhaust system L/R consisting of:		
	955111 0500 Sport exhaust centered for L/R system (without tail pipes)	308,00
	954111 1670S Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, for 1.2l TSI 77 kW	228,00
	955111 1670S Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, for 1.4l TSI 118 kW, 2.0l TSI 147/155 kW	228,00

Part no.	Description	€ excl. VAT
Passat B4, type 35i, Sedan & Estate, OCT1993=>		
1.6V 115 kW		
2) 956093 0504	Sport exhaust with 2 tail pipes Ø 76 mm, without homologation	436,00
Transporter T5, 2003=>		
1.9l TDI 63/77 kW; 2.5l TDI 120 kW 2.5l TDI 96/128 kW		
Transporter T5 Facelift, tipo 7J0, AUG2009=>		
2.0 TDI 62/75/100/103/132 kW		
957103 0556	Sport exhaust with 2 tail pipes Ø 84 mm angled	463,00
Touareg II Facelift, type 7L, 2007=> 2011 (not for models 2012)		
2.5l TDI 128 kW (BAC); 3.0l TDI 165 kW (BKS); 3.2l TDI 162 kW (AZZ)		
Axle-back-system L/R: 958003 0500 + 958008 1678!		
° 958003 0500	Sport exhaust left/right (without tail pipes)	455,00
° 958008 1678	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm, for Facelift model up from 07	417,00
Amarok, type 2H, 2010=>		
Amarok 4motion, type 2H, 2010=>		
2.0l TDI 90 kW (CNFA/CDBA); 2.0l TDI 103 kW (CNFB); 2.0l TDI 120 kW (CDCA); 2.0l TDI 132 kW (CSHA/CNEA)		
Axle-back-system L/R: 956013 1557!		
956013 1557	Sport exhaust L/R, with 2 tail pipes 185x85 mm	649,00
VOLVO		
S40/V40, 2001=>		
1.8l 90 kW		
Axle-back-system L/R: 974501 0548!		
° 974501 0548	Sport exhaust with 2 tail pipes 74x65 mm angled	378,00
S80 V8 Sedan, 2006=>		
4.4l V8 232 kW		
Axle-back-system L/R: 979206 098L + 979206 098R + tail pipe set!		
2) 979206 098L	Sport exhaust left (without tail pipes)	307,00
2) 979206 098R	Sport exhaust right (without tail pipes)	307,00
Choose from following tail pipe package:		
0010 02	Tail pipe set L/R consisting of 4 tail pipes 92x78 mm	320,00
0010 04G	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm straight	294,00
0010 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	154,00
0010 14M	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm	184,00
0010 70	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm	164,00
0010 78	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm	294,00
0010 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	190,00
0010 83CS	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race	198,00
0010 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome	214,00
0010 84C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race	380,00
0010 84CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race	396,00
0010 84CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome	428,00
0010 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race	216,00
0010 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome	240,00
Weld-on tail pipes		
not embossed, inner connection Ø 54 mm length = 360 mm		
2) 006097 0505	Tail pipe Ø 90 mm, not embossed	99,00
2) 006097 0503	Tail pipe Ø 76 mm, not embossed	81,00
UNIVERSAL sport exhausts 30-150 kW		
without homologation suitable for models from 30 - 150 kW		
outer measurements: 190x120x380, connection inner Ø 51 mm, incl. clamp		
2) 001090 0505	Sport exhaust with 1 tail pipe Ø 90 mm	224,00
2) 001090 0595P	Sport exhaust with 1 tail pipe Ø 90 mm mat polished	204,00
without homologation suitable for models from 30 - 150 kW		
outer measurements: 190x120x380, connection inner Ø 51 mm, incl. clamp		
Axle-back-system: 001115 0500 + tail pipe set!		
Sport exhaust system consisting of:		
001115 0500	Sport exhaust (without tail pipes)	141,00
Choose from following tail pipe package:		
0006 70SG	1 tail pipe Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	74,00
0006 70S	1 tail pipe Ø 102 mm angled, chromed, with adjustable spherical clamp connection	85,00
0006 70CS	1 Carbon tail pipe Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	210,00
0006 98C	1 tail pipe Ø 98 mm Street Race, with adjustable spherical clamp connection	111,00
0006 98CB	1 tail pipe Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	123,00
0006 05	1 tail pipe Ø 90 mm, chromed, with adjustable spherical clamp connection	80,00
0006 55S	1 tail pipe Ø 84 mm angled, chromed, with adjustable spherical clamp connection	80,00
0006 83C	1 tail pipe Ø 84 mm Street Race, with adjustable spherical clamp connection	98,00
0006 83CS	1 tail pipe Ø 84 mm Carbon Race, with adjustable spherical clamp connection	102,00
0006 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	110,00
0006 83CTS	1 Carbon tail pipe Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	195,00
without homologation suitable for models from 30 - 150 kW		
outer measurements: Ø 133x390 mm, connection inner Ø 51 mm, incl. clamp		
2) 002090 0505	Sport exhaust with 1 tail pipe Ø 90 mm	204,00
without homologation suitable for models from 30 - 150 kW		
outer measurements: 210x150x430 mm, connection inner Ø 51 mm, incl. clamp		
2) 003092 0570	Sport exhaust with 1 tail pipe Ø 102 mm	249,00

UNIVERSAL sport exhausts 30-200 kW**without homologation suitable for models from 30 - 200 kW**

outer measurements: Ø 145 mm, silencer length 350 mm; with step connection Ø 65 mm / Ø 60 mm / Ø 55 mm

003005 8598	Sport exhaust polished with 1 tail pipe Ø 98 mm angled	172,00
003005 8598B	Sport exhaust polished with 1 tail pipe Ø 98 mm angled "burned"	184,00
SH14002	Body clamp Ø 145 mm	18,00
00 98	Sound insert	34,00

without homologation suitable for models from 30 - 200 kW

outer measurements: 210x150x430 mm; step connection outside Ø 51 / 57 / 63,5 mm; silencer inner pipe Ø 65 x 1,5 mm; incl. clamp

Axle-back-system: 003115 0500 + tail pipe set!		
Sport exhaust system consisting of:		
003115 0500	Sport exhaust (without tail pipes)	174,00
Choose from following tail pipe package:		
0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
0026 83CTS	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	390,00
0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	160,00

UNIVERSAL sport exhausts with integrated electronic valve and remote control, 30-200 kW**UNIVERSAL sport exhausts, with integrated electronic valve and remote control**

outer measurements: 190x120x260 mm; step connection Ø 51 / 57 / 63,5 mm (2 / 2,25 / 2,5 Zoll); without body clamp

Axle-back-system L or R: 1 x 004513 0500 + 1 x tail pipe set + STE 0010!**Axle-back-system L/R:** 2 x 004513 0500 + 2 x tail pipe set + STE 0004!**Sport exhaust system consisting of:**

Sport exhaust (without tail pipes), with integrated electrical valves, without homologation

The sport exhaust can be turned 180° and can therefore be used on left OR right side of the car. The outlet pipe with the valve is clamped-on and can also be turned.

"	004513 0500	Attention: Order 2x 004513 0500 and 2x tail pipe package for left/right-system! The activation of the valve is carried out using the REMUS Sound Controller which has to be ordered separately. The REMUS Sound Controller and the electrical actuator allows the valve to be operated in 4 different positions. Choose from following tail pipe package for 1x 004513 0500:	431,00
	0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	196,00
	0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	204,00
	0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
	0026 83CTS	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	390,00
	0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	160,00
	0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	160,00
	Choose following REMUS Sound Controller for 1x 004513 0500:		
"	STE 0010	REMUS Sound Controller for 004513 0500 for one sided system (left OR right) The REMUS Sound Controller consisting of the electronic module and the remote control for individual sound adjustment in 4 levels, must be ordered. Without EC homologation.	300,00
	Choose following REMUS Sound Controller for 2x 004513 0500:		
"	STE 0004	REMUS Sound Controller for 004513 0500 for both sided system (left AND right) The REMUS Sound Controller consisting of the electronic module and the remote control for individual sound adjustment in 4 levels, must be ordered. Without EC homologation.	320,00

LEGENDE

1) = It is not allowed to change the valve setting as per public traffic regulations! If the valve setting is changed, the exhaust is no longer EC-homologated & no longer street legal. Only for race purposes!

2) = As long as stock lasts!

3) When installing REMUS axle-back and cat-back-system on vehicles which are used for closed road driving, it is advisable to tune the ECU for a maximum gain in performance and to ensure that the CEL does not come on.

4) When installing REMUS down-pipes with and without the racing catalytic converters, which are only suitable for closed road driving, it is important to note that ECU tuning is required to ensure that the engine runs and performs efficiently and to ensure that the CEL does not come on.

=> from

<= until

Errors & omissions excepted!